

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM ₁₀	1
2	Agra	Satisfactory	51	O ₃ , PM ₁₀ , SO ₂	6
3	Ahmedabad	Good	50	PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Good	48	PM ₁₀	1
7	Amaravati	Good	31	O ₃	1
8	Ambala	Moderate	141	PM _{2.5}	1
9	Amritsar	Moderate	109	O ₃	1
10	Ankleshwar	Good	42	PM ₁₀	1
11	Araria	Satisfactory	63	NO ₂	1
12	Arrah	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	70	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	90	PM ₁₀	1
15	Baddi	Moderate	112	PM ₁₀	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Baghpat	Good	49	03	1
18	Bahadurgarh	Satisfactory	55	PM ₁₀	1
19	Ballabgarh	Moderate	102	PM ₁₀	1
20	Bareilly	Satisfactory	56	PM _{2.5} , PM ₁₀	2
21	Bathinda	Good	48	со	1
22	Belgaum	Good	50	PM ₁₀	1
23	Bengaluru	Satisfactory	56	PM ₁₀	5
24	Bhagalpur	Satisfactory	60	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhilai	Good	25	NO ₂	1
26	Bhiwadi	Satisfactory	77	PM ₁₀	1
27	Bhiwani	Satisfactory	58	O ₃	1
28	Bhopal	Satisfactory	59	PM ₁₀	1
29	Bilaspur	Satisfactory	64	PM ₁₀	1
30	Bulandshahr	Satisfactory	79	PM ₁₀	1
31	Buxar	Moderate	119	PM ₁₀	1
32	Chamarajanagar	Good	40	PM ₁₀	1
33	Chandigarh	Good	43	PM _{2.5}	3
34	Chandrapur	Satisfactory	66	со	1
35	Charkhi Dadri	Good	45	PM ₁₀	1
36	Chennai	Satisfactory	63	CO, PM ₁₀ , PM _{2.5}	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	100	со	1
38	Chikkaballapur	Good	32	PM ₁₀	1
39	Chikkamagaluru	Good	32	03	1
40	Damoh	Good	30	PM ₁₀	1
41	Darbhanga	Satisfactory	95	PM ₁₀	1
42	Davanagere	Good	19	PM ₁₀	1
43	Dehradun	Satisfactory	63	PM _{2.5}	1
44	Delhi	Satisfactory	71	PM ₁₀ , CO	36
45	Dewas	Satisfactory	54	PM ₁₀	1
46	Dharuhera	Satisfactory	83	PM ₁₀	1
47	Eloor	Satisfactory	62	PM ₁₀	1
48	Ernakulam	Good	40	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	133	O ₃ , PM _{2.5} , PM ₁₀	3
50	Fatehabad	Good	49	PM ₁₀	1
51	Firozabad	Satisfactory	62	PM ₁₀	2
52	Gadag	Good	35	PM _{2.5}	1
53	Gandhinagar	Good	27	PM ₁₀	1
54	Gaya	Satisfactory	87	PM ₁₀ , PM _{2.5}	3
55	Ghaziabad	Satisfactory	76	PM ₁₀	4
56	Gorakhpur	Good	47	SO ₂	1
57	Greater Noida	Satisfactory	67	PM ₁₀ , O ₃	2
58	Gurugram	Satisfactory	66	PM ₁₀	3
59	Guwahati	Satisfactory	64	O ₃	1
60	Gwalior	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	91	PM ₁₀	1
62	Haldia	Good	34	со	1
63	Hapur	Good	38	PM _{2.5}	1
64	Haveri	Satisfactory	53	со	1
65	Hisar	Satisfactory	67	03	1
66	Howrah	Satisfactory	58	PM ₁₀ , CO	3
67	Hubballi	Satisfactory	54	со	1
68	Hyderabad	Satisfactory	57	CO, PM ₁₀ , PM _{2.5}	14
69	Imphal	Satisfactory	72	O ₃ , PM ₁₀	2
70	Indore	Satisfactory	74	PM ₁₀	1
71	Jabalpur	Satisfactory	73	PM ₁₀	1
72	Jaipur	Satisfactory	58	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Good	42	PM ₁₀	1
74	Jhansi	Satisfactory	68	PM ₁₀	1
75	Jind	Satisfactory	68	СО	1
76	Jodhpur	Satisfactory	51	PM ₁₀	1
77	Kaithal	Good	35	PM ₁₀	1
78	Kalyan	Satisfactory	74	PM ₁₀	1
79	Kannur	Satisfactory	54	PM _{2.5}	1
80	Kanpur	Good	44	PM ₁₀	3
81	Karnal	Good	33	PM ₁₀	1
82	Katni	Satisfactory	80	PM ₁₀	1
83	Khanna	Good	36	PM ₁₀	1
84	Khurja	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Good	46	O ₃	1
86	Kochi	Satisfactory	71	PM _{2.5}	1
87	Kohima	Satisfactory	54	SO ₂	1
88	Kolkata	Good	46	PM ₁₀ , O ₃ , CO	7
89	Kollam	Satisfactory	58	PM ₁₀	1
90	Koppal	Satisfactory	85	03	1
91	Kota	Satisfactory	52	PM ₁₀	1
92	Kozhikode	Satisfactory	85	PM ₁₀	1
93	Kurukshetra	Good	46	PM _{2.5}	1
94	Lucknow	Good	46	CO, PM ₁₀	6
95	Ludhiana	Good	40	PM ₁₀	1
96	Madikeri	Good	34	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	46	со	1
98	Mandi Gobindgarh	Moderate	188	PM _{2.5}	1
99	Mandideep	Good	42	PM ₁₀	1
100	Mandikhera	Good	23	PM ₁₀	1
101	Manesar	Satisfactory	64	PM ₁₀	1
102	Manglore	Good	48	со	1
103	Manguraha	Good	44	PM ₁₀	1
104	Meerut	Moderate	103	PM ₁₀	3
105	Moradabad	Satisfactory	80	PM ₁₀ , CO	6
106	Motihari	Satisfactory	61	PM _{2.5}	1
107	Mumbai	Satisfactory	56	CO, PM ₁₀	17
108	Muzaffarnagar	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	72	PM ₁₀ , PM _{2.5} , CO	3
110	Mysuru	Satisfactory	52	PM ₁₀	1
111	Nagpur	Good	42	со	1
112	Naharlagun	Good	41	PM _{2.5}	1
113	Narnaul	Good	29	NO ₂	1
114	Nashik	Good	45	03	1
115	Navi Mumbai	Good	47	CO, PM ₁₀	3
116	Noida	Satisfactory	71	CO, PM ₁₀	4
117	Pali	Satisfactory	54	PM ₁₀	1
118	Palwal	Satisfactory	51	PM ₁₀	1
119	Panchkula	Good	44	PM _{2.5}	1
120	Panipat	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Good	45	PM _{2.5}	1
122	Patna	Satisfactory	86	PM ₁₀ , NO ₂	4
123	Pithampur	Satisfactory	62	PM ₁₀	1
124	Prayagraj	Satisfactory	72	PM ₁₀	1
125	Puducherry	Good	42	PM ₁₀	1
126	Purnia	Satisfactory	97	PM _{2.5}	1
127	Raichur	Satisfactory	59	со	1
128	Rajamahendravaram	Satisfactory	62	PM ₁₀	1
129	Ramanagara	Good	36	03	1
130	Ramanathapuram	Moderate	124	со	1
131	Ratlam	Good	33	PM _{2.5}	1
132	Rupnagar	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sagar	Satisfactory	65	СО	1
134	Saharsa	Moderate	153	PM ₁₀	1
135	Samastipur	Satisfactory	75	PM ₁₀	1
136	Sasaram	Satisfactory	72	NO ₂	1
137	Satna	Satisfactory	56	PM ₁₀	1
138	Shillong	Good	27	PM ₁₀ , SO ₂	2
139	Shivamogga	Good	44	PM ₁₀	1
140	Singrauli	Moderate	101	NO ₂	1
141	Sirsa	Satisfactory	57	03	1
142	Siwan	Satisfactory	74	NO ₂	1
143	Solapur	Satisfactory	88	PM ₁₀	1
144	Sonipat	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Good	39	PM ₁₀	1
146	Talcher	Moderate	115	СО	1
147	Thane	Satisfactory	69	03	1
148	Thiruvananthapuram	Satisfactory	54	CO, PM _{2.5}	2
149	Thoothukudi	Good	41	PM ₁₀	1
150	Thrissur	Good	28	PM _{2.5}	1
151	Tirupati	Good	44	СО	1
152	Udaipur	Good	50	PM ₁₀	1
153	Ujjain	Satisfactory	71	PM ₁₀	1
154	Varanasi	Satisfactory	55	PM ₁₀	3
155	Vatva	Satisfactory	63	PM ₁₀	1
156	Vijayapura	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Moderate	108	PM ₁₀	1
158	Vrindavan	Good	43	SO ₂	1
159	Yadgir	Good	35	PM ₁₀	1
160	Yamunanagar	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate Breathing discomfort to the people with lungs, asthma and heart dis		
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Maharashtra), Begusarai, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Durgapur, Gangtok, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kalaburgi, Katihar, Kolar, Munger, Nandesari, Pune, Rajgir, Rohtak, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.