

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	74	PM ₁₀	1
2	Agra	Poor	209	PM _{2.5}	1
3	Ahmedabad	Satisfactory	98	PM ₁₀	1
4	Aizawl	Satisfactory	71	PM ₁₀	1
5	Ajmer	Moderate	105	PM ₁₀	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Good	46	O ₃	1
8	Ambala	Satisfactory	94	PM ₁₀	1
9	Amritsar	Moderate	103	PM _{2.5}	1
10	Ankleshwar	Moderate	127	PM ₁₀	1
11	Asansol	Moderate	111	PM ₁₀	1
12	Aurangabad	Satisfactory	86	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	45	со	1
14	Baghpat	Very Poor	383	PM ₁₀	1
15	Bahadurgarh	Moderate	151	PM _{2.5}	1
16	Bathinda	Satisfactory	77	PM ₁₀	1
17	Bengaluru	Satisfactory	65	PM ₁₀ , PM _{2.5} , CO	8
18	Bhiwadi	Very Poor	311	PM _{2.5}	1
19	Bhiwani	Moderate	139	PM ₁₀	1
20	Bhopal	Moderate	167	03	1
21	Brajrajnagar	Moderate	116	PM ₁₀	1
22	Bulandshahr	Poor	269	PM ₁₀	1
23	Chandigarh	Moderate	112	PM ₁₀	1
24	Chandrapur	Satisfactory	70	PM ₁₀ , PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	155	PM ₁₀	1
26	Chennai	Satisfactory	60	O ₃ , CO, PM ₁₀	4
27	Chikkaballapur	Satisfactory	62	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	52	PM _{2.5}	1
29	Davanagere	Good	50	PM ₁₀	1
30	Delhi	Moderate	199	PM ₁₀ , PM _{2.5}	32
31	Dewas	Moderate	143	PM ₁₀	1
32	Dharuhera	Poor	287	PM ₁₀	1
33	Eloor	Good	47	со	1
34	Faridabad	Moderate	196	PM _{2.5} , PM ₁₀ , O ₃	4
35	Fatehabad	Poor	247	PM ₁₀	1
36	Gadag	Satisfactory	57	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	60	PM ₁₀	1
38	Gaya	Moderate	156	PM _{2.5} , O ₃	2
39	Ghaziabad	Poor	247	PM ₁₀	4
40	Greater Noida	Moderate	192	PM ₁₀	2
41	Gummidipoondi	Good	40	PM _{2.5}	1
42	Gurugram	Moderate	161	PM ₁₀ , PM _{2.5}	3
43	Guwahati	Moderate	108	PM _{2.5} , PM ₁₀	2
44	Gwalior	Moderate	151	PM ₁₀	1
45	Hajipur	Poor	275	PM ₁₀	1
46	Haldia	Good	46	PM ₁₀	1
47	Hassan	Satisfactory	60	PM ₁₀	1
48	Hisar	Moderate	158	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	98	PM ₁₀	2
50	Hubballi	Satisfactory	71	O ₃	1
51	Hyderabad	Satisfactory	58	PM ₁₀ , O ₃ , PM _{2.5}	4
52	Indore	Moderate	154	PM _{2.5}	1
53	Jabalpur	Moderate	129	PM ₁₀	1
54	Jaipur	Moderate	186	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Satisfactory	95	PM ₁₀	1
56	Jind	Poor	295	PM _{2.5}	1
57	Jodhpur	Moderate	179	PM _{2.5}	1
58	Jorapokhar	Moderate	121	PM ₁₀	1
59	Kaithal	Moderate	140	PM ₁₀	1
60	Kalyan	Satisfactory	83	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Poor	258	PM _{2.5}	1
62	Kanpur	Satisfactory	100	PM _{2.5}	2
63	Karnal	Satisfactory	95	PM ₁₀	1
64	Katni	Moderate	184	PM ₁₀	1
65	Khanna	Satisfactory	95	PM ₁₀	1
66	Kohima	Satisfactory	94	PM ₁₀	1
67	Kolar	Satisfactory	58	СО	1
68	Kolkata	Satisfactory	76	PM ₁₀ , O ₃	7
69	Kollam	Satisfactory	75	PM _{2.5}	1
70	Koppal	Satisfactory	62	со	1
71	Kota	Moderate	137	PM _{2.5}	1
72	Kozhikode	Satisfactory	70	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	132	PM ₁₀	1
74	Lucknow	Moderate	159	PM _{2.5} , PM ₁₀	4
75	Ludhiana	Satisfactory	97	PM ₁₀	1
76	Mandideep	Satisfactory	84	PM _{2.5}	1
77	Mandikhera	Satisfactory	91	PM ₁₀	1
78	Manesar	Poor	283	PM _{2.5}	1
79	Manglore	Good	49	PM ₁₀	1
80	Medikeri	Good	40	O ₃	1
81	Meerut	Poor	212	NO ₂ , PM ₁₀	3
82	Moradabad	Moderate	187	PM ₁₀	1
83	Mumbai	Satisfactory	94	PM _{2.5} , O ₃ , PM ₁₀	17
84	Muzaffarnagar	Moderate	166	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	240	PM _{2.5} , PM ₁₀	2
86	Nagpur	Satisfactory	77	PM ₁₀	1
87	Naharlagun	Good	38	PM _{2.5}	1
88	Narnaul	Poor	265	PM ₁₀	1
89	Navi Mumbai	Satisfactory	92	O ₃ , PM ₁₀	3
90	Noida	Moderate	184	PM ₁₀	3
91	Pali	Poor	206	PM ₁₀	1
92	Palwal	Moderate	128	PM ₁₀	1
93	Panchkula	Satisfactory	67	PM _{2.5}	1
94	Panipat	Moderate	188	PM ₁₀	1
95	Patiala	Moderate	114	PM ₁₀	1
96	Patna	Poor	259	PM _{2.5}	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	107	PM ₁₀	1
98	Puducherry	Good	33	PM ₁₀	1
99	Pune	Satisfactory	86	PM _{2.5} , PM ₁₀ , CO	4
100	Rajamahendravaram	Satisfactory	57	со	1
101	Ramanagara	Satisfactory	64	03	1
102	Ratlam	Moderate	125	PM ₁₀	1
103	Rohtak	Moderate	152	PM _{2.5}	1
104	Sagar	Moderate	101	PM _{2.5}	1
105	Siliguri	Poor	249	PM _{2.5}	1
106	Singrauli	Very Poor	342	PM ₁₀	1
107	Sirsa	Moderate	119	PM ₁₀	1
108	Sonipat	Poor	220	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Moderate	102	PM ₁₀	1
110	Talcher	Satisfactory	95	PM ₁₀	1
111	Thane	Moderate	196	O ₃	1
112	Thiruvananthapuram	Good	49	O ₃ , PM ₁₀	2
113	Thoothukudi	Satisfactory	64	PM ₁₀	1
114	Thrissur	Satisfactory	95	PM ₁₀	1
115	Tirupati	Good	41	PM ₁₀	1
116	Udaipur	Satisfactory	97	PM _{2.5}	1
117	Ujjain	Moderate	160	O ₃	1
118	Vapi	Satisfactory	93	PM ₁₀	1
119	Varanasi	Moderate	190	PM ₁₀	1
120	Vatva	Moderate	177	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Good	46	PM ₁₀	1
122	Visakhapatnam	Satisfactory	87	PM ₁₀	1
123	Yadgir	Satisfactory	70	O ₃	1
124	Yamunanagar	Moderate	166	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Chamarajanagar, Coimbatore, Damoh, Durgapur, Ernakulam, Hapur, Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Mysuru, Nandesari, Nashik, Raichur, Rupnagar, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.