

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Good	32	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	64	PM ₁₀ , CO	9
4	Ajmer	Good	46	PM _{2.5}	1
5	Alwar	Satisfactory	80	PM ₁₀	1
6	Amaravati	Good	18	PM ₁₀	1
7	Ambala	Satisfactory	57	PM ₁₀	1
8	Amritsar	Good	21	со	1
9	Ankleshwar	Satisfactory	54	со	1
10	Aurangabad	Satisfactory	53	со	1
11	Bagalkot	Good	25	со	1
12	Baghpat	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Good	47	PM _{2.5}	1
14	Ballabgarh	Satisfactory	73	PM ₁₀	1
15	Bathinda	Good	21	со	1
16	Bengaluru	Satisfactory	58	PM ₁₀ , O ₃ , CO	8
17	Bettiah	Satisfactory	82	PM ₁₀	1
18	Bhiwadi	Moderate	112	PM ₁₀	1
19	Bhiwani	Satisfactory	59	03	1
20	Bhopal	Satisfactory	54	PM ₁₀	1
21	Brajrajnagar	Satisfactory	94	NO ₂	1
22	Bulandshahr	Good	49	03	1
23	Chamarajanagar	Good	43	PM ₁₀	1
24	Chandigarh	Good	36	NH ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	20	O ₃ , PM ₁₀	2
26	Charkhi Dadri	Good	39	PM ₁₀	1
27	Chennai	Satisfactory	58	CO, PM ₁₀	7
28	Chikkaballapur	Good	29	со	1
29	Chikkamagaluru	Good	31	PM ₁₀	1
30	Damoh	Satisfactory	64	со	1
31	Darbhanga	Moderate	111	PM ₁₀	1
32	Davanagere	Good	20	со	1
33	Delhi	Satisfactory	74	PM _{2.5} , NO ₂ , PM ₁₀	35
34	Dewas	Good	48	PM ₁₀	1
35	Durgapur	Moderate	127	PM _{2.5}	1
36	Ernakulam	Satisfactory	60	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	108	O ₃ , PM ₁₀	2
38	Fatehabad	Satisfactory	61	03	1
39	Firozabad	Good	28	PM ₁₀	1
40	Gadag	Good	46	SO ₂	1
41	Gandhinagar	Good	45	PM ₁₀	3
42	Gaya	Satisfactory	62	o ₃ , co	2
43	Ghaziabad	Satisfactory	76	O ₃ , PM ₁₀ , CO	4
44	Gorakhpur	Good	18	со	1
45	Greater Noida	Satisfactory	82	03	2
46	Gurugram	Satisfactory	63	PM ₁₀ , O ₃	3
47	Guwahati	Good	46	SO ₂	2
48	Gwalior	Good	36	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	79	03	1
50	Haldia	Satisfactory	60	PM ₁₀	1
51	Hapur	Satisfactory	63	со	1
52	Hassan	Good	29	SO ₂	1
53	Hisar	Good	48	03	1
54	Howrah	Satisfactory	77	PM ₁₀	3
55	Hubballi	Good	22	PM ₁₀	1
56	Hyderabad	Good	32	NO ₂ , PM _{2.5} , CO	4
57	Indore	Good	42	PM ₁₀	1
58	Jabalpur	Good	41	PM ₁₀	1
59	Jaipur	Satisfactory	64	CO, PM ₁₀	3
60	Jalandhar	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Department of the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Good	28	PM _{2.5}	1
62	Jodhpur	Satisfactory	89	PM ₁₀	1
63	Kaithal	Satisfactory	67	O ₃	1
64	Kalaburgi	Good	19	SO ₂	1
65	Kalyan	Good	35	со	1
66	Kannur	Good	37	NO ₂	1
67	Kanpur	Good	24	NO ₂ , O ₃	2
68	Karnal	Satisfactory	54	PM _{2.5}	1
69	Katni	Satisfactory	51	PM ₁₀	1
70	Khanna	Satisfactory	59	PM ₁₀	1
71	Kochi	Satisfactory	56	со	1
72	Kohima	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Satisfactory	94	со	1
74	Kolkata	Moderate	114	O ₃ , PM _{2.5} , PM ₁₀	7
75	Kollam	Satisfactory	58	PM _{2.5}	1
76	Koppal	Good	26	03	1
77	Kota	Satisfactory	51	PM ₁₀	1
78	Kozhikode	Good	29	со	1
79	Kurukshetra	Good	39	PM _{2.5}	1
80	Lucknow	Good	46	CO, NO ₂ , PM _{2.5}	6
81	Ludhiana	Satisfactory	64	PM ₁₀	1
82	Maihar	Good	16	PM ₁₀	1
83	Mandi Gobindgarh	Good	49	PM _{2.5}	1
84	Mandideep	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Satisfactory	57	O ₃	1
86	Manesar	Satisfactory	52	PM _{2.5}	1
87	Manglore	Satisfactory	62	NO ₂	1
88	Medikeri	Good	21	со	1
89	Meerut	Satisfactory	62	CO, O ₃ , PM ₁₀	3
90	Moradabad	Good	36	PM ₁₀	1
91	Motihari	Good	49	O ₃	1
92	Mumbai	Satisfactory	54	PM ₁₀ , PM _{2.5} , CO	16
93	Muzaffarnagar	Satisfactory	73	со	1
94	Muzaffarpur	Good	43	PM _{2.5}	1
95	Mysuru	Good	36	O ₃	1
96	Nagpur	Satisfactory	80	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nandesari	Moderate	141	PM _{2.5}	1
98	Narnaul	Satisfactory	99	PM ₁₀	1
99	Nashik	Good	27	PM ₁₀	1
100	Navi Mumbai	Good	28	PM ₁₀	2
101	Noida	Moderate	165	03	3
102	Pali	Satisfactory	69	PM ₁₀	1
103	Panchkula	Satisfactory	58	со	1
104	Panipat	Satisfactory	59	со	1
105	Patiala	Good	34	O ₃	1
106	Patna	Satisfactory	64	O ₃ , PM ₁₀ , PM _{2.5}	5
107	Pithampur	Satisfactory	53	PM ₁₀	1
108	Prayagraj	Good	12	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Satisfactory	64	CO, PM _{2.5}	6
110	Raichur	Good	31	PM ₁₀	1
111	Rajamahendravaram	Good	28	PM ₁₀	1
112	Ramanagara	Good	33	PM ₁₀	1
113	Ratlam	Good	40	PM ₁₀	1
114	Rohtak	Satisfactory	84	03	1
115	Rupnagar	Good	45	PM ₁₀	1
116	Sagar	Good	24	NO ₂	1
117	Satna	Satisfactory	62	PM ₁₀	1
118	Shillong	Good	13	SO ₂	1
119	Shivamogga	Good	41	PM ₁₀	1
120	Siliguri	Good	40	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Good	33	NO ₂	1
122	Sirsa	Moderate	103	03	1
123	Solapur	Good	28	03	1
124	Sonipat	Moderate	125	PM ₁₀	1
125	Srinagar	Good	45	PM ₁₀	1
126	Talcher	Satisfactory	96	со	1
127	Thane	Satisfactory	60	PM ₁₀	1
128	Thiruvananthapuram	Satisfactory	64	со	2
129	Thoothukudi	Satisfactory	65	PM ₁₀	1
130	Thrissur	Satisfactory	55	03	1
131	Tirupati	Good	35	со	1
132	Udaipur	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Udupi	Satisfactory	84	со	1
134	Ujjain	Satisfactory	89	PM ₁₀	1
135	Vapi	Moderate	101	03	1
136	Varanasi	Good	36	PM ₁₀ , O ₃	4
137	Vatva	Satisfactory	96	PM ₁₀	1
138	Visakhapatnam	Satisfactory	69	NO ₂	1
139	Yadgir	Good	18	PM ₁₀	1
140	Yamunanagar	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Bidar, Coimbatore, Dharuhera, Eloor, Gummidipoondi, Jorapokhar, Naharlagun, Palwal, Puducherry, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.