

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	31	PM <sub>2.5</sub> , PM <sub>10</sub>	4
3	Ahmedabad	Satisfactory	84	CO, PM <sub>10</sub>	2
4	Aizawl	Good	24	со	1
5	Ajmer	Satisfactory	73	PM <sub>10</sub>	1
6	Alwar	Satisfactory	58	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	51	03	1
8	Amritsar	Satisfactory	74	PM <sub>10</sub>	1
9	Anantapur	Satisfactory	79	PM <sub>10</sub>	1
10	Araria	Satisfactory	83	со	1
11	Arrah	Satisfactory	90	PM <sub>10</sub>	1
12	Asansol	Satisfactory	65	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera, Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj, Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak, Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	178	PM <sub>2.5</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	95	PM <sub>10</sub>	1
15	Baddi	Satisfactory	86	PM <sub>10</sub>	1
16	Bagalkot	Good	37	со	1
17	Baghpat	Good	23	03	1
18	Ballabgarh	Satisfactory	63	PM <sub>10</sub>	1
19	Bareilly	Satisfactory	64	PM <sub>10</sub>	2
20	Bathinda	Satisfactory	78	PM <sub>10</sub>	1
21	Begusarai	Satisfactory	61	PM <sub>2.5</sub>	1
22	Bengaluru	Satisfactory	74	PM <sub>10</sub>	6
23	Bhagalpur	Satisfactory	68	NO <sub>2</sub> , PM <sub>10</sub>	2
24	Bhiwadi	Moderate	144	NO <sub>2</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	78	03	1
26	Bhopal	Satisfactory	56	PM <sub>10</sub>	2
27	Bihar Sharif	Moderate	130	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	58	со	1
29	Bulandshahr	Good	26	03	1
30	Buxar	Satisfactory	85	PM <sub>10</sub>	1
31	Chamarajanagar	Good	38	PM <sub>10</sub>	1
32	Chandigarh	Good	48	CO, PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	62	PM <sub>10</sub>	2
34	Chennai	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
35	Chikkaballapur	Good	50	PM <sub>10</sub>	1
36	Darbhanga	Satisfactory	81	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Good	33	PM <sub>10</sub>	1
38	Dehradun	Good	23	PM <sub>2.5</sub>	1
39	Delhi	Satisfactory	57	NO <sub>2</sub> , CO, PM <sub>10</sub>	31
40	Dewas	Satisfactory	58	PM <sub>10</sub>	1
41	Dindigul	Good	45	SO <sub>2</sub>	1
42	Durgapur	Satisfactory	81	PM <sub>10</sub>	1
43	Eloor	Good	50	PM <sub>10</sub>	1
44	Ernakulam	Satisfactory	68	со	1
45	Faridabad	Good	34	PM <sub>10</sub>	1
46	Fatehabad	Good	45	PM <sub>10</sub>	1
47	Gandhinagar	Satisfactory	51	PM <sub>10</sub>	1
48	Gaya	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera, Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj, Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak, Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Satisfactory	68	CO, PM <sub>2.5</sub>	3
50	Gorakhpur	Satisfactory	57	PM <sub>2.5</sub>	1
51	Greater Noida	Satisfactory	52	СО	2
52	Gummidipoondi	Good	25	PM <sub>10</sub>	1
53	Gurugram	Satisfactory	59	03	1
54	Guwahati	Satisfactory	57	PM <sub>10</sub>	3
55	Gwalior	Good	33	SO <sub>2</sub>	1
56	Hajipur	Moderate	105	PM <sub>10</sub>	1
57	Haldia	Satisfactory	70	PM <sub>10</sub>	1
58	Hapur	Good	27	PM <sub>2.5</sub>	1
59	Hassan	Good	40	PM <sub>2.5</sub>	1
60	Haveri	Good	32	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera, Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj, Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak, Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hosur	Satisfactory	89	со	1
62	Howrah	Good	47	PM <sub>10</sub>	2
63	Hubballi	Satisfactory	61	PM <sub>10</sub>	1
64	Hyderabad	Satisfactory	62	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	13
65	Imphal	Satisfactory	86	O <sub>3</sub> , PM <sub>10</sub>	2
66	Indore	Satisfactory	52	PM <sub>10</sub>	1
67	Jabalpur	Satisfactory	77	PM <sub>10</sub>	1
68	Jaipur	Satisfactory	52	со	2
69	Jalandhar	Satisfactory	51	PM <sub>10</sub>	1
70	Jhansi	Good	47	со	1
71	Jind	Satisfactory	87	со	1
72	Jodhpur	Satisfactory	84	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Good	35	PM <sub>10</sub>	1
74	Kalyan	Good	49	со	1
75	Kannur	Satisfactory	64	PM <sub>2.5</sub>	1
76	Kanpur	Good	46	PM <sub>2.5</sub> , CO	4
77	Karnal	Good	30	PM <sub>10</sub>	1
78	Katihar	Moderate	125	PM <sub>10</sub>	1
79	Katni	Satisfactory	65	PM <sub>10</sub>	1
80	Khanna	Good	38	PM <sub>10</sub>	1
81	Khurja	Satisfactory	57	PM <sub>2.5</sub>	1
82	Kochi	Good	16	со	1
83	Kolkata	Good	48	O <sub>3</sub> , PM <sub>10</sub>	6
84	Kollam	Satisfactory	64	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera, Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj, Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak, Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	78	03	1
86	Kota	Satisfactory	52	PM <sub>10</sub>	1
87	Kozhikode	Satisfactory	69	PM <sub>10</sub>	1
88	Kurukshetra	Good	38	03	1
89	Lucknow	Satisfactory	66	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	5
90	Ludhiana	Satisfactory	56	PM <sub>10</sub>	1
91	Madikeri	Good	28	SO <sub>2</sub>	1
92	Maihar	Good	27	со	1
93	Mandi Gobindgarh	Satisfactory	62	PM <sub>10</sub>	1
94	Mandideep	Good	40	PM <sub>10</sub>	1
95	Mandikhera	Good	30	PM <sub>10</sub>	1
96	Manglore	Satisfactory	65	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manguraha	Good	38	со	1
98	Meerut	Good	30	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	3
99	Moradabad	Good	47	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
100	Motihari	Satisfactory	73	PM <sub>2.5</sub>	1
101	Mumbai	Satisfactory	61	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	14
102	Muzaffarnagar	Good	48	PM <sub>2.5</sub>	1
103	Muzaffarpur	Satisfactory	71	PM <sub>10</sub> , CO	3
104	Mysuru	Good	48	PM <sub>10</sub>	1
105	Nagpur	Satisfactory	75	PM <sub>10</sub>	1
106	Nandesari	Moderate	111	со	1
107	Nashik	Good	45	03	1
108	Navi Mumbai	Satisfactory	95	СО	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera, Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj, Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak, Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

\* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Satisfactory	64	CO, SO <sub>2</sub> , PM <sub>2.5</sub>	4
110	Ooty	Satisfactory	60	PM <sub>10</sub>	1
111	Pali	Satisfactory	56	PM <sub>10</sub>	1
112	Palwal	Good	24	PM <sub>10</sub>	1
113	Panchkula	Satisfactory	67	со	1
114	Panipat	Good	50	PM <sub>10</sub>	1
115	Patiala	Satisfactory	53	03	1
116	Patna	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	6
117	Pithampur	Satisfactory	91	PM <sub>10</sub>	1
118	Prayagraj	Satisfactory	59	PM <sub>2.5</sub> , PM <sub>10</sub>	3
119	Puducherry	Satisfactory	58	PM <sub>10</sub>	1
120	Purnia	Satisfactory	100	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	30	PM <sub>10</sub>	1
122	Rajgir	Satisfactory	63	PM <sub>10</sub>	1
123	Ramanagara	Good	43	03	1
124	Ramanathapuram	Good	46	PM <sub>10</sub>	1
125	Ratlam	Satisfactory	54	PM <sub>10</sub>	1
126	Rupnagar	Satisfactory	72	PM <sub>10</sub>	1
127	Sagar	Good	47	СО	1
128	Salem	Satisfactory	53	PM <sub>10</sub>	1
129	Samastipur	Moderate	135	PM <sub>10</sub>	1
130	Sasaram	Satisfactory	64	PM <sub>2.5</sub>	1
131	Satna	Satisfactory	51	PM <sub>10</sub>	1
132	Shillong	Good	43	PM <sub>10</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## Notes: Bal

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	41	PM <sub>10</sub>	1
134	Siliguri	Good	34	O <sub>3</sub>	1
135	Singrauli	Satisfactory	82	NO <sub>2</sub>	1
136	Sirsa	Satisfactory	65	PM <sub>10</sub>	1
137	Solapur	Satisfactory	79	PM <sub>10</sub>	1
138	Sonipat	Good	42	PM <sub>10</sub>	1
139	Srinagar	Good	47	PM <sub>10</sub>	1
140	Thane	Moderate	104	O <sub>3</sub>	1
141	Thiruvananthapuram	Good	33	CO, NO <sub>2</sub>	2
142	Thoothukudi	Good	50	PM <sub>10</sub>	1
143	Thrissur	Good	46	PM <sub>10</sub>	1
144	Tirupati	Good	48	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera, Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj, Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak, Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tiruppur	Moderate	150	PM <sub>10</sub>	1
146	Udaipur	Satisfactory	66	PM <sub>10</sub>	1
147	Ujjain	Satisfactory	80	PM <sub>10</sub>	1
148	Varanasi	Satisfactory	60	PM <sub>10</sub>	4
149	Vatva	Moderate	111	PM <sub>10</sub>	1
150	Vijayapura	Good	40	PM <sub>10</sub>	1
151	Visakhapatnam	Moderate	109	PM <sub>10</sub>	1
152	Vrindavan	Good	48	SO <sub>2</sub>	1
153	Yadgir	Good	43	PM <sub>10</sub>	1
154	Yamunanagar	Good	48	СО	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
  Bahadurgarh, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri,
  Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Damoh, Dharuhera,
  Firozabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalaburgi, Kishanganj,
  Kohima, Kolar, Manesar, Munger, Naharlagun, Narnaul, Pune, Raichur, Rohtak,
  Saharsa, Siwan, Talcher, Udupi, Vapi, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.