

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM <sub>10</sub>	1
2	Agra	Good	24	O <sub>3</sub> , PM <sub>10</sub> , SO <sub>2</sub>	4
3	Ahmedabad	Satisfactory	100	SO <sub>2</sub> , O <sub>3</sub>	2
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Good	46	PM <sub>10</sub>	1
6	Alwar	Satisfactory	51	PM <sub>10</sub>	1
7	Amaravati	Good	40	03	1
8	Ambala	Satisfactory	81	PM <sub>10</sub>	1
9	Anantapur	Satisfactory	56	PM <sub>10</sub>	1
10	Araria	Satisfactory	99	со	1
11	Asansol	Satisfactory	67	PM <sub>10</sub>	1
12	Aurangabad (Bihar)	Satisfactory	58	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	82	PM <sub>10</sub>	1
14	Baddi	Moderate	112	PM <sub>10</sub>	1
15	Bagalkot	Good	38	СО	1
16	Baghpat	Good	22	03	1
17	Bahadurgarh	Good	31	PM <sub>10</sub>	1
18	Ballabgarh	Good	36	PM <sub>10</sub>	1
19	Bareilly	Good	32	СО	2
20	Begusarai	Satisfactory	87	PM <sub>2.5</sub>	1
21	Belgaum	Good	47	со	1
22	Bengaluru	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	5
23	Bhagalpur	Satisfactory	79	NO <sub>2</sub> , PM <sub>10</sub>	2
24	Bhilai	Good	33	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Good	40	PM <sub>2.5</sub>	1
26	Bhopal	Satisfactory	51	O <sub>3</sub>	1
27	Bilaspur	Satisfactory	54	со	1
28	Bulandshahr	Good	22	03	1
29	Buxar	Satisfactory	95	со	1
30	Chamarajanagar	Good	36	PM <sub>10</sub>	1
31	Chandigarh	Satisfactory	54	PM <sub>10</sub>	3
32	Chandrapur	Good	45	PM <sub>10</sub> , CO	2
33	Chennai	Moderate	114	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
34	Chhapra	Satisfactory	63	со	1
35	Chikkaballapur	Satisfactory	56	PM <sub>10</sub>	1
36	Chikkamagaluru	Good	48	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	46	со	1
38	Davanagere	Good	23	PM <sub>10</sub>	1
39	Delhi	Satisfactory	56	CO, O <sub>3</sub> , PM <sub>2.5</sub>	25
40	Dewas	Good	34	03	1
41	Dharuhera	Satisfactory	61	PM <sub>10</sub>	1
42	Durgapur	Moderate	124	PM <sub>10</sub>	1
43	Eloor	Satisfactory	58	PM <sub>10</sub>	1
44	Ernakulam	Satisfactory	77	со	1
45	Faridabad	Good	45	PM <sub>10</sub> , O <sub>3</sub>	4
46	Fatehabad	Satisfactory	69	PM <sub>10</sub>	1
47	Firozabad	Good	27	SO <sub>2</sub> , O <sub>3</sub>	2
48	Gadag	Good	24	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Good	22	PM <sub>2.5</sub>	1
50	Gangtok	Good	16	SO <sub>2</sub>	1
51	Gaya	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub>	2
52	Ghaziabad	Good	26	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	4
53	Gorakhpur	Good	50	SO <sub>2</sub>	1
54	Greater Noida	Good	43	со	2
55	Gurugram	Good	43	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	3
56	Guwahati	Good	39	PM <sub>10</sub> , PM <sub>2.5</sub>	3
57	Gwalior	Good	32	SO <sub>2</sub>	1
58	Hajipur	Satisfactory	53	PM <sub>10</sub>	1
59	Haldia	Good	26	СО	1
60	Hapur	Good	16	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	32	NO <sub>2</sub>	1
62	Haveri	Good	32	со	1
63	Hisar	Satisfactory	53	03	1
64	Hosur	Moderate	119	PM <sub>10</sub>	1
65	Howrah	Good	47	PM <sub>10</sub>	3
66	Hubballi	Satisfactory	54	со	1
67	Hyderabad	Satisfactory	53	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	14
68	Imphal	Satisfactory	94	O <sub>3</sub> , PM <sub>10</sub>	2
69	Indore	Good	44	PM <sub>10</sub>	1
70	Jabalpur	Satisfactory	74	со	1
71	Jaipur	Good	45	со	2
72	Jalandhar	Satisfactory	65	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Good	38	PM <sub>10</sub>	1
74	Jind	Satisfactory	66	СО	1
75	Jodhpur	Satisfactory	79	PM <sub>10</sub>	1
76	Kaithal	Satisfactory	69	PM <sub>10</sub>	1
77	Kalaburgi	Good	33	SO <sub>2</sub>	1
78	Kalyan	Satisfactory	66	со	1
79	Kannur	Satisfactory	66	PM <sub>10</sub>	1
80	Kanpur	Good	27	CO, O <sub>3</sub> , PM <sub>2.5</sub>	4
81	Karnal	Good	35	PM <sub>10</sub>	1
82	Katni	Good	37	PM <sub>10</sub>	1
83	Khanna	Satisfactory	73	PM <sub>10</sub>	1
84	Khurja	Good	46	SO <sub>2</sub>	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Good	49	PM <sub>10</sub>	1
86	Kohima	Satisfactory	56	PM <sub>10</sub>	1
87	Kolkata	Satisfactory	55	O <sub>3</sub> , PM <sub>10</sub> , NO <sub>2</sub>	7
88	Kollam	Satisfactory	72	PM <sub>10</sub>	1
89	Koppal	Good	40	03	1
90	Kota	Satisfactory	62	со	1
91	Kozhikode	Satisfactory	71	PM <sub>10</sub>	1
92	Kurukshetra	Good	46	PM <sub>2.5</sub>	1
93	Lucknow	Good	46	CO, O <sub>3</sub> , PM <sub>10</sub>	6
94	Ludhiana	Moderate	132	PM <sub>10</sub>	1
95	Madikeri	Good	21	O <sub>3</sub>	1
96	Maihar	Good	14	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	111	PM <sub>10</sub>	1
98	Mandideep	Satisfactory	99	PM <sub>10</sub>	1
99	Manesar	Good	40	PM <sub>2.5</sub>	1
100	Manglore	Satisfactory	60	со	1
101	Manguraha	Good	32	со	1
102	Meerut	Good	21	SO <sub>2</sub> , O <sub>3</sub> , NO <sub>2</sub>	3
103	Moradabad	Good	28	O <sub>3</sub> , SO <sub>2</sub> , PM <sub>10</sub>	5
104	Motihari	Good	50	03	1
105	Mumbai	Satisfactory	68	PM <sub>2.5</sub> , NO <sub>2</sub> , CO	17
106	Munger	Satisfactory	62	PM <sub>10</sub>	1
107	Muzaffarnagar	Good	37	со	1
108	Muzaffarpur	Satisfactory	59	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	52	PM <sub>10</sub>	1
110	Nagpur	Satisfactory	57	03	1
111	Navi Mumbai	Good	50	CO, NO <sub>2</sub>	3
112	Noida	Good	48	CO, SO <sub>2</sub> , PM <sub>10</sub>	4
113	Palwal	Good	45	со	1
114	Panchkula	Good	49	PM <sub>2.5</sub>	1
115	Patiala	Good	46	PM <sub>10</sub>	1
116	Patna	Satisfactory	56	PM <sub>10</sub> , NO <sub>2</sub>	6
117	Pithampur	Satisfactory	56	PM <sub>10</sub>	1
118	Prayagraj	Good	50	PM <sub>2.5</sub> , O <sub>3</sub> , SO <sub>2</sub>	3
119	Puducherry	Satisfactory	58	PM <sub>2.5</sub>	1
120	Purnia	Moderate	125	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	62	со	1
122	Rajamahendravaram	Good	25	PM <sub>10</sub>	1
123	Rajgir	Satisfactory	59	со	1
124	Ramanagara	Good	41	03	1
125	Ramanathapuram	Good	48	PM <sub>10</sub>	1
126	Ratlam	Good	24	PM <sub>10</sub>	1
127	Rohtak	Satisfactory	79	PM <sub>2.5</sub>	1
128	Rupnagar	Satisfactory	75	PM <sub>2.5</sub>	1
129	Sagar	Satisfactory	56	со	1
130	Saharsa	Good	42	PM <sub>10</sub>	1
131	Samastipur	Satisfactory	87	PM <sub>10</sub>	1
132	Sasaram	Satisfactory	80	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	39	PM <sub>10</sub>	1
134	Shillong	Good	28	PM <sub>2.5</sub>	1
135	Shivamogga	Satisfactory	53	PM <sub>10</sub>	1
136	Siliguri	Good	36	PM <sub>10</sub>	1
137	Singrauli	Satisfactory	82	NO <sub>2</sub>	1
138	Sirsa	Satisfactory	51	03	1
139	Sivasagar	Good	14	со	1
140	Solapur	Satisfactory	85	PM <sub>10</sub>	1
141	Sonipat	Good	45	PM <sub>10</sub>	1
142	Srinagar	Good	47	PM <sub>10</sub>	1
143	Thane	Good	46	NO <sub>2</sub>	1
144	Thiruvananthapuram	Good	34	PM <sub>10</sub> , CO	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Satisfactory	52	PM <sub>10</sub>	1
146	Tirupati	Satisfactory	55	СО	1
147	Tiruppur	Moderate	192	PM <sub>10</sub>	1
148	Udaipur	Good	50	со	1
149	Udupi	Satisfactory	73	со	1
150	Ujjain	Satisfactory	66	PM <sub>10</sub>	1
151	Varanasi	Good	49	PM <sub>10</sub> , SO <sub>2</sub>	4
152	Vatva	Good	45	PM <sub>10</sub>	1
153	Visakhapatnam	Good	40	NO <sub>2</sub>	1
154	Vrindavan	Good	49	SO <sub>2</sub>	1
155	Yadgir	Good	30	со	1
156	Yamunanagar	Satisfactory	55	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Bathinda, Bettiah, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Darbhanga, Dehradun, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kochi, Kolar, Mandikhera, Naharlagun, Nandesari, Narnaul, Nashik, Ooty, Pali, Panipat, Pune, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.