

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	PM _{2.5} , PM ₁₀	2
2	Agra	Good	28	PM ₁₀ , SO ₂ , CO	6
3	Ahmedabad	Satisfactory	75	SO ₂	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	58	PM ₁₀	1
6	Alwar	Satisfactory	87	PM ₁₀	1
7	Amaravati	Good	34	O ₃	1
8	Ambala	Moderate	156	PM _{2.5}	1
9	Amritsar	Satisfactory	69	PM ₁₀	1
10	Anantapur	Satisfactory	59	PM ₁₀	1
11	Ankleshwar	Moderate	112	со	1
12	Arrah	Satisfactory	71	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	59	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	58	PM _{2.5}	1
15	Baddi	Satisfactory	86	O ₃	1
16	Bagalkot	Good	44	PM ₁₀	1
17	Baghpat	Satisfactory	51	PM ₁₀	1
18	Bahadurgarh	Satisfactory	69	PM ₁₀	1
19	Ballabgarh	Satisfactory	70	PM ₁₀	1
20	Bareilly	Satisfactory	55	PM ₁₀	2
21	Bathinda	Satisfactory	98	PM ₁₀	1
22	Bengaluru	Good	50	PM ₁₀ , NO ₂	4
23	Bettiah	Good	28	PM ₁₀	1
24	Bhagalpur	Satisfactory	56	NO ₂ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	123	NO ₂	1
26	Bhiwani	Satisfactory	57	PM ₁₀	1
27	Bhopal	Good	45	PM ₁₀	1
28	Bihar Sharif	Good	45	PM ₁₀	1
29	Bilaspur	Satisfactory	57	PM ₁₀	1
30	Brajrajnagar	Good	49	со	1
31	Bulandshahr	Satisfactory	70	PM ₁₀	1
32	Buxar	Satisfactory	65	со	1
33	Chamarajanagar	Good	35	PM ₁₀	1
34	Chandigarh	Satisfactory	65	O ₃ , PM ₁₀	3
35	Chandrapur	Good	45	NO ₂	1
36	Charkhi Dadri	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	72	CO, PM ₁₀	9
38	Chikkaballapur	Good	33	PM ₁₀	1
39	Chikkamagaluru	Satisfactory	59	PM _{2.5}	1
40	Coimbatore	Good	36	со	1
41	Darbhanga	Good	26	03	1
42	Davanagere	Good	24	PM ₁₀	1
43	Dehradun	Good	41	03	1
44	Delhi	Satisfactory	72	PM ₁₀ , PM _{2.5} , O ₃	30
45	Dewas	Good	45	со	1
46	Dharuhera	Satisfactory	95	PM ₁₀	1
47	Dindigul	Good	46	SO ₂	1
48	Durgapur	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Good	44	PM ₁₀	1
50	Ernakulam	Good	47	СО	1
51	Faridabad	Satisfactory	80	PM ₁₀ , O ₃	4
52	Fatehabad	Satisfactory	67	PM ₁₀	1
53	Firozabad	Satisfactory	52	O ₃ , PM _{2.5}	2
54	Gadag	Good	49	NO ₂	1
55	Gandhinagar	Good	30	PM _{2.5}	1
56	Gaya	Good	46	CO, PM ₁₀	2
57	Ghaziabad	Satisfactory	68	CO, PM ₁₀	3
58	Gorakhpur	Good	47	SO ₂	1
59	Greater Noida	Satisfactory	66	PM ₁₀	2
60	Gurugram	Moderate	134	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Good	38	O ₃ , SO ₂	2
62	Gwalior	Good	32	O ₃ , PM _{2.5}	2
63	Hajipur	Good	30	NO ₂	1
64	Hassan	Good	25	NO ₂	1
65	Haveri	Satisfactory	60	со	1
66	Hisar	Satisfactory	67	03	1
67	Hosur	Good	47	СО	1
68	Howrah	Good	40	CO, PM ₁₀	3
69	Hubballi	Satisfactory	55	со	1
70	Hyderabad	Good	45	CO, PM ₁₀ , PM _{2.5}	13
71	Imphal	Satisfactory	52	SO ₂	1
72	Indore	Satisfactory	53	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Satisfactory	55	со	1
74	Jaipur	Good	50	PM _{2.5} , CO, O ₃	3
75	Jalandhar	Satisfactory	86	PM ₁₀	1
76	Jind	Good	49	PM _{2.5}	1
77	Jodhpur	Satisfactory	90	PM ₁₀	1
78	Kaithal	Good	50	PM ₁₀	1
79	Kalyan	Satisfactory	59	со	1
80	Kannur	Satisfactory	53	PM _{2.5}	1
81	Kanpur	Good	31	PM _{2.5} , CO, PM ₁₀	4
82	Karnal	Satisfactory	78	PM ₁₀	1
83	Katihar	Satisfactory	95	со	1
84	Katni	Good	30	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	57	PM ₁₀	1
86	Khurja	Satisfactory	74	SO ₂	1
87	Kishanganj	Good	42	O ₃	1
88	Kolkata	Good	37	O ₃ , NH ₃ , PM ₁₀	7
89	Kollam	Satisfactory	81	PM ₁₀	1
90	Koppal	Satisfactory	60	O ₃	1
91	Kota	Satisfactory	51	PM ₁₀	1
92	Kozhikode	Satisfactory	73	PM ₁₀	1
93	Kurukshetra	Satisfactory	57	O ₃	1
94	Lucknow	Good	40	NO ₂ , PM ₁₀ , O ₃	6
95	Ludhiana	Satisfactory	90	PM ₁₀	1
96	Madikeri	Good	19	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	18	со	1
98	Mandi Gobindgarh	Satisfactory	92	PM _{2.5}	1
99	Mandideep	Satisfactory	83	SO ₂	1
100	Mandikhera	Satisfactory	52	PM ₁₀	1
101	Manesar	Moderate	123	PM _{2.5}	1
102	Manglore	Satisfactory	52	со	1
103	Meerut	Moderate	103	CO, PM ₁₀	3
104	Moradabad	Good	48	CO, PM ₁₀	6
105	Motihari	Good	46	O ₃	1
106	Mumbai	Satisfactory	60	CO, PM ₁₀ , NO ₂	15
107	Munger	Satisfactory	54	со	1
108	Muzaffarnagar	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	58	O ₃ , PM ₁₀	3
110	Mysuru	Good	42	PM ₁₀	1
111	Nagpur	Good	28	PM _{2.5}	1
112	Nandesari	Moderate	110	со	1
113	Narnaul	Good	32	PM _{2.5}	1
114	Nashik	Good	45	03	1
115	Navi Mumbai	Satisfactory	85	со	1
116	Noida	Satisfactory	83	CO, PM ₁₀	3
117	Ooty	Good	48	SO ₂	1
118	Pali	Satisfactory	95	PM ₁₀	1
119	Palwal	Satisfactory	73	PM ₁₀	1
120	Panchkula	Satisfactory	63	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Satisfactory	64	PM _{2.5}	1
122	Patiala	Good	50	PM ₁₀	1
123	Patna	Good	50	PM ₁₀ , PM _{2.5}	6
124	Pithampur	Good	47	PM ₁₀	1
125	Prayagraj	Good	48	PM _{2.5} , O ₃	2
126	Puducherry	Good	41	PM ₁₀	1
127	Purnia	Satisfactory	67	СО	1
128	Raichur	Satisfactory	74	СО	1
129	Rajamahendravaram	Good	33	PM ₁₀	1
130	Rajgir	Satisfactory	55	СО	1
131	Ramanagara	Good	39	O ₃	1
132	Ramanathapuram	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Good	41	PM ₁₀	1
134	Rupnagar	Satisfactory	81	PM ₁₀	1
135	Sagar	Satisfactory	65	со	1
136	Salem	Good	26	SO ₂	1
137	Samastipur	Satisfactory	61	PM ₁₀	1
138	Sasaram	Good	46	NO ₂	1
139	Satna	Good	16	NO ₂	1
140	Shillong	Good	18	SO ₂ , CO	2
141	Shivamogga	Good	45	PM ₁₀	1
142	Siliguri	Good	34	PM ₁₀	1
143	Singrauli	Satisfactory	83	NO ₂	1
144	Sirsa	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Siwan	Good	49	СО	1
146	Solapur	Satisfactory	68	PM ₁₀	1
147	Srinagar	Satisfactory	52	PM ₁₀	1
148	Talcher	Good	38	со	1
149	Thane	Good	39	PM ₁₀	1
150	Thiruvananthapuram	Good	32	CO, NO ₂	2
151	Thoothukudi	Satisfactory	52	PM ₁₀	1
152	Thrissur	Good	47	PM ₁₀	1
153	Tirupati	Good	40	PM ₁₀	1
154	Tiruppur	Moderate	134	PM ₁₀	1
155	Udaipur	Satisfactory	73	PM ₁₀	1
156	Ujjain	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Varanasi	Good	26	CO, NO ₂ , SO ₂	4
158	Vijayapura	Good	40	PM ₁₀	1
159	Visakhapatnam	Satisfactory	72	PM ₁₀	1
160	Vrindavan	Good	48	SO ₂	1
161	Yadgir	Good	19	O ₃	1
162	Yamunanagar	Moderate	152	PM _{2.5}	1
163	vellore	Good	45	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Belgaum, Bhilai, Bidar, Chengalpattu, Chhapra, Damoh, Gangtok, Gummidipoondi, Haldia, Hapur, Jhansi, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Manguraha, Naharlagun, Pune, Rohtak, Saharsa, Sonipat, Udupi, Vapi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.