

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	243	PM <sub>2.5</sub>	1
2	Agra	Very Poor	327	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	142	PM <sub>10</sub>	1
4	Aizawl	Satisfactory	98	PM <sub>10</sub>	1
5	Ajmer	Moderate	138	PM <sub>10</sub>	1
6	Alwar	Moderate	144	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	62	PM <sub>10</sub>	1
8	Amritsar	Moderate	114	PM <sub>10</sub>	1
9	Ankleshwar	Poor	220	PM <sub>2.5</sub>	1
10	Asansol	Moderate	199	PM <sub>10</sub>	1
11	Aurangabad	Moderate	101	PM <sub>10</sub>	1
12	Bagalkot	Good	40	03	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	290	PM <sub>10</sub>	1
14	Ballabgarh	Poor	259	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	134	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	84	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	7
17	Bhiwadi	Severe	401	PM <sub>10</sub>	1
18	Bhiwani	Moderate	185	PM <sub>10</sub>	1
19	Bhopal	Moderate	136	PM <sub>10</sub>	1
20	Bidar	Moderate	108	PM <sub>2.5</sub>	1
21	Brajrajnagar	Satisfactory	66	03	1
22	Bulandshahr	Severe	405	PM <sub>10</sub>	1
23	Chamarajanagar	Satisfactory	79	PM <sub>10</sub>	1
24	Chandigarh	Moderate	176	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Poor	216	O <sub>3</sub> , PM <sub>2.5</sub>	2
26	Charkhi Dadri	Moderate	198	PM <sub>10</sub>	1
27	Chennai	Good	48	O <sub>3</sub> , CO, PM <sub>10</sub>	7
28	Chikkaballapur	Satisfactory	87	PM <sub>10</sub>	1
29	Chikkamagaluru	Satisfactory	75	03	1
30	Damoh	Moderate	101	PM <sub>10</sub>	1
31	Davanagere	Good	32	со	1
32	Delhi	Very Poor	311	PM <sub>10</sub>	29
33	Dewas	Moderate	117	PM <sub>10</sub>	1
34	Dharuhera	Very Poor	378	PM <sub>10</sub>	1
35	Durgapur	Poor	277	PM <sub>10</sub>	1
36	Eloor	Satisfactory	81	03	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	84	PM <sub>2.5</sub>	1
38	Faridabad	Very Poor	314	PM <sub>10</sub> , PM <sub>2.5</sub>	4
39	Fatehabad	Very Poor	333	PM <sub>10</sub>	1
40	Gandhinagar	Satisfactory	89	PM <sub>10</sub>	1
41	Gaya	Moderate	160	PM <sub>2.5</sub>	1
42	Ghaziabad	Very Poor	364	PM <sub>10</sub>	4
43	Greater Noida	Very Poor	369	PM <sub>10</sub>	1
44	Gummidipoondi	Moderate	109	PM <sub>10</sub>	1
45	Gurugram	Very Poor	309	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Guwahati	Poor	274	PM <sub>2.5</sub>	2
47	Gwalior	Poor	212	PM <sub>10</sub>	2
48	Hajipur	Poor	286	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Moderate	118	PM <sub>10</sub>	1
50	Hapur	Moderate	198	PM <sub>10</sub>	1
51	Hisar	Very Poor	316	PM <sub>2.5</sub>	1
52	Howrah	Poor	243	PM <sub>2.5</sub>	3
53	Hubballi	Moderate	113	PM <sub>10</sub>	1
54	Hyderabad	Moderate	119	PM <sub>10</sub> , PM <sub>2.5</sub>	4
55	Indore	Moderate	142	PM <sub>10</sub>	1
56	Jabalpur	Moderate	136	PM <sub>10</sub>	1
57	Jaipur	Poor	228	PM <sub>2.5</sub> , PM <sub>10</sub>	3
58	Jalandhar	Moderate	142	PM <sub>10</sub>	1
59	Jind	Poor	224	PM <sub>2.5</sub>	1
60	Jodhpur	Very Poor	305	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	158	PM <sub>10</sub>	1
62	Kalaburgi	Satisfactory	97	PM <sub>2.5</sub>	1
63	Kalyan	Poor	230	PM <sub>2.5</sub>	1
64	Kannur	Moderate	110	PM <sub>10</sub>	1
65	Kanpur	Poor	240	PM <sub>2.5</sub>	2
66	Karnal	Moderate	168	PM <sub>2.5</sub>	1
67	Katni	Poor	239	PM <sub>10</sub>	1
68	Khanna	Moderate	135	PM <sub>10</sub>	1
69	Kochi	Satisfactory	81	PM <sub>10</sub>	1
70	Kolar	Satisfactory	95	O <sub>3</sub>	1
71	Kolkata	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	7
72	Kollam	Moderate	117	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	ate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	99	O <sub>3</sub>	1
74	Kota	Moderate	176	PM <sub>2.5</sub>	1
75	Kozhikode	Satisfactory	78	PM <sub>10</sub>	1
76	Kurukshetra	Moderate	184	PM <sub>10</sub>	1
77	Lucknow	Poor	295	PM <sub>2.5</sub> , PM <sub>10</sub>	4
78	Ludhiana	Moderate	141	PM <sub>10</sub>	1
79	Mandi Gobindgarh	Poor	214	PM <sub>2.5</sub>	1
80	Mandideep	Satisfactory	61	PM <sub>10</sub>	1
81	Mandikhera	Very Poor	348	PM <sub>2.5</sub>	1
82	Manesar	Very Poor	349	PM <sub>2.5</sub>	1
83	Manglore	Moderate	152	PM <sub>2.5</sub>	1
84	Medikeri	Satisfactory	59	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Very Poor	308	PM <sub>10</sub>	2
86	Mumbai	Moderate	158	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	18
87	Muzaffarnagar	Poor	253	PM <sub>10</sub>	1
88	Muzaffarpur	Poor	248	PM <sub>2.5</sub> , PM <sub>10</sub>	2
89	Mysuru	Satisfactory	67	PM <sub>10</sub>	1
90	Nandesari	Satisfactory	93	PM <sub>2.5</sub>	1
91	Narnaul	Very Poor	393	PM <sub>10</sub>	1
92	Nashik	Moderate	105	PM <sub>10</sub>	1
93	Navi Mumbai	Moderate	184	PM <sub>10</sub>	3
94	Noida	Very Poor	328	PM <sub>10</sub>	2
95	Pali	Moderate	159	PM <sub>10</sub>	1
96	Palwal	Moderate	172	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Poor	240	PM <sub>2.5</sub>	1
98	Panipat	Poor	220	PM <sub>2.5</sub>	1
99	Patiala	Moderate	152	PM <sub>10</sub>	1
100	Patna	Very Poor	349	PM <sub>2.5</sub> , PM <sub>10</sub>	5
101	Pithampur	Moderate	166	PM <sub>2.5</sub>	1
102	Puducherry	Good	40	03	1
103	Pune	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	7
104	Raichur	Moderate	136	PM <sub>10</sub>	1
105	Rajamahendravaram	Satisfactory	82	PM <sub>10</sub>	1
106	Ratlam	Moderate	144	PM <sub>10</sub>	1
107	Rohtak	Poor	290	PM <sub>2.5</sub>	1
108	Rupnagar	Moderate	145	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	87	PM <sub>10</sub>	1
110	Shillong	Satisfactory	53	O <sub>3</sub>	1
111	Siliguri	Poor	248	PM <sub>2.5</sub>	1
112	Singrauli	Very Poor	303	PM <sub>2.5</sub>	1
113	Sirsa	Moderate	194	PM <sub>2.5</sub>	1
114	Sonipat	Poor	264	PM <sub>10</sub>	1
115	Srinagar	Moderate	117	PM <sub>10</sub>	1
116	Talcher	Satisfactory	66	PM <sub>2.5</sub>	1
117	Thane	Poor	264	03	1
118	Thiruvananthapuram	Satisfactory	66	PM <sub>10</sub>	1
119	Thoothukudi	Good	48	PM <sub>10</sub>	1
120	Thrissur	Satisfactory	77	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	71	PM <sub>2.5</sub>	1
122	Udaipur	Moderate	159	PM <sub>10</sub>	1
123	Ujjain	Poor	225	O <sub>3</sub>	1
124	Vapi	Moderate	154	PM <sub>10</sub>	1
125	Varanasi	Very Poor	316	PM <sub>10</sub>	1
126	Vatva	Poor	231	PM <sub>2.5</sub>	1
127	Vijayapura	Satisfactory	69	PM <sub>2.5</sub>	1
128	Visakhapatnam	Moderate	106	PM <sub>10</sub>	1
129	Yadgir	Moderate	170	O <sub>3</sub>	1
130	Yamunanagar	Poor	220	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Coimbatore, Gadag, Jorapokhar, Kohima, Maihar, Moradabad, Nagpur, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.