



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	175	PM <sub>2.5</sub>	1
2	Ajmer	Moderate	107	PM <sub>10</sub>	1
3	Alwar	Moderate	140	PM <sub>2.5</sub>	1
4	Amaravati	Satisfactory	86	PM <sub>2.5</sub>	1
5	Ambala	Poor	239	PM <sub>2.5</sub>	1
6	Amritsar	Moderate	141	PM <sub>2.5</sub>	1
7	Ankleshwar	Moderate	130	PM <sub>10</sub>	1
8	Asanol	Moderate	165	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	84	PM <sub>10</sub>	1
10	Baghpat	Very Poor	349	PM <sub>2.5</sub>	1
11	Bahadurgarh	Poor	234	PM <sub>2.5</sub>	1
12	Ballabgarh	Very Poor	387	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	142	PM <sub>10</sub>	1
14	Bengaluru	Satisfactory	72	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	10
15	Bhiwadi	Very Poor	364	PM <sub>2.5</sub>	1
16	Bhiwani	Poor	248	PM <sub>2.5</sub>	1
17	Bhopal	Satisfactory	91	PM <sub>2.5</sub>	1
18	Brajrajnagar	Satisfactory	73	PM <sub>10</sub>	1
19	Chandigarh	Moderate	134	PM <sub>2.5</sub>	1
20	Chandrapur	Satisfactory	64	PM <sub>10</sub>	2
21	Chennai	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
22	Chikkaballapur	Satisfactory	66	PM <sub>10</sub>	1
23	Coimbatore	Satisfactory	58	PM <sub>2.5</sub>	1
24	Delhi	Severe	409	PM <sub>2.5</sub>	33

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	78	PM <sub>10</sub>	1
26	Dharuhera	Poor	255	PM <sub>2.5</sub>	1
27	Eloor	Moderate	122	PM <sub>10</sub>	1
28	Faridabad	Severe	447	PM <sub>2.5</sub>	1
29	Fatehabad	Moderate	140	PM <sub>10</sub>	1
30	Gaya	Poor	258	PM <sub>2.5</sub>	1
31	Ghaziabad	Severe	430	PM <sub>2.5</sub>	2
32	Greater_Noida	Severe	442	PM <sub>10</sub> , PM <sub>2.5</sub>	2
33	Gurugram	Very Poor	303	PM <sub>2.5</sub>	1
34	Guwahati	Poor	212	PM <sub>2.5</sub>	1
35	Haldia	Moderate	130	PM <sub>10</sub>	1
36	Hapur	Poor	279	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	284	PM <sub>2.5</sub>	1
38	Howrah	Poor	275	PM <sub>2.5</sub> , PM <sub>10</sub>	3
39	Hubballi	Satisfactory	88	PM <sub>10</sub>	1
40	Hyderabad	Moderate	135	PM <sub>2.5</sub> , PM <sub>10</sub>	4
41	Indore	Satisfactory	76	PM <sub>10</sub>	1
42	Jabalpur	Moderate	155	PM <sub>2.5</sub>	1
43	Jaipur	Moderate	154	PM <sub>10</sub> , PM <sub>2.5</sub>	3
44	Jalandhar	Moderate	154	PM <sub>2.5</sub>	1
45	Jind	Poor	272	PM <sub>2.5</sub>	1
46	Jodhpur	Moderate	163	PM <sub>2.5</sub>	1
47	Jorapokhar	Moderate	163	PM <sub>2.5</sub>	1
48	Kaithal	Poor	207	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Moderate	149	PM <sub>2.5</sub>	1
50	Kalyan	Moderate	155	PM <sub>10</sub>	1
51	Kanpur	Severe	450	PM <sub>2.5</sub>	1
52	Karnal	Very Poor	326	PM <sub>2.5</sub>	1
53	Katni	Poor	246	PM <sub>2.5</sub>	1
54	Khanna	Moderate	126	PM <sub>10</sub>	1
55	Kolkata	Poor	274	PM <sub>2.5</sub>	6
56	Kota	Moderate	128	PM <sub>10</sub>	1
57	Kurukshetra	Very Poor	301	PM <sub>2.5</sub>	1
58	Lucknow	Very Poor	340	PM <sub>2.5</sub>	4
59	Ludhiana	Satisfactory	84	PM <sub>10</sub>	1
60	Maihar	Moderate	134	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Moderate	117	PM <sub>10</sub>	1
62	Mandikhera	Poor	300	PM <sub>2.5</sub>	1
63	Manesar	Poor	278	PM <sub>2.5</sub>	1
64	Meerut	Poor	283	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Moradabad	Very Poor	391	PM <sub>2.5</sub>	1
66	Mumbai	Moderate	162	O <sub>3</sub> , PM <sub>2.5</sub>	10
67	Muzaffarpur	Very Poor	372	PM <sub>2.5</sub>	1
68	Nagpur	Satisfactory	62	O <sub>3</sub>	1
69	Narnaul	Poor	207	PM <sub>2.5</sub>	1
70	Nashik	Satisfactory	62	PM <sub>10</sub>	1
71	Navi Mumbai	Moderate	145	PM <sub>2.5</sub> , CO	3
72	Noida	Severe	442	PM <sub>2.5</sub> , PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, Gandhinagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Satisfactory	97	PM <sub>10</sub>	1
74	Palwal	Very Poor	361	PM <sub>2.5</sub>	1
75	Panchkula	Moderate	151	PM <sub>2.5</sub>	1
76	Panipat	Very Poor	385	PM <sub>10</sub>	1
77	Patiala	Moderate	181	PM <sub>2.5</sub>	1
78	Patna	Very Poor	311	PM <sub>2.5</sub>	4
79	Pithampur	Moderate	102	PM <sub>10</sub>	1
80	Pune	Moderate	184	PM <sub>2.5</sub>	1
81	Rajamahendravaram	Satisfactory	87	PM <sub>10</sub>	1
82	Ratlam	Moderate	115	PM <sub>10</sub>	1
83	Rohtak	Poor	273	PM <sub>2.5</sub>	1
84	Rupnagar	Moderate	103	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Moderate	114	PM <sub>10</sub>	1
86	Siliguri	Poor	202	PM <sub>2.5</sub>	1
87	Singrauli	Very Poor	335	PM <sub>2.5</sub>	1
88	Sirsa	Moderate	157	PM <sub>2.5</sub>	1
89	Solapur	Moderate	114	PM <sub>10</sub>	1
90	Sonipat	Moderate	149	PM <sub>10</sub>	1
91	Thane	Satisfactory	64	PM <sub>10</sub>	1
92	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub>	1
93	Tirupati	Good	40	PM <sub>10</sub>	1
94	Udaipur	Moderate	126	PM <sub>10</sub>	1
95	Ujjain	Moderate	106	PM <sub>2.5</sub>	1
96	Vapi	Moderate	192	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Dec 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Very Poor	342	PM <sub>2.5</sub>	1
98	Vatva	Satisfactory	92	PM <sub>10</sub>	1
99	Visakhapatnam	Moderate	142	PM <sub>2.5</sub>	1
100	Yadgir	Moderate	165	PM <sub>2.5</sub>	1
101	Yamunanagar	Poor	237	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bulandshahr, Damoh, GandhiNagar, Mandi Gobindgarh, Muzaffarnagar, Mysuru, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.