

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM ₁₀	1
2	Agra	Satisfactory	98	PM ₁₀	4
3	Ahmedabad	Satisfactory	69	PM ₁₀ , CO	8
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Moderate	107	PM ₁₀	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Good	32	O ₃	1
8	Ambala	Satisfactory	75	PM ₁₀	1
9	Amritsar	Moderate	143	PM _{2.5}	1
10	Ankleshwar	Satisfactory	73	PM ₁₀	1
11	Asansol	Satisfactory	66	PM ₁₀	1
12	Aurangabad	Satisfactory	69	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	25	СО	1
14	Baghpat	Moderate	147	PM ₁₀	1
15	Bahadurgarh	Moderate	112	PM ₁₀	1
16	Ballabgarh	Moderate	169	PM ₁₀	1
17	Bengaluru	Satisfactory	62	CO, PM ₁₀ , NO ₂	7
18	Bhiwadi	Moderate	134	PM ₁₀	1
19	Bhiwani	Moderate	111	PM ₁₀	1
20	Bhopal	Satisfactory	67	PM ₁₀	1
21	Bidar	Satisfactory	52	SO ₂	1
22	Bulandshahr	Moderate	134	PM ₁₀	1
23	Chandigarh	Moderate	156	PM ₁₀	2
24	Chandrapur	Satisfactory	68	PM _{2.5} , PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	58	CO, PM ₁₀ , O ₃	7
26	Chikkaballapur	Good	34	NO ₂	1
27	Chikkamagaluru	Good	27	03	1
28	Damoh	Good	29	PM _{2.5}	1
29	Delhi	Moderate	134	PM ₁₀	38
30	Dewas	Satisfactory	72	PM ₁₀	1
31	Dharuhera	Satisfactory	79	со	1
32	Durgapur	Satisfactory	71	PM _{2.5}	1
33	Eloor	Satisfactory	70	со	1
34	Ernakulam	Good	33	со	1
35	Faridabad	Moderate	128	PM ₁₀ , O ₃	4
36	Fatehabad	Moderate	129	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Satisfactory	75	PM ₁₀	1
38	Gadag	Good	24	SO ₂	1
39	Gandhinagar	Satisfactory	69	PM ₁₀ , PM _{2.5} , CO	3
40	Gaya	Satisfactory	72	со	2
41	Ghaziabad	Moderate	171	PM ₁₀	4
42	Gorakhpur	Good	32	PM ₁₀	1
43	Greater Noida	Poor	228	O ₃ , PM ₁₀	2
44	Gummidipoondi	Satisfactory	65	PM ₁₀	1
45	Gurugram	Satisfactory	76	PM _{2.5}	2
46	Guwahati	Satisfactory	53	SO ₂	2
47	Gwalior	Satisfactory	87	PM ₁₀	2
48	Hajipur	Satisfactory	67	со	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	61	PM ₁₀	1
50	Hapur	Moderate	151	PM ₁₀	1
51	Hassan	Satisfactory	70	PM ₁₀	1
52	Hisar	Moderate	122	PM ₁₀	1
53	Howrah	Satisfactory	59	PM ₁₀ , CO, PM _{2.5}	3
54	Hubballi	Good	35	PM ₁₀	1
55	Hyderabad	Good	45	NO ₂ , PM _{2.5} , PM ₁₀	5
56	Indore	Satisfactory	77	PM ₁₀	1
57	Jabalpur	Satisfactory	88	PM ₁₀	1
58	Jaipur	Moderate	105	PM ₁₀	2
59	Jalandhar	Satisfactory	99	PM ₁₀	1
60	Jind	Moderate	126	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	150	PM _{2.5}	1
62	Kalaburgi	Good	28	PM ₁₀	1
63	Kalyan	Good	37	PM _{2.5}	1
64	Kannur	Good	42	со	1
65	Kanpur	Satisfactory	82	PM ₁₀ , PM _{2.5}	2
66	Karnal	Moderate	111	PM ₁₀	1
67	Katni	Moderate	110	PM ₁₀	1
68	Khanna	Moderate	105	PM ₁₀	1
69	Kochi	Good	32	СО	1
70	Kohima	Good	45	PM ₁₀	1
71	Kolar	Good	42	СО	1
72	Kolkata	Satisfactory	62	PM ₁₀ , PM _{2.5} , CO	5

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	100	СО	1
74	Koppal	Good	50	со	1
75	Kota	Satisfactory	65	PM ₁₀	1
76	Kozhikode	Satisfactory	60	со	1
77	Kurukshetra	Moderate	145	PM ₁₀	1
78	Lucknow	Satisfactory	81	PM ₁₀ , PM _{2.5}	6
79	Ludhiana	Moderate	112	PM ₁₀	1
80	Maihar	Good	26	PM ₁₀	1
81	Mandi Gobindgarh	Satisfactory	98	PM _{2.5}	1
82	Mandideep	Good	41	PM ₁₀	1
83	Mandikhera	Satisfactory	61	PM ₁₀	1
84	Manesar	Moderate	145	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Satisfactory	84	NO ₂	1
86	Medikeri	Good	29	O ₃	1
87	Meerut	Moderate	158	PM ₁₀	2
88	Moradabad	Moderate	163	PM ₁₀	1
89	Mumbai	Satisfactory	56	PM ₁₀ , CO	18
90	Muzaffarnagar	Moderate	159	PM ₁₀	1
91	Muzaffarpur	Good	41	СО	1
92	Naharlagun	Good	38	SO ₂	1
93	Nandesari	Very Poor	311	PM _{2.5}	1
94	Nashik	Good	33	PM ₁₀	1
95	Navi Mumbai	Satisfactory	72	PM ₁₀ , CO	3
96	Noida	Moderate	162	PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Satisfactory	89	PM ₁₀	1
98	Palwal	Moderate	113	PM ₁₀	1
99	Panchkula	Moderate	134	PM _{2.5}	1
100	Panipat	Moderate	171	PM ₁₀	1
101	Patiala	Moderate	117	PM ₁₀	1
102	Patna	Moderate	109	O ₃ , CO, PM ₁₀	5
103	Pithampur	Satisfactory	68	PM ₁₀	1
104	Prayagraj	Satisfactory	62	PM ₁₀	3
105	Puducherry	Satisfactory	56	O ₃	1
106	Pune	Satisfactory	89	NO ₂ , CO, PM _{2.5}	5
107	Raichur	Good	45	PM ₁₀	1
108	Rajamahendravaram	Good	31	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	33	O ₃	1
110	Ratlam	Satisfactory	52	PM ₁₀	1
111	Rohtak	Satisfactory	85	PM _{2.5}	1
112	Rupnagar	Satisfactory	93	PM ₁₀	1
113	Sagar	Good	27	PM _{2.5}	1
114	Satna	Satisfactory	54	PM ₁₀	1
115	Shivamogga	Good	41	PM ₁₀	1
116	Siliguri	Good	35	со	1
117	Singrauli	Satisfactory	78	PM ₁₀	1
118	Sirsa	Moderate	130	PM ₁₀	1
119	Sonipat	Good	48	PM _{2.5}	1
120	Srinagar	Satisfactory	73	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Satisfactory	62	СО	1
122	Thiruvananthapuram	Moderate	107	PM _{2.5}	1
123	Thoothukudi	Satisfactory	97	со	1
124	Tirupati	Good	39	со	1
125	Udaipur	Moderate	109	PM ₁₀	1
126	Udupi	Moderate	112	03	1
127	Ujjain	Satisfactory	93	PM ₁₀	1
128	Varanasi	Satisfactory	70	PM ₁₀	4
129	Vatva	Satisfactory	100	PM ₁₀	1
130	Visakhapatnam	Moderate	129	PM ₁₀	1
131	Yadgir	Good	23	PM ₁₀	1
132	Yamunanagar	Poor	286	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kaithal, Motihari, Mysuru, Nagpur, Narnaul, Shillong, Solapur, Thane, Thrissur, Vapi, Vijayapura, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.