

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	123	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	82	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	109	PM <sub>10</sub> , SO <sub>2</sub>	8
4	Aizawl	Good	42	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	88	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	90	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	70	PM <sub>10</sub>	1
8	Ambala	Good	49	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	76	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	53	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	117	со	1
12	Ariyalur	Good	47	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	91	PM <sub>10</sub>	1
14	Asansol	Satisfactory	96	03	1
15	Aurangabad (Maharashtra)	Satisfactory	94	PM <sub>10</sub>	1
16	Baddi	Moderate	120	O <sub>3</sub>	1
17	Bagalkot	Good	46	PM <sub>10</sub>	1
18	Bahadurgarh	Moderate	130	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	83	PM <sub>10</sub>	1
20	Banswara	Moderate	127	PM <sub>10</sub>	1
21	Bareilly	Satisfactory	67	PM <sub>10</sub>	2
22	Baripada	Satisfactory	100	PM <sub>10</sub>	1
23	Barmer	Satisfactory	99	PM <sub>10</sub>	1
24	Bathinda	Satisfactory	53	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	48	СО	1
26	Bengaluru	Satisfactory	81	O <sub>3</sub> , PM <sub>10</sub>	13
27	Bettiah	Poor	205	PM <sub>10</sub>	1
28	Bhagalpur	Moderate	169	PM <sub>10</sub>	2
29	Bharatpur	Moderate	134	PM <sub>10</sub>	1
30	Bhilai	Good	43	03	3
31	Bhiwadi	Moderate	158	PM <sub>10</sub>	1
32	Bhiwani	Moderate	113	PM <sub>10</sub>	1
33	Bhopal	Moderate	102	со	3
34	Bidar	Good	39	PM <sub>10</sub>	1
35	Bihar Sharif	Moderate	150	PM <sub>10</sub>	1
36	Bikaner	Moderate	197	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Poor	201	PM <sub>10</sub>	1
38	Brajrajnagar	Satisfactory	97	со	1
39	Bulandshahr	Satisfactory	79	03	1
40	Byrnihat	Moderate	149	PM <sub>10</sub>	1
41	Chamarajanagar	Good	40	PM <sub>10</sub>	1
42	Chandigarh	Satisfactory	90	O <sub>3</sub> , PM <sub>10</sub>	3
43	Chandrapur	Satisfactory	99	PM <sub>10</sub>	1
44	Charkhi Dadri	Poor	217	PM <sub>2.5</sub>	1
45	Chennai	Satisfactory	65	со	6
46	Chhal	Satisfactory	80	PM <sub>10</sub>	1
47	Chhapra	Moderate	168	PM <sub>10</sub>	1
48	Chikkaballapur	Satisfactory	57	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Moderate	116	PM <sub>10</sub>	1
50	Churu	Moderate	128	PM <sub>10</sub>	1
51	Coimbatore	Satisfactory	66	со	1
52	Damoh	Good	34	PM <sub>10</sub>	1
53	Dausa	Moderate	157	PM <sub>10</sub>	1
54	Davanagere	Satisfactory	61	PM <sub>10</sub>	1
55	Dehradun	Moderate	119	со	1
56	Delhi	Moderate	141	PM <sub>10</sub>	38
57	Dewas	Moderate	128	PM <sub>10</sub>	1
58	Dhanbad	Moderate	191	PM <sub>2.5</sub>	1
59	Dharwad	Satisfactory	80	PM <sub>2.5</sub>	1
60	Dholpur	Satisfactory	100	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	130	PM <sub>2.5</sub>	3
62	Firozabad	Satisfactory	79	PM <sub>10</sub>	1
63	Gadag	Good	30	PM <sub>10</sub>	1
64	Gandhinagar	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Gangtok	Satisfactory	51	O <sub>3</sub>	1
66	Gaya	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	3
67	Ghaziabad	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	4
68	Gorakhpur	Satisfactory	71	PM <sub>2.5</sub>	1
69	Greater Noida	Moderate	158	O <sub>3</sub>	2
70	Gummidipoondi	Moderate	126	PM <sub>10</sub>	1
71	Gurugram	Moderate	150	PM <sub>2.5</sub> , CO	3
72	Guwahati	Satisfactory	68	03	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	115	03	3
74	Hajipur	Moderate	135	PM <sub>10</sub>	1
75	Haldia	Satisfactory	89	PM <sub>10</sub>	1
76	Hanumangarh	Moderate	142	PM <sub>10</sub>	1
77	Hapur	Satisfactory	80	03	1
78	Hassan	Satisfactory	78	PM <sub>10</sub>	1
79	Haveri	Satisfactory	65	PM <sub>10</sub>	1
80	Hisar	Satisfactory	78	PM <sub>2.5</sub>	1
81	Hosur	Moderate	115	со	1
82	Howrah	Moderate	113	PM <sub>10</sub>	3
83	Hubballi	Moderate	108	PM <sub>10</sub>	2
84	Hyderabad	Satisfactory	74	PM <sub>10</sub>	12

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Imphal	Satisfactory	74	SO <sub>2</sub>	2
86	Indore	Satisfactory	80	PM <sub>10</sub> , NO <sub>2</sub>	2
87	Jabalpur	Satisfactory	100	PM <sub>10</sub>	1
88	Jaipur	Moderate	139	PM <sub>10</sub>	5
89	Jalandhar	Satisfactory	94	PM <sub>10</sub>	1
90	Jhalawar	Moderate	120	PM <sub>10</sub>	1
91	Jhansi	Satisfactory	81	PM <sub>10</sub>	1
92	Jhunjhunu	Poor	214	O <sub>3</sub>	1
93	Jind	Satisfactory	66	PM <sub>10</sub>	1
94	Jodhpur	Moderate	125	PM <sub>10</sub>	3
95	Jorapokhar	Moderate	119	PM <sub>10</sub>	1
96	Kaithal	Moderate	108	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalaburgi	Satisfactory	56	PM <sub>10</sub>	2
98	Kanchipuram	Satisfactory	68	PM <sub>10</sub>	1
99	Kanpur	Moderate	103	PM <sub>10</sub>	4
100	Karauli	Satisfactory	51	PM <sub>2.5</sub>	1
101	Karnal	Satisfactory	75	PM <sub>10</sub>	1
102	Katihar	Moderate	104	PM <sub>10</sub>	1
103	Katni	Moderate	138	PM <sub>10</sub>	1
104	Keonjhar	Satisfactory	82	PM <sub>10</sub>	1
105	Khanna	Satisfactory	91	PM <sub>10</sub>	1
106	Khurja	Satisfactory	60	SO <sub>2</sub>	1
107	Kishanganj	Moderate	108	PM <sub>10</sub>	1
108	Kochi	Satisfactory	58	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Satisfactory	70	PM <sub>10</sub>	1
110	Kolkata	Moderate	105	PM <sub>10</sub>	7
111	Koppal	Satisfactory	66	O <sub>3</sub>	1
112	Korba	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	2
113	Kota	Moderate	122	PM <sub>2.5</sub>	3
114	Kurukshetra	Satisfactory	75	PM <sub>10</sub>	1
115	Lucknow	Satisfactory	100	PM <sub>2.5</sub>	6
116	Ludhiana	Satisfactory	99	PM <sub>10</sub>	1
117	Maihar	Satisfactory	54	со	1
118	Mandideep	Satisfactory	93	PM <sub>10</sub>	1
119	Mandikhera	Satisfactory	85	PM <sub>10</sub>	1
120	Manesar	Moderate	169	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mangalore	Satisfactory	78	PM <sub>10</sub>	1
122	Manguraha	Moderate	150	PM <sub>2.5</sub>	1
123	Meerut	Moderate	137	PM <sub>10</sub>	3
124	Milupara	Good	48	PM <sub>10</sub>	1
125	Moradabad	Satisfactory	72	PM <sub>10</sub>	5
126	Motihari	Moderate	106	PM <sub>10</sub>	1
127	Mumbai	Satisfactory	74	PM <sub>10</sub>	17
128	Muzaffarnagar	Moderate	139	PM <sub>10</sub>	1
129	Muzaffarpur	Moderate	177	03	3
130	Mysuru	Satisfactory	54	PM <sub>10</sub>	1
131	Nagpur	Satisfactory	69	PM <sub>2.5</sub>	1
132	Nandesari	Good	48	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Narnaul	Moderate	148	PM <sub>2.5</sub>	1
134	Navi Mumbai	Satisfactory	100	PM <sub>10</sub>	2
135	Nayagarh	Moderate	156	PM <sub>2.5</sub>	1
136	Noida	Moderate	146	NO <sub>2</sub> , PM <sub>10</sub>	4
137	Pali	Satisfactory	88	PM <sub>10</sub>	1
138	Palwal	Satisfactory	80	PM <sub>10</sub>	1
139	Panchkula	Satisfactory	58	СО	1
140	Panipat	Moderate	122	PM <sub>10</sub>	1
141	Patiala	Satisfactory	53	PM <sub>10</sub>	1
142	Patna	Moderate	134	PM <sub>2.5</sub>	6
143	Pithampur	Moderate	113	PM <sub>10</sub>	1
144	Pratapgarh	Moderate	104	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Prayagraj	Moderate	141	O <sub>3</sub> , PM <sub>10</sub>	3
146	Puducherry	Good	50	PM <sub>10</sub>	1
147	Pune	Satisfactory	70	со	2
148	Purnia	Poor	201	PM <sub>2.5</sub>	1
149	Raipur	Satisfactory	54	PM <sub>10</sub> , NO <sub>2</sub>	4
150	Rairangpur	Moderate	108	PM <sub>10</sub>	1
151	Rajamahendravaram	Satisfactory	82	PM <sub>10</sub>	1
152	Rajsamand	Satisfactory	80	03	1
153	Ramanagara	Satisfactory	70	PM <sub>10</sub>	1
154	Ramanathapuram	Good	31	PM <sub>10</sub>	1
155	Ratlam	Satisfactory	97	PM <sub>10</sub>	1
156	Rishikesh	Good	46	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Satisfactory	94	PM <sub>2.5</sub>	1
158	Rourkela	Moderate	127	PM <sub>10</sub>	3
159	Rupnagar	Satisfactory	99	PM <sub>10</sub>	1
160	Sagar	Moderate	104	PM <sub>10</sub>	1
161	Saharsa	Moderate	171	PM <sub>10</sub>	1
162	Samastipur	Moderate	190	PM <sub>10</sub>	1
163	Sasaram	Moderate	153	O <sub>3</sub>	1
164	Satna	Satisfactory	80	PM <sub>10</sub>	1
165	Sawai Madhopur	Satisfactory	94	PM <sub>10</sub>	1
166	Shillong	Satisfactory	97	PM <sub>10</sub>	1
167	Shivamogga	Satisfactory	60	03	1
168	Sikar	Poor	208	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Silchar	Good	30	со	1
170	Siliguri	Satisfactory	53	03	1
171	Singrauli	Moderate	126	PM <sub>10</sub>	1
172	Sirsa	Satisfactory	84	03	1
173	Sivasagar	Good	28	PM <sub>2.5</sub>	1
174	Siwan	Moderate	154	PM <sub>10</sub>	1
175	Solapur	Moderate	105	PM <sub>10</sub>	1
176	Sri Ganganagar	Poor	202	PM <sub>10</sub>	1
177	Suakati	Satisfactory	73	PM <sub>10</sub>	1
178	Talcher	Moderate	128	PM <sub>2.5</sub>	1
179	Thiruvananthapuram	Good	45	PM <sub>10</sub>	2
180	Thoothukudi	Satisfactory	93	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thrissur	Satisfactory	85	PM <sub>10</sub>	1
182	Tirupati	Moderate	106	PM <sub>2.5</sub>	2
183	Tirupur	Good	41	PM <sub>10</sub>	1
184	Tonk	Moderate	160	PM <sub>10</sub>	1
185	Tumakuru	Satisfactory	78	СО	1
186	Tumidih	Satisfactory	88	PM <sub>10</sub>	1
187	Udaipur	Satisfactory	77	PM <sub>10</sub>	1
188	Udupi	Satisfactory	73	03	1
189	Varanasi	Satisfactory	52	PM <sub>10</sub> , PM <sub>2.5</sub>	3
190	Vatva	Moderate	114	PM <sub>10</sub>	1
191	Vijayapura	Good	46	PM <sub>10</sub>	1
192	Visakhapatnam	Moderate	125	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vrindavan	Moderate	129	PM <sub>10</sub>	1
194	Yadgir	Satisfactory	58	PM <sub>10</sub>	1
195	Yamunanagar	Moderate	108	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.