

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	254	PM _{2.5}	1
2	Ahmedabad	Moderate	157	PM _{2.5}	1
3	Ajmer	Moderate	127	PM ₁₀	1
4	Alwar	Satisfactory	74	PM ₁₀	1
5	Amaravati	Satisfactory	67	PM ₁₀	1
6	Ambala	Moderate	113	PM ₁₀	1
7	Amritsar	Satisfactory	63	PM ₁₀	1
8	Ankleshwar	Poor	214	PM _{2.5}	1
9	Asanol	Satisfactory	92	PM ₁₀	1
10	Aurangabad	Moderate	106	OZONE	1
11	Baghpat	Poor	237	PM _{2.5}	1
12	Bahadurgarh	Moderate	184	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	140	PM ₁₀	1
14	Bathinda	Moderate	103	PM ₁₀	1
15	Bengaluru	Moderate	104	OZONE, PM ₁₀ , PM _{2.5}	7
16	Bhiwadi	Poor	242	PM _{2.5}	1
17	Bhiwani	Moderate	111	PM _{2.5}	1
18	Bulandshahr	Poor	221	PM _{2.5}	1
19	Chandrapur	Moderate	116	PM ₁₀ , PM _{2.5}	2
20	Chennai	Satisfactory	67	PM _{2.5} , CO	3
21	Chikkaballapur	Satisfactory	73	PM ₁₀	1
22	Damoh	Satisfactory	96	PM _{2.5}	1
23	Delhi	Poor	255	PM ₁₀ , PM _{2.5}	27
24	Dewas	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	196	PM _{2.5}	1
26	Faridabad	Poor	250	PM _{2.5}	1
27	Fatehabad	Moderate	126	PM ₁₀	1
28	GandhiNagar	Moderate	153	PM _{2.5}	1
29	Gaya	Moderate	158	PM _{2.5}	1
30	Ghaziabad	Poor	255	PM _{2.5}	1
31	Greater_Noida	Poor	253	PM _{2.5}	1
32	Gurugram	Poor	249	NO ₂	1
33	Haldia	Moderate	116	PM ₁₀	1
34	Hapur	Poor	225	PM _{2.5}	1
35	Hisar	Moderate	161	PM _{2.5}	1
36	Howrah	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hubballi	Moderate	116	PM _{2.5}	1
38	Hyderabad	Moderate	116	NO ₂ , PM _{2.5} , PM ₁₀	6
39	Jaipur	Satisfactory	98	PM ₁₀ , NO ₂	3
40	Jalandhar	Moderate	114	PM ₁₀	1
41	Jind	Moderate	156	PM _{2.5}	1
42	Jodhpur	Moderate	177	PM _{2.5}	1
43	Jorapokhar	Satisfactory	96	PM ₁₀	1
44	Kanpur	Moderate	181	PM _{2.5}	1
45	Karnal	Moderate	107	PM ₁₀	1
46	Khanna	Satisfactory	76	PM ₁₀	1
47	Kolkata	Poor	228	PM _{2.5}	2
48	Kota	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar,

 Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurushketra	Moderate	125	PM _{2.5}	1
50	Lucknow	Moderate	157	PM _{2.5}	3
51	Ludhiana	Satisfactory	94	PM _{2.5}	1
52	Maihar	Satisfactory	93	со	1
53	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
54	Mandideep	Moderate	128	PM ₁₀	1
55	Mandikhera	Moderate	118	PM _{2.5}	1
56	Manesar	Moderate	198	PM _{2.5}	1
57	Mumbai	Moderate	133	PM ₁₀	1
58	Muzaffarnagar	Poor	204	PM _{2.5}	1
59	Muzaffarpur	Moderate	199	OZONE	1
60	Nagpur	Moderate	185	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Narnaul	Moderate	178	PM _{2.5}	1
62	Nashik	Moderate	113	OZONE	1
63	Navi Mumbai	Moderate	107	PM ₁₀	1
64	Noida	Poor	275	PM _{2.5}	1
65	Pali	Moderate	107	PM _{2.5}	1
66	Palwal	Moderate	169	PM _{2.5}	1
67	Panchkula	Satisfactory	66	OZONE	1
68	Panipat	Satisfactory	86	PM ₁₀	1
69	Patiala	Moderate	118	PM ₁₀	1
70	Patna	Poor	201	PM _{2.5}	1
71	Pithampur	Moderate	123	PM ₁₀	1
72	Pune	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	62	PM ₁₀	1
74	Ratlam	Moderate	120	PM ₁₀	1
75	Rohtak	Moderate	137	PM _{2.5}	1
76	Rupnagar	Satisfactory	82	PM ₁₀	1
77	Satna	Moderate	107	со	1
78	Siliguri	Moderate	160	PM _{2.5}	1
79	Singrauli	Moderate	173	PM _{2.5}	1
80	Sirsa	Moderate	149	PM _{2.5}	1
81	Solapur	Moderate	151	OZONE	1
82	Sonipat	Moderate	117	PM _{2.5}	1
83	Thane	Moderate	151	PM ₁₀	1
84	Thiruvananthapuram	Satisfactory	70	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Tirupati	Satisfactory	79	PM ₁₀	1
86	Udaipur	Moderate	122	PM ₁₀	1
87	Ujjain	Moderate	110	PM ₁₀	1
88	Vapi	Poor	236	PM _{2.5}	1
89	Varanasi	Poor	257	PM _{2.5}	1
90	Vatva	Poor	235	PM _{2.5}	1
91	Visakhapatnam	Moderate	109	PM ₁₀	1
92	Yamunanagar	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar,
 Durgapur, Kalaburgi, Moradabad, Talcher, Vijayawada as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.