

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	SO ₂	1
2	Agra	Satisfactory	64	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Satisfactory	66	NO ₂ , CO, PM _{2.5}	9
4	Aizawl	Good	23	SO ₂	1
5	Ajmer	Satisfactory	58	PM ₁₀	1
6	Alwar	Satisfactory	54	PM ₁₀	1
7	Amaravati	Good	29	03	1
8	Ambala	Satisfactory	53	PM ₁₀	1
9	Amritsar	Satisfactory	63	PM ₁₀	1
10	Ankleshwar	Satisfactory	63	PM _{2.5}	1
11	Asansol	Good	45	O ₃	1
12	Aurangabad	Very Poor	353	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	34	PM ₁₀	1
14	Baghpat	Good	37	СО	1
15	Bahadurgarh	Satisfactory	61	NO ₂	1
16	Ballabgarh	Satisfactory	61	PM ₁₀	1
17	Bengaluru	Satisfactory	57	CO, PM ₁₀	9
18	Bhiwadi	Satisfactory	91	PM ₁₀	1
19	Bhiwani	Good	39	PM ₁₀	1
20	Bhopal	Good	47	PM ₁₀	1
21	Bidar	Good	44	со	1
22	Brajrajnagar	Good	43	со	1
23	Bulandshahr	Satisfactory	55	СО	1
24	Chamarajanagar	Good	40	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
Some stations have data available at 3PM

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Good	40	O ₃ , CO	2
26	Chandrapur	Good	18	PM ₁₀ , CO	2
27	Charkhi Dadri	Good	39	PM _{2.5}	1
28	Chennai	Satisfactory	58	PM ₁₀	7
29	Chikkaballapur	Good	42	PM ₁₀	1
30	Chikkamagaluru	Good	25	NO ₂	1
31	Davanagere	Good	19	O ₃	1
32	Delhi	Satisfactory	69	PM ₁₀ , CO	37
33	Dewas	Good	31	со	1
34	Dharuhera	Satisfactory	73	PM ₁₀	1
35	Durgapur	Good	42	PM ₁₀	1
36	Eloor	Satisfactory	70	СО	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	35	со	1
38	Faridabad	Satisfactory	72	O ₃ , PM ₁₀	2
39	Fatehabad	Good	37	03	1
40	Firozabad	Good	26	PM ₁₀	1
41	Gadag	Good	24	PM ₁₀	1
42	Gandhinagar	Good	40	CO, O ₃ , PM ₁₀	3
43	Gaya	Satisfactory	61	СО	2
44	Ghaziabad	Satisfactory	61	CO, PM ₁₀	4
45	Gorakhpur	Good	21	PM ₁₀	1
46	Greater Noida	Satisfactory	54	PM ₁₀	2
47	Gummidipoondi	Satisfactory	78	PM ₁₀	1
48	Gurugram	Satisfactory	61	PM _{2.5} , PM ₁₀ , O ₃	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	88	SO ₂	1
50	Gwalior	Satisfactory	53	PM ₁₀ , O ₃	2
51	Haldia	Good	30	03	1
52	Hapur	Satisfactory	65	со	1
53	Hassan	Satisfactory	53	PM ₁₀	1
54	Hisar	Good	43	PM ₁₀	1
55	Howrah	Good	38	со	2
56	Hubballi	Good	37	PM ₁₀	1
57	Hyderabad	Good	34	NO ₂ , PM ₁₀ , PM _{2.5}	5
58	Indore	Good	44	NO ₂	1
59	Jabalpur	Good	42	PM ₁₀	1
60	Jaipur	Good	48	PM ₁₀ , O ₃	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	58	PM ₁₀	1
62	Jind	Good	26	PM ₁₀	1
63	Jodhpur	Satisfactory	80	PM ₁₀	1
64	Kaithal	Good	38	PM ₁₀	1
65	Kalaburgi	Good	40	03	1
66	Kanpur	Good	48	NO ₂ , O ₃ , PM ₁₀	4
67	Karnal	Good	31	PM ₁₀	1
68	Katni	Good	46	PM ₁₀	1
69	Khanna	Good	46	PM ₁₀	1
70	Kochi	Good	45	со	1
71	Kohima	Good	36	SO ₂	1
72	Kolar	Good	43	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Good	33	PM ₁₀ , NO ₂	5
74	Kollam	Satisfactory	100	со	1
75	Koppal	Satisfactory	59	со	1
76	Kota	Good	43	PM _{2.5}	1
77	Kozhikode	Good	49	PM ₁₀	1
78	Kurukshetra	Good	37	PM ₁₀	1
79	Lucknow	Satisfactory	65	PM ₁₀ , NO ₂ , CO	6
80	Ludhiana	Satisfactory	55	PM ₁₀	1
81	Maihar	Good	20	NO ₂	1
82	Mandi Gobindgarh	Good	43	PM ₁₀	1
83	Mandideep	Satisfactory	53	PM ₁₀	1
84	Mandikhera	Good	29	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	26	03	1
86	Meerut	Good	37	CO, PM ₁₀	2
87	Moradabad	Moderate	144	PM _{2.5}	1
88	Mumbai	Satisfactory	67	PM _{2.5} , PM ₁₀	17
89	Muzaffarnagar	Satisfactory	88	со	1
90	Muzaffarpur	Good	48	PM _{2.5}	1
91	Mysuru	Good	30	PM ₁₀	1
92	Nagpur	Satisfactory	92	со	1
93	Naharlagun	Good	50	PM ₁₀	1
94	Narnaul	Satisfactory	64	PM _{2.5}	1
95	Nashik	Good	28	со	1
96	Navi Mumbai	Satisfactory	65	PM ₁₀ , CO	3

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Satisfactory	70	CO, NO ₂ , PM ₁₀	4
98	Pali	Satisfactory	51	PM ₁₀	1
99	Palwal	Satisfactory	59	PM ₁₀	1
100	Panchkula	Satisfactory	51	03	1
101	Panipat	Satisfactory	55	SO ₂	1
102	Patiala	Good	30	03	1
103	Patna	Satisfactory	52	PM ₁₀ , O ₃ , CO	5
104	Pithampur	Satisfactory	76	PM ₁₀	1
105	Prayagraj	Good	25	PM ₁₀ , NO ₂	3
106	Puducherry	Satisfactory	54	O ₃	1
107	Pune	Satisfactory	70	SO ₂ , CO, PM _{2.5}	6
108	Raichur	Good	34	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Good	36	PM ₁₀	1
110	Ramanagara	Good	36	PM ₁₀	1
111	Ratlam	Good	47	PM ₁₀	1
112	Rohtak	Moderate	153	со	1
113	Rupnagar	Satisfactory	72	PM ₁₀	1
114	Sagar	Good	27	со	1
115	Satna	Good	43	PM ₁₀	1
116	Shillong	Good	17	SO ₂	1
117	Shivamogga	Good	35	PM ₁₀	1
118	Siliguri	Good	39	PM ₁₀	1
119	Singrauli	Satisfactory	90	SO ₂	1
120	Sirsa	Good	36	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sonipat	Satisfactory	97	PM ₁₀	1
122	Srinagar	Moderate	173	PM ₁₀	1
123	Thiruvananthapuram	Good	45	PM ₁₀ , CO	2
124	Udaipur	Satisfactory	66	PM ₁₀	1
125	Ujjain	Satisfactory	64	PM ₁₀	1
126	Vapi	Good	30	PM ₁₀	1
127	Varanasi	Good	30	PM ₁₀ , CO	4
128	Vatva	Satisfactory	75	PM ₁₀	1
129	Vijayapura	Satisfactory	61	PM ₁₀	1
130	Visakhapatnam	Satisfactory	81	PM ₁₀	1
131	Vrindavan	Good	25	PM ₁₀	1
132	Yadgir	Good	23	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Hajipur, Jorapokhar, Kalyan, Kannur, Manesar, Manglore, Motihari, Nandesari, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.