

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	224	PM <sub>2.5</sub>	1
2	Agra	Poor	240	PM <sub>2.5</sub>	4
3	Ahmedabad	Moderate	132	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	8
4	Aizawl	Good	18	PM <sub>10</sub>	1
5	Ajmer	Moderate	103	PM <sub>10</sub>	1
6	Alwar	Moderate	149	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	147	PM <sub>2.5</sub>	1
8	Ambala	Very Poor	308	PM <sub>2.5</sub>	1
9	Amritsar	Poor	224	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	202	PM <sub>2.5</sub>	1
11	Asansol	Poor	253	PM <sub>2.5</sub>	1
12	Aurangabad	Moderate	117	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	60	PM <sub>10</sub>	1
14	Baghpat	Poor	223	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	321	PM <sub>2.5</sub>	1
16	Ballabgarh	Very Poor	337	PM <sub>2.5</sub>	1
17	Bathinda	Moderate	143	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	8
19	Bettiah	Poor	292	PM <sub>10</sub>	1
20	Bhagalpur	Very Poor	348	PM <sub>2.5</sub>	2
21	Bhilai	Satisfactory	65	PM <sub>10</sub>	1
22	Bhiwadi	Very Poor	329	PM <sub>10</sub>	1
23	Bhiwani	Very Poor	322	PM <sub>2.5</sub>	1
24	Bhopal	Moderate	198	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	114	PM <sub>10</sub>	1
26	Bihar Sharif	Very Poor	314	PM <sub>2.5</sub>	1
27	Bilaspur	Satisfactory	92	PM <sub>10</sub>	1
28	Bulandshahr	Poor	269	PM <sub>10</sub>	1
29	Chamarajanagar	Satisfactory	93	03	1
30	Chandigarh	Poor	224	PM <sub>2.5</sub>	2
31	Chandrapur	Moderate	172	PM <sub>2.5</sub>	2
32	Charkhi Dadri	Very Poor	308	PM <sub>2.5</sub>	1
33	Chennai	Satisfactory	70	PM <sub>10</sub>	7
34	Chhapra	Very Poor	364	PM <sub>2.5</sub>	1
35	Chikkaballapur	Satisfactory	77	PM <sub>2.5</sub>	1
36	Chikkamagaluru	Good	35	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	89	PM <sub>2.5</sub>	1
38	Damoh	Moderate	152	PM <sub>2.5</sub>	1
39	Darbhanga	Very Poor	372	PM <sub>2.5</sub>	1
40	Davanagere	Satisfactory	65	PM <sub>10</sub>	1
41	Delhi	Very Poor	363	PM <sub>2.5</sub>	36
42	Dharuhera	Poor	235	PM <sub>2.5</sub>	1
43	Durgapur	Very Poor	339	PM <sub>10</sub>	1
44	Eloor	Satisfactory	70	PM <sub>10</sub>	1
45	Ernakulam	Satisfactory	61	PM <sub>2.5</sub>	1
46	Faridabad	Very Poor	334	PM <sub>2.5</sub>	4
47	Firozabad	Poor	249	PM <sub>2.5</sub>	1
48	Gadag	Satisfactory	80	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Gaya	Poor	233	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Ghaziabad	Poor	290	PM <sub>2.5</sub>	4
52	Gorakhpur	Moderate	135	PM <sub>2.5</sub>	1
53	Greater Noida	Poor	300	PM <sub>2.5</sub>	2
54	Gurugram	Very Poor	341	PM <sub>2.5</sub>	4
55	Guwahati	Moderate	198	PM <sub>2.5</sub>	2
56	Gwalior	Moderate	192	PM <sub>2.5</sub> , PM <sub>10</sub>	2
57	Hajipur	Poor	243	PM <sub>2.5</sub>	1
58	Haldia	Moderate	193	PM <sub>2.5</sub>	1
59	Hapur	Poor	285	PM <sub>2.5</sub>	1
60	Hassan	Good	48	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Very Poor	328	PM <sub>2.5</sub>	1
62	Howrah	Poor	279	PM <sub>10</sub> , PM <sub>2.5</sub>	3
63	Hubballi	Moderate	107	PM <sub>10</sub>	1
64	Hyderabad	Moderate	163	PM <sub>2.5</sub>	6
65	Indore	Poor	245	PM <sub>2.5</sub>	1
66	Jabalpur	Moderate	141	PM <sub>10</sub>	1
67	Jaipur	Moderate	175	PM <sub>2.5</sub>	3
68	Jalandhar	Poor	218	PM <sub>2.5</sub>	1
69	Jind	Very Poor	313	PM <sub>2.5</sub>	1
70	Jodhpur	Moderate	173	PM <sub>2.5</sub>	1
71	Kaithal	Poor	254	PM <sub>2.5</sub>	1
72	Kalaburgi	Moderate	194	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	253	PM <sub>2.5</sub>	1
74	Kannur	Satisfactory	76	PM <sub>2.5</sub>	1
75	Kanpur	Poor	202	PM <sub>2.5</sub>	3
76	Karnal	Poor	203	PM <sub>10</sub>	1
77	Katihar	Very Poor	355	PM <sub>2.5</sub>	1
78	Katni	Poor	208	PM <sub>2.5</sub>	1
79	Khanna	Poor	228	PM <sub>2.5</sub>	1
80	Kishanganj	Very Poor	358	PM <sub>2.5</sub>	1
81	Kochi	Satisfactory	93	PM <sub>2.5</sub>	1
82	Kohima	Satisfactory	73	PM <sub>2.5</sub>	1
83	Kolkata	Poor	268	PM <sub>2.5</sub>	7
84	Kollam	Satisfactory	96	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Good	46	PM <sub>2.5</sub>	1
86	Kota	Poor	216	PM <sub>2.5</sub>	1
87	Kozhikode	Satisfactory	52	PM <sub>10</sub>	1
88	Kurukshetra	Poor	249	PM <sub>2.5</sub>	1
89	Lucknow	Poor	223	PM <sub>2.5</sub>	6
90	Ludhiana	Moderate	137	PM <sub>2.5</sub>	1
91	Maihar	Satisfactory	87	PM <sub>2.5</sub>	1
92	Mandideep	Moderate	144	PM <sub>2.5</sub>	1
93	Mandikhera	Moderate	130	PM <sub>2.5</sub>	1
94	Manesar	Severe	407	PM <sub>2.5</sub>	1
95	Manglore	Satisfactory	63	PM <sub>2.5</sub>	1
96	Meerut	Poor	239	PM <sub>2.5</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	164	PM <sub>2.5</sub>	2
98	Motihari	Very Poor	312	PM <sub>2.5</sub>	1
99	Mumbai	Moderate	176	PM <sub>2.5</sub>	20
100	Munger	Poor	255	PM <sub>10</sub>	1
101	Muzaffarnagar	Poor	252	PM <sub>2.5</sub>	1
102	Muzaffarpur	Very Poor	356	PM <sub>2.5</sub>	2
103	Mysuru	Good	50	PM <sub>10</sub>	1
104	Nagpur	Poor	213	PM <sub>2.5</sub>	1
105	Narnaul	Very Poor	318	PM <sub>2.5</sub>	1
106	Nashik	Moderate	128	PM <sub>2.5</sub>	1
107	Navi Mumbai	Poor	210	PM <sub>2.5</sub> , PM <sub>10</sub>	3
108	Noida	Very Poor	309	PM <sub>2.5</sub>	4

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	106	PM <sub>2.5</sub>	1
110	Palwal	Moderate	176	PM <sub>10</sub>	1
111	Panchkula	Moderate	193	PM <sub>2.5</sub>	1
112	Panipat	Very Poor	304	PM <sub>2.5</sub>	1
113	Patiala	Poor	251	PM <sub>2.5</sub>	1
114	Patna	Very Poor	320	PM <sub>2.5</sub> , PM <sub>10</sub>	5
115	Pithampur	Poor	232	PM <sub>2.5</sub>	1
116	Prayagraj	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	3
117	Puducherry	Satisfactory	60	O <sub>3</sub>	1
118	Pune	Moderate	103	PM <sub>2.5</sub>	3
119	Raichur	Moderate	132	PM <sub>10</sub>	1
120	Rajamahendravaram	Moderate	154	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Satisfactory	71	PM <sub>2.5</sub>	1
122	Ratlam	Moderate	122	PM <sub>2.5</sub>	1
123	Rohtak	Very Poor	331	PM <sub>2.5</sub>	1
124	Sagar	Satisfactory	69	PM <sub>2.5</sub>	1
125	Saharsa	Poor	241	PM <sub>10</sub>	1
126	Sasaram	Very Poor	340	PM <sub>2.5</sub>	1
127	Satna	Satisfactory	66	PM <sub>10</sub>	1
128	Shillong	Good	22	SO <sub>2</sub>	1
129	Shivamogga	Good	50	PM <sub>10</sub>	1
130	Siliguri	Moderate	107	PM <sub>10</sub>	1
131	Singrauli	Very Poor	325	PM <sub>2.5</sub>	1
132	Sirsa	Moderate	171	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sonipat	Poor	203	PM <sub>10</sub>	1
134	Srinagar	Satisfactory	74	PM <sub>10</sub>	1
135	Talcher	Moderate	189	PM <sub>2.5</sub>	1
136	Thane	Poor	218	PM <sub>10</sub>	1
137	Thiruvananthapuram	Satisfactory	59	со	1
138	Thoothukudi	Good	34	PM <sub>10</sub>	1
139	Tirupati	Satisfactory	85	PM <sub>2.5</sub>	1
140	Udaipur	Moderate	138	PM <sub>2.5</sub>	1
141	Udupi	Satisfactory	59	O <sub>3</sub>	1
142	Ujjain	Moderate	176	PM <sub>10</sub>	1
143	Vapi	Moderate	193	PM <sub>2.5</sub>	1
144	Varanasi	Moderate	181	PM <sub>2.5</sub>	4

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	180	PM <sub>2.5</sub>	1
146	Vijayapura	Satisfactory	58	PM <sub>2.5</sub>	1
147	Visakhapatnam	Moderate	183	PM <sub>2.5</sub>	1
148	Vrindavan	Poor	294	PM <sub>2.5</sub>	1
149	Yadgir	Moderate	115	PM <sub>2.5</sub>	1
150	Yamunanagar	Poor	232	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Brajrajnagar, Buxar,
  Dewas, Fatehabad, Gummidipoondi, Jorapokhar, Kolar, Madikeri, Mandi
  Gobindgarh, Manguraha, Naharlagun, Nandesari, Purnia, Rajgir, Rupnagar,
  Siwan, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.