

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	54	PM <sub>10</sub> , NO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	73	PM <sub>10</sub>	8
4	Ajmer	Satisfactory	93	PM <sub>10</sub>	1
5	Akola	Satisfactory	62	PM <sub>10</sub>	1
6	Alwar	Satisfactory	56	со	1
7	Ambala	Moderate	102	со	1
8	Amravati	Satisfactory	70	PM <sub>10</sub>	2
9	Amritsar	Satisfactory	60	PM <sub>10</sub>	1
10	Anantapur	Good	49	03	1
11	Ankleshwar	Good	48	со	1
12	Araria	Satisfactory	71	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	25	PM <sub>10</sub>	1
14	Arrah	Moderate	125	PM <sub>10</sub>	1
15	Asansol	Moderate	117	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Good	44	со	1
17	Aurangabad (Maharashtra)	Good	38	PM <sub>10</sub>	2
18	Baddi	Moderate	137	PM <sub>10</sub>	1
19	Badlapur	Satisfactory	68	PM <sub>10</sub>	1
20	Bagalkot	Good	43	PM <sub>10</sub>	1
21	Baghpat	Good	49	O <sub>3</sub>	1
22	Bahadurgarh	Moderate	104	PM <sub>10</sub>	1
23	Ballabgarh	Good	44	со	1
24	Banswara	Satisfactory	82	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	40	со	2
26	Baripada	Good	45	PM <sub>10</sub>	1
27	Barmer	Satisfactory	83	PM <sub>10</sub>	1
28	Bathinda	Satisfactory	92	PM <sub>10</sub>	1
29	Begusarai	Moderate	168	PM <sub>2.5</sub>	1
30	Belapur	Satisfactory	54	PM <sub>10</sub>	1
31	Belgaum	Good	46	СО	1
32	Bengaluru	Good	49	PM <sub>10</sub>	10
33	Bhagalpur	Moderate	110	PM <sub>10</sub>	2
34	Bharatpur	Good	40	со	1
35	Bhilai	Good	33	PM <sub>10</sub>	1
36	Bhilwara	Moderate	105	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	78	PM <sub>10</sub>	1
38	Bhiwandi	Satisfactory	52	PM <sub>10</sub>	1
39	Bhiwani	Satisfactory	53	со	1
40	Bhopal	Satisfactory	79	PM <sub>10</sub>	3
41	Bidar	Good	19	PM <sub>10</sub>	1
42	Bihar Sharif	Satisfactory	72	PM <sub>10</sub>	1
43	Bikaner	Moderate	110	PM <sub>10</sub>	1
44	Bilaspur	Satisfactory	63	PM <sub>10</sub>	1
45	Bileipada	Satisfactory	96	PM <sub>10</sub>	1
46	Bulandshahr	Satisfactory	56	PM <sub>10</sub>	1
47	Bundi	Satisfactory	61	PM <sub>10</sub>	1
48	Chamarajanagar	Good	41	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	75	PM <sub>10</sub>	3
50	Chandrapur	Satisfactory	55	со	1
51	Charkhi Dadri	Satisfactory	70	PM <sub>10</sub>	1
52	Chennai	Satisfactory	63	PM <sub>10</sub>	8
53	Chhapra	Very Poor	311	PM <sub>10</sub>	1
54	Chikkaballapur	Good	38	PM <sub>10</sub>	1
55	Chikkamagaluru	Good	36	PM <sub>10</sub>	1
56	Chittoor	Good	37	O <sub>3</sub>	1
57	Chittorgarh	Satisfactory	89	PM <sub>10</sub>	1
58	Churu	Satisfactory	66	03	1
59	Cuddalore	Good	24	NO <sub>2</sub>	1
60	Damoh	Good	25	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Satisfactory	55	со	1
62	Davanagere	Good	25	PM <sub>10</sub>	1
63	Dehradun	Moderate	104	со	1
64	Delhi	Satisfactory	89	PM <sub>10</sub> , NO <sub>2</sub>	34
65	Dewas	Satisfactory	57	PM <sub>10</sub>	1
66	Dhanbad	Satisfactory	79	PM <sub>2.5</sub>	1
67	Dharuhera	Satisfactory	90	PM <sub>10</sub>	1
68	Dharwad	Good	34	03	1
69	Dholpur	Satisfactory	58	PM <sub>10</sub>	1
70	Dhule	Satisfactory	51	PM <sub>10</sub>	1
71	Durgapur	Good	40	PM <sub>10</sub>	1
72	Eloor	Good	47	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Faridabad	Satisfactory	94	PM <sub>10</sub>	1
74	Firozabad	Good	25	PM <sub>10</sub>	1
75	Gadag	Good	48	PM <sub>10</sub>	1
76	Gandhinagar	Good	46	PM <sub>10</sub>	2
77	Gangtok	Satisfactory	62	SO <sub>2</sub>	1
78	Gaya	Satisfactory	77	PM <sub>10</sub> , PM <sub>2.5</sub>	3
79	Ghaziabad	Satisfactory	73	PM <sub>10</sub>	4
80	Gorakhpur	Satisfactory	91	PM <sub>2.5</sub>	1
81	Greater Noida	Moderate	183	PM <sub>10</sub>	2
82	Gummidipoondi	Moderate	103	PM <sub>10</sub>	1
83	Gurugram	Moderate	107	PM <sub>2.5</sub> , CO	3
84	Guwahati	Moderate	105	со	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Gwalior	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub>	4
86	Hajipur	Satisfactory	74	PM <sub>10</sub>	1
87	Hanumangarh	Moderate	124	PM <sub>10</sub>	1
88	Hapur	Good	44	03	1
89	Haveri	Good	40	со	1
90	Hosur	Good	31	PM <sub>10</sub>	1
91	Howrah	Good	44	PM <sub>10</sub>	3
92	Hubballi	Satisfactory	56	PM <sub>10</sub> , CO	2
93	Hyderabad	Satisfactory	69	PM <sub>10</sub> , CO	12
94	Indore	Satisfactory	92	PM <sub>10</sub>	1
95	Jabalpur	Satisfactory	61	PM <sub>10</sub>	3
96	Jaipur	Good	50	03	5

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Satisfactory	82	PM <sub>10</sub>	1
98	Jalandhar	Satisfactory	72	PM <sub>10</sub>	1
99	Jalgaon	Satisfactory	93	PM <sub>10</sub>	1
100	Jhalawar	Satisfactory	55	PM <sub>10</sub>	1
101	Jhansi	Good	36	PM <sub>10</sub>	1
102	Jhunjhunu	Satisfactory	77	O <sub>3</sub>	1
103	Jind	Satisfactory	99	СО	1
104	Jodhpur	Satisfactory	70	PM <sub>2.5</sub>	4
105	Kadapa	Good	24	NO <sub>2</sub>	1
106	Kaithal	Satisfactory	60	PM <sub>2.5</sub>	1
107	Kalyan	Satisfactory	79	NO <sub>2</sub>	1
108	Kannur	Satisfactory	70	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Good	39	СО	3
110	Karauli	Good	48	03	1
111	Karnal	Good	48	PM <sub>10</sub>	1
112	Kashipur	Satisfactory	58	PM <sub>10</sub>	1
113	Katihar	Satisfactory	94	PM <sub>10</sub>	1
114	Katni	Satisfactory	57	PM <sub>10</sub>	1
115	Keonjhar	Satisfactory	68	PM <sub>10</sub>	1
116	Khanna	Satisfactory	53	PM <sub>10</sub>	1
117	Khurja	Satisfactory	68	PM <sub>2.5</sub>	1
118	Kishanganj	Satisfactory	98	PM <sub>10</sub>	1
119	Kochi	Satisfactory	78	со	1
120	Kolar	Good	43	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Good	33	PM <sub>10</sub>	1
122	Kolkata	Satisfactory	59	O <sub>3</sub> , PM <sub>10</sub>	7
123	Kollam	Satisfactory	56	PM <sub>10</sub>	1
124	Korba	Good	34	PM <sub>10</sub>	2
125	Kota	Good	50	PM <sub>10</sub>	3
126	Kunjemura	Satisfactory	77	PM <sub>10</sub>	1
127	Kurukshetra	Satisfactory	57	PM <sub>10</sub>	1
128	Latur	Good	38	PM <sub>10</sub>	1
129	Lucknow	Good	49	O <sub>3</sub> , CO	6
130	Ludhiana	Satisfactory	89	PM <sub>10</sub>	1
131	Madikeri	Good	38	PM <sub>2.5</sub>	1
132	Mahad	Satisfactory	69	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	31	со	1
134	Mandi Gobindgarh	Satisfactory	93	PM <sub>10</sub>	1
135	Mandideep	Satisfactory	69	PM <sub>10</sub>	1
136	Mandikhera	Good	33	PM <sub>10</sub>	1
137	Manesar	Satisfactory	56	PM <sub>2.5</sub>	1
138	Mangalore	Good	50	со	1
139	Manguraha	Good	44	со	1
140	Meerut	Satisfactory	54	со	3
141	Moradabad	Satisfactory	63	PM <sub>10</sub> , CO	6
142	Motihari	Satisfactory	70	PM <sub>10</sub>	1
143	Mumbai	Satisfactory	59	PM <sub>10</sub> , SO <sub>2</sub>	21
144	Munger	Moderate	152	PM <sub>2.5</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Satisfactory	61	PM <sub>2.5</sub>	1
146	Muzaffarpur	Moderate	152	PM <sub>2.5</sub> , NO <sub>2</sub>	2
147	Mysuru	Good	48	PM <sub>10</sub>	1
148	Nagaur	Satisfactory	97	PM <sub>10</sub>	1
149	Nagpur	Satisfactory	58	PM <sub>10</sub>	4
150	Nalbari	Satisfactory	80	PM <sub>10</sub>	1
151	Nanded	Good	46	O <sub>3</sub>	1
152	Narnaul	Good	48	PM <sub>10</sub>	1
153	Nashik	Good	40	PM <sub>10</sub>	4
154	Navi Mumbai	Satisfactory	65	PM <sub>2.5</sub> , PM <sub>10</sub>	7
155	Nayagarh	Good	38	PM <sub>10</sub>	1
156	Noida	Satisfactory	84	СО	4

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Good	24	PM <sub>10</sub>	1
158	Pali	Satisfactory	93	PM <sub>10</sub>	1
159	Palkalaiperur	Good	25	SO <sub>2</sub>	1
160	Palwal	Good	40	PM <sub>10</sub>	1
161	Panchkula	Satisfactory	85	PM <sub>2.5</sub>	1
162	Panipat	Satisfactory	70	PM <sub>10</sub>	1
163	Parbhani	Satisfactory	63	PM <sub>10</sub>	1
164	Patiala	Satisfactory	54	PM <sub>10</sub>	1
165	Patna	Moderate	110	PM <sub>2.5</sub>	6
166	Pimpri Chinchwad	Satisfactory	55	PM <sub>2.5</sub>	3
167	Pithampur	Satisfactory	89	PM <sub>10</sub>	1
168	Pratapgarh	Satisfactory	80	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Prayagraj	Satisfactory	64	PM <sub>10</sub>	3
170	Puducherry	Satisfactory	52	со	1
171	Pune	Satisfactory	83	NO <sub>2</sub> , PM <sub>10</sub>	6
172	Purnia	Satisfactory	80	PM <sub>2.5</sub>	1
173	Raichur	Satisfactory	51	SO <sub>2</sub>	1
174	Raipur	Satisfactory	58	PM <sub>10</sub> , CO	3
175	Rairangpur	Good	47	PM <sub>10</sub>	1
176	Rajamahendravaram	Good	43	03	1
177	Rajgir	Satisfactory	76	PM <sub>10</sub>	1
178	Rajsamand	Good	49	PM <sub>10</sub>	1
179	Ramanagara	Good	35	PM <sub>10</sub>	1
180	Ramanathapuram	Good	34	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Amaravati, Baran, Bettiah, Boisar, Brajrajnagar, Buxar, Byrn

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ratlam	Satisfactory	64	PM <sub>10</sub>	1
182	Rishikesh	Good	44	O <sub>3</sub>	1
183	Rohtak	Good	47	SO <sub>2</sub>	1
184	Rourkela	Satisfactory	75	PM <sub>10</sub>	2
185	Sagar	Good	47	со	2
186	Saharsa	Poor	205	PM <sub>2.5</sub>	1
187	Salem	Satisfactory	69	SO <sub>2</sub>	1
188	Samastipur	Moderate	117	PM <sub>2.5</sub>	1
189	Sangli	Good	28	03	1
190	Sasaram	Good	44	PM <sub>10</sub>	1
191	Satna	Satisfactory	99	PM <sub>10</sub>	1
192	Sawai Madhopur	Satisfactory	54	со	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Shillong	Good	23	PM <sub>2.5</sub>	1
194	Shivamogga	Satisfactory	53	PM <sub>10</sub>	1
195	Sikar	Satisfactory	91	03	1
196	Silchar	Good	44	со	1
197	Siliguri	Good	50	PM <sub>10</sub>	1
198	Singrauli	Good	46	O <sub>3</sub>	1
199	Sirohi	Good	42	O <sub>3</sub>	1
200	Sirsa	Satisfactory	69	PM <sub>10</sub>	1
201	Sivasagar	Good	18	PM <sub>10</sub>	1
202	Solapur	Satisfactory	56	PM <sub>10</sub>	3
203	Sri Ganganagar	Satisfactory	84	PM <sub>10</sub>	1
204	Srinagar	Satisfactory	65	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### -Amaravati, Baran, Bettian, Bolsar, Brajrajnagar, Buxar, Byr

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

Possible Health Impacts

Very Poor

Severe

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Suakati	Satisfactory	96	PM <sub>10</sub>	1
206	Surat	Moderate	102	со	1
207	Tensa	Good	49	NO <sub>2</sub>	1
208	Thane	Satisfactory	56	PM <sub>10</sub>	2
209	Thiruvananthapuram	Good	24	CO, O <sub>3</sub>	2
210	Thoothukudi	Moderate	196	03	1
211	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
212	Tirupati	Good	32	со	1
213	Tonk	Good	45	PM <sub>10</sub>	1
214	Tumidih	Good	39	PM <sub>10</sub>	1
215	Udaipur	Satisfactory	61	PM <sub>10</sub>	1
216	Ujjain	Satisfactory	59	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### - Amaravati, Baran, Bettiah, Bolsar, Brajrajnagar, Buxar, Byrr

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Ulhasnagar	Satisfactory	72	PM <sub>10</sub>	1
218	Vapi	Moderate	105	со	1
219	Varanasi	Good	35	PM <sub>10</sub>	4
220	Vatva	Satisfactory	96	PM <sub>10</sub>	1
221	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
222	Vijayawada	Good	44	NO <sub>2</sub>	2
223	Visakhapatnam	Satisfactory	94	PM <sub>10</sub>	1
224	Vrindavan	Good	29	SO <sub>2</sub>	1
225	Yadgir	Good	29	со	1
226	Yamunanagar	Satisfactory	99	PM <sub>10</sub>	1

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, ravati, Baran, Bettiah, Boisar, Brajrajnagar, Buxar, Byrnil

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Ernakulam, Notes: Fatehabad, Haldia, Hassan, Hisar, Imphal, Jalna, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kohima, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Rupnagar, Siwan, Sonipat, Talcher, Tirupur, Tumakuru, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases