

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	65	PM ₁₀	2
2	Agra	Moderate	159	PM ₁₀	5
3	Ahmedabad	Moderate	126	PM _{2.5} , PM ₁₀	5
4	Aizawl	Satisfactory	74	PM ₁₀	1
5	Ajmer	Moderate	141	PM _{2.5}	1
6	Alwar	Moderate	120	PM ₁₀	1
7	Amaravati	Good	24	03	1
8	Ambala	Poor	222	PM _{2.5}	1
9	Amritsar	Moderate	137	PM ₁₀	1
10	Ankleshwar	Satisfactory	99	PM _{2.5}	1
11	Arrah	Moderate	164	PM ₁₀	1
12	Asansol	Satisfactory	96	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Gadag, Gangtok, Gaya, Gummidipoondi, Hajipur, Hassan, Haveri, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kannur, Katihar, Kishanganj, Kochi, Kohima, Kolar, Kurukshetra, Maihar, Mandi Gobindgarh, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Panipat, Puducherry, Purnia, Rajgir, Rupnagar, Saharsa, Samastipur, Sasaram, Siwan, Solapur, Sonipat, Thrissur, Vapi, Vijayapura, Vrindavan, Yadgir as data was not available.

ajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	216	PM ₁₀	1
14	Aurangabad	Moderate	122	PM ₁₀	1
15	Baddi	Moderate	192	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Very Poor	361	PM ₁₀	1
18	Bathinda	Moderate	185	PM _{2.5}	1
19	Bengaluru	Satisfactory	65	CO, PM ₁₀	6
20	Bhagalpur	Poor	299	PM ₁₀	1
21	Bhiwadi	Very Poor	314	PM _{2.5}	1
22	Bhiwani	Moderate	186	PM _{2.5}	1
23	Bhopal	Moderate	153	PM ₁₀	1
24	Bidar	Satisfactory	84	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar, <u>- Chamarajanagar, Chhapra, Ceimbatore, Darbhanga, Davanagere, Durgap</u>

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	56	PM ₁₀	1
26	Brajrajnagar	Moderate	164	03	1
27	Bulandshahr	Poor	238	PM _{2.5}	1
28	Chandigarh	Moderate	196	PM _{2.5} , PM ₁₀	2
29	Chandrapur	Satisfactory	89	NO ₂ , PM ₁₀	2
30	Charkhi Dadri	Poor	237	PM _{2.5}	1
31	Chennai	Good	36	CO, O ₃ , PM ₁₀	6
32	Chikkaballapur	Good	33	PM ₁₀	1
33	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
34	Damoh	Satisfactory	54	PM ₁₀	1
35	Delhi	Poor	286	PM ₁₀	34
36	Dewas	Moderate	157	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar, — Chamarajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere, Durg

- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballaboarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dharuhera	Very Poor	305	PM ₁₀	1
38	Eloor	Satisfactory	63	PM ₁₀	1
39	Ernakulam	Good	40	PM ₁₀	1
40	Faridabad	Severe	432	PM ₁₀	1
41	Fatehabad	Moderate	186	PM _{2.5}	1
42	Firozabad	Moderate	134	PM _{2.5}	1
43	Gandhinagar	Moderate	181	PM _{2.5} , PM ₁₀	3
44	Ghaziabad	Poor	281	PM ₁₀	3
45	Gorakhpur	Satisfactory	54	PM _{2.5}	1
46	Greater Noida	Very Poor	349	PM ₁₀	2
47	Gurugram	Poor	228	PM ₁₀ , PM _{2.5}	4
48	Guwahati	Satisfactory	74	PM _{2.5}	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	104	PM ₁₀	1
50	Haldia	Good	43	PM ₁₀	1
51	Hapur	Very Poor	325	PM ₁₀	1
52	Hisar	Moderate	176	PM ₁₀	1
53	Howrah	Satisfactory	92	03	1
54	Hyderabad	Satisfactory	87	PM ₁₀ , NO ₂ , PM _{2.5}	6
55	Indore	Moderate	153	PM ₁₀	1
56	Jabalpur	Poor	245	PM ₁₀	1
57	Jaipur	Moderate	139	PM ₁₀	2
58	Jalandhar	Moderate	147	PM ₁₀	1
59	Jind	Poor	220	PM _{2.5}	1
60	Jodhpur	Moderate	163	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	144	PM ₁₀	1
62	Kanpur	Moderate	123	PM ₁₀	2
63	Karnal	Moderate	184	PM ₁₀	1
64	Katni	Poor	237	PM ₁₀	1
65	Khanna	Moderate	177	PM ₁₀	1
66	Kolkata	Satisfactory	52	NO ₂ , O ₃ , PM ₁₀	5
67	Kollam	Satisfactory	68	СО	1
68	Koppal	Satisfactory	61	PM ₁₀	1
69	Kota	Moderate	132	PM _{2.5}	1
70	Kozhikode	Satisfactory	66	PM ₁₀	1
71	Lucknow	Moderate	169	PM _{2.5} , PM ₁₀	6
72	Ludhiana	Moderate	166	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar, - Chamarajanagar, Chhapra, Ceimbatere, Darbhanga, Davanagere, Durgar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballahgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Madikeri	Satisfactory	56	PM _{2.5}	1
74	Mandideep	Moderate	112	PM ₁₀	1
75	Mandikhera	Satisfactory	92	PM ₁₀	1
76	Manglore	Satisfactory	58	со	1
77	Meerut	Very Poor	356	PM ₁₀	1
78	Moradabad	Moderate	163	PM ₁₀	3
79	Motihari	Moderate	181	PM _{2.5}	1
80	Mumbai	Satisfactory	92	PM ₁₀ , CO	16
81	Muzaffarnagar	Very Poor	315	PM ₁₀	1
82	Muzaffarpur	Moderate	192	O ₃ , PM _{2.5}	2
83	Mysuru	Good	47	PM ₁₀	1
84	Nagpur	Moderate	151	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chamarajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere, Durgap

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Moderate	140	PM ₁₀	1
86	Nashik	Satisfactory	85	PM ₁₀	1
87	Navi Mumbai	Moderate	131	PM ₁₀ , CO	2
88	Noida	Very Poor	309	PM ₁₀ , PM _{2.5}	3
89	Pali	Moderate	176	PM _{2.5}	1
90	Palwal	Poor	242	PM ₁₀	1
91	Panchkula	Poor	258	PM _{2.5}	1
92	Patiala	Moderate	181	PM ₁₀	1
93	Patna	Poor	203	PM _{2.5} , PM ₁₀	5
94	Pithampur	Moderate	180	PM ₁₀	1
95	Prayagraj	Moderate	140	PM ₁₀	3
96	Pune	Moderate	153	PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chamarajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere, Durgap

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	105	PM ₁₀	1
98	Rajamahendravaram	Good	30	PM ₁₀	1
99	Ramanagara	Satisfactory	60	PM ₁₀	1
100	Ratlam	Moderate	130	PM ₁₀	1
101	Rohtak	Poor	276	PM _{2.5}	1
102	Sagar	Good	50	PM _{2.5}	1
103	Satna	Satisfactory	59	PM ₁₀	1
104	Shillong	Good	48	PM ₁₀	1
105	Shivamogga	Satisfactory	61	PM ₁₀	1
106	Siliguri	Satisfactory	62	PM ₁₀	1
107	Singrauli	Poor	299	PM ₁₀	1
108	Sirsa	Moderate	152	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar, —Chamarajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere, Durgap

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Good	45	NH ₃	1
110	Talcher	Satisfactory	63	O ₃	1
111	Thane	Poor	237	03	1
112	Thiruvananthapuram	Good	46	со	1
113	Thoothukudi	Good	23	PM ₁₀	1
114	Tirupati	Good	47	PM ₁₀	1
115	Udaipur	Moderate	190	PM _{2.5}	1
116	Udupi	Satisfactory	74	O ₃	1
117	Ujjain	Moderate	159	PM _{2.5}	1
118	Varanasi	Moderate	108	PM ₁₀	3
119	Vatva	Moderate	104	PM ₁₀	1
120	Visakhapatnam	Satisfactory	53	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Poor	275	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ballabgarh, Begusarai, Bettiah, Bhilai, Bihar Sharif, Buxar, Chamarajanagar, Chhapra, Coimbatore, Darbhanga, Davanagere, Durgapu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.