

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	180	PM ₁₀ , PM _{2.5}	2
2	Agra	Good	31	SO ₂ , O ₃	6
3	Ahmedabad	Moderate	127	PM _{2.5} , NO ₂	6
4	Aizawl	Moderate	117	PM ₁₀	1
5	Ajmer	Satisfactory	97	03	1
6	Alwar	Satisfactory	66	PM ₁₀	1
7	Amaravati	Satisfactory	96	PM ₁₀	1
8	Ambala	Satisfactory	71	O ₃	1
9	Anantapur	Moderate	150	O ₃	1
10	Ankleshwar	Moderate	131	PM ₁₀	1
11	Araria	Poor	218	PM ₁₀	1
12	Ariyalur	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

Notes: Begusarai, Belgaum, Bhiwadi, Bihar Sharif, Bikaner, Buxar, Chengalpattu,
Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar,
Kalyan, Kolar, Kollam, Kunjemura, Manguraha, Milupara, Nandesari, Ooty,
Panchkula, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih,
Udupi, Ujjain, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	94	PM _{2.5}	1
14	Asansol	Moderate	147	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	118	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	90	PM ₁₀	1
17	Baddi	Satisfactory	99	PM ₁₀	1
18	Bagalkot	Satisfactory	62	O ₃	1
19	Bahadurgarh	Satisfactory	81	PM ₁₀	1
20	Ballabgarh	Satisfactory	70	СО	1
21	Bareilly	Satisfactory	56	PM ₁₀	1
22	Baripada	Moderate	153	O ₃	1
23	Bathinda	Satisfactory	76	PM ₁₀	1
24	Bengaluru	Moderate	111	O ₃ , PM ₁₀	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	214	PM ₁₀	1
26	Bhagalpur	Poor	239	PM ₁₀	2
27	Bharatpur	Moderate	133	PM ₁₀	1
28	Bhilai	Satisfactory	74	PM ₁₀ , O ₃	3
29	Bhiwani	Satisfactory	85	PM ₁₀	1
30	Bhopal	Moderate	126	PM ₁₀	2
31	Bidar	Moderate	110	PM ₁₀	1
32	Bilaspur	Satisfactory	77	СО	1
33	Bileipada	Moderate	156	PM ₁₀	1
34	Brajrajnagar	Moderate	183	PM _{2.5}	1
35	Bulandshahr	Moderate	104	PM ₁₀	1
36	Byrnihat	Very Poor	333	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	42	PM ₁₀	1
38	Chandigarh	Satisfactory	100	PM ₁₀	3
39	Chandrapur	Moderate	128	PM ₁₀	1
40	Charkhi Dadri	Moderate	110	PM ₁₀	1
41	Chennai	Moderate	136	PM _{2.5} , PM ₁₀	8
42	Chhapra	Moderate	159	PM ₁₀	1
43	Chikkaballapur	Moderate	117	PM ₁₀	1
44	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
45	Chittoor	Satisfactory	72	PM _{2.5}	1
46	Coimbatore	Satisfactory	96	PM _{2.5}	1
47	Damoh	Good	26	со	1
48	Dehradun	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Moderate	135	PM _{2.5} , PM ₁₀	36
50	Dewas	Satisfactory	79	PM _{2.5}	1
51	Dharuhera	Moderate	135	PM ₁₀	1
52	Dindigul	Poor	297	NO ₂	1
53	Durgapur	Poor	230	PM ₁₀	1
54	Eloor	Satisfactory	73	PM ₁₀	1
55	Faridabad	Moderate	142	PM _{2.5}	4
56	Fatehabad	Moderate	153	PM ₁₀	1
57	Firozabad	Satisfactory	74	PM ₁₀	2
58	Gadag	Satisfactory	78	O ₃	1
59	Gandhinagar	Moderate	142	PM _{2.5} , PM ₁₀	3
60	Gaya	Satisfactory	100	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat, Notes: Begusarai, Belgaum, Bhiwadi, Bihar Sharif, Bikaner, Buxar, Che

Begusarai, Belgaum, Bhiwadi, Bihar Sharif, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kalyan, Kolar, Kollam, Kunjemura, Manguraha, Milupara, Nandesari, Ooty, Panchkula, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	132	PM ₁₀	4
62	Gorakhpur	Moderate	108	PM ₁₀	1
63	Greater Noida	Moderate	138	PM ₁₀	2
64	Gummidipoondi	Moderate	178	PM _{2.5}	1
65	Gurugram	Moderate	140	PM _{2.5}	4
66	Guwahati	Moderate	178	PM ₁₀	3
67	Gwalior	Moderate	128	03	3
68	Hajipur	Poor	247	PM ₁₀	1
69	Haldia	Moderate	122	PM ₁₀	1
70	Hapur	Good	50	PM ₁₀	1
71	Hassan	Satisfactory	78	PM ₁₀	1
72	Haveri	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	154	PM _{2.5}	1
74	Howrah	Moderate	135	PM _{2.5} , PM ₁₀	3
75	Hubballi	Moderate	102	PM ₁₀	1
76	Hyderabad	Moderate	104	PM ₁₀	11
77	Imphal	Moderate	106	PM _{2.5} , SO ₂	2
78	Indore	Moderate	132	PM ₁₀	1
79	Jabalpur	Moderate	138	PM ₁₀	1
80	Jaipur	Satisfactory	98	PM ₁₀	2
81	Jalandhar	Satisfactory	73	PM ₁₀	1
82	Jhansi	Satisfactory	64	PM ₁₀	1
83	Jind	Satisfactory	62	PM ₁₀	1
84	Jodhpur	Moderate	160	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	134	PM ₁₀	1
86	Kadapa	Moderate	170	PM _{2.5}	1
87	Kaithal	Satisfactory	70	PM ₁₀	1
88	Kalaburgi	Satisfactory	77	PM _{2.5}	1
89	Kanchipuram	Satisfactory	99	PM ₁₀	1
90	Kannur	Satisfactory	63	PM _{2.5}	1
91	Kanpur	Satisfactory	85	PM ₁₀	3
92	Karnal	Satisfactory	53	PM ₁₀	1
93	Katihar	Poor	240	PM ₁₀	1
94	Katni	Moderate	129	PM ₁₀	1
95	Keonjhar	Moderate	110	PM ₁₀	1
96	Khanna	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Satisfactory	55	PM _{2.5}	1
98	Kishanganj	Moderate	163	PM ₁₀	1
99	Kochi	Poor	208	PM _{2.5}	1
100	Kohima	Moderate	104	PM ₁₀	1
101	Kolkata	Moderate	119	03	7
102	Koppal	Satisfactory	67	PM ₁₀	1
103	Korba	Satisfactory	81	PM _{2.5} , PM ₁₀	2
104	Kota	Satisfactory	93	O ₃ , PM ₁₀	3
105	Kozhikode	Satisfactory	75	PM _{2.5}	1
106	Kurukshetra	Satisfactory	74	O ₃	1
107	Lucknow	Moderate	102	PM ₁₀	6
108	Ludhiana	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Satisfactory	51	03	1
110	Maihar	Good	29	PM ₁₀	1
111	Mandi Gobindgarh	Moderate	103	PM ₁₀	1
112	Mandideep	Moderate	122	PM ₁₀	1
113	Mandikhera	Satisfactory	57	PM ₁₀	1
114	Manesar	Satisfactory	76	PM ₁₀	1
115	Mangalore	Moderate	125	PM ₁₀	1
116	Meerut	Moderate	151	PM ₁₀	3
117	Moradabad	Satisfactory	60	СО	6
118	Motihari	Moderate	164	PM ₁₀	1
119	Mumbai	Moderate	146	PM _{2.5} , NO ₂	17
120	Munger	Poor	214	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

Notes: Begusarai, Belgaum, Bhiwadi, Bihar Sharif, Bikaner, Buxar, Chengalpattu,
Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar,
Kalyan, Kolar, Kollam, Kunjemura, Manguraha, Milupara, Nandesari, Ooty,
Panchkula, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih,
Udupi, Ujjain, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Moderate	160	PM ₁₀	1
122	Muzaffarpur	Moderate	157	PM _{2.5} , PM ₁₀	3
123	Mysuru	Good	48	PM ₁₀	1
124	Nagaon	Poor	261	PM _{2.5}	1
125	Nagpur	Moderate	110	PM ₁₀	1
126	Naharlagun	Satisfactory	52	PM ₁₀	1
127	Nalbari	Poor	256	PM ₁₀	1
128	Narnaul	Satisfactory	68	PM ₁₀	1
129	Nashik	Satisfactory	98	PM ₁₀	1
130	Navi Mumbai	Poor	252	PM _{2.5} , PM ₁₀	2
131	Nayagarh	Moderate	168	PM ₁₀	1
132	Noida	Moderate	115	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pali	Satisfactory	86	PM _{2.5}	1
134	Palwal	Good	49	PM ₁₀	1
135	Panipat	Satisfactory	73	PM ₁₀	1
136	Patiala	Satisfactory	65	PM ₁₀	1
137	Patna	Moderate	184	PM ₁₀ , PM _{2.5}	6
138	Pithampur	Moderate	148	PM ₁₀	1
139	Prayagraj	Satisfactory	70	PM ₁₀	3
140	Puducherry	Satisfactory	77	PM _{2.5}	1
141	Pune	Satisfactory	96	PM _{2.5} , PM ₁₀	4
142	Purnia	Moderate	109	PM ₁₀	1
143	Raichur	Moderate	121	PM ₁₀	1
144	Raipur	Satisfactory	87	NO ₂ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Moderate	117	PM ₁₀	1
146	Rajamahendravaram	Satisfactory	99	PM ₁₀	1
147	Rajgir	Moderate	117	PM ₁₀	1
148	Ramanagara	Satisfactory	87	PM ₁₀	1
149	Ramanathapuram	Satisfactory	95	PM ₁₀	1
150	Ratlam	Moderate	112	PM ₁₀	1
151	Rishikesh	Satisfactory	80	PM ₁₀	1
152	Rohtak	Satisfactory	56	PM _{2.5}	1
153	Rourkela	Moderate	167	PM ₁₀	2
154	Rupnagar	Moderate	141	PM ₁₀	1
155	Sagar	Satisfactory	75	PM ₁₀ , CO	2
156	Saharsa	Poor	248	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Samastipur	Poor	205	PM ₁₀	1
158	Sasaram	Satisfactory	98	PM ₁₀	1
159	Satna	Moderate	151	PM ₁₀	1
160	Shillong	Satisfactory	100	PM ₁₀	1
161	Shivamogga	Satisfactory	74	03	1
162	Singrauli	Satisfactory	68	NO ₂	1
163	Sirsa	Satisfactory	92	PM ₁₀	1
164	Sivasagar	Satisfactory	57	PM _{2.5}	1
165	Siwan	Moderate	176	PM ₁₀	1
166	Solapur	Moderate	142	PM ₁₀	1
167	Sonipat	Moderate	117	PM ₁₀	1
168	Srinagar	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Suakati	Satisfactory	99	PM ₁₀	1
170	Surat	Moderate	114	PM ₁₀	1
171	Talcher	Moderate	132	PM ₁₀	1
172	Tensa	Moderate	102	PM ₁₀	1
173	Thane	Moderate	168	PM ₁₀	1
174	Thiruvananthapuram	Moderate	110	PM _{2.5}	2
175	Thoothukudi	Satisfactory	66	PM ₁₀	1
176	Thrissur	Moderate	139	PM ₁₀	1
177	Tirupati	Satisfactory	86	NO ₂ , PM _{2.5}	2
178	Tirupur	Satisfactory	92	PM ₁₀	1
179	Udaipur	Moderate	106	PM ₁₀	1
180	Varanasi	Good	48	PM ₁₀ , CO	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Moderate	140	PM ₁₀	1
182	Vijayapura	Good	46	PM ₁₀	1
183	Visakhapatnam	Moderate	152	PM ₁₀	1
184	Vrindavan	Moderate	164	PM ₁₀	1
185	Yadgir	Satisfactory	75	PM ₁₀	1
186	Yamunanagar	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Notes: Begusarai, Belgaum, Bhiwadi, Bihar Sharif, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kalyan, Kolar, Kollam, Kunjemura, Manguraha, Milupara, Nandesari, Ooty, Panchkula, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.