

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	PM _{2.5}	1
2	Agra	Satisfactory	55	PM ₁₀	6
3	Ahmedabad	Satisfactory	87	03	5
4	Ajmer	Satisfactory	93	PM ₁₀	1
5	Akola	Good	34	PM ₁₀	1
6	Alwar	Satisfactory	57	PM ₁₀	1
7	Amaravati	Good	18	СО	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Good	42	PM ₁₀	2
10	Amritsar	Moderate	102	PM _{2.5}	1
11	Anantapur	Good	28	PM ₁₀	1
12	Araria	Moderate	174	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Goimbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	73	PM ₁₀	1
14	Aurangabad (Bihar)	Good	45	со	1
15	Aurangabad (Maharashtra)	Good	43	O ₃	2
16	Baddi	Good	50	PM ₁₀	1
17	Badlapur	Satisfactory	70	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Satisfactory	55	PM ₁₀	1
20	Bahadurgarh	Satisfactory	65	PM ₁₀	1
21	Ballabgarh	Satisfactory	82	PM ₁₀	1
22	Banswara	Good	34	PM ₁₀	1
23	Baran	Satisfactory	71	PM ₁₀	1
24	Bareilly	Good	26	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	38	PM ₁₀	1
26	Barmer	Good	37	O ₃	1
27	Bathinda	Moderate	107	PM ₁₀	1
28	Belapur	Good	23	PM ₁₀	1
29	Belgaum	Good	48	со	1
30	Bengaluru	Good	41	CO, PM ₁₀	7
31	Bettiah	Moderate	105	PM ₁₀	1
32	Bhagalpur	Satisfactory	88	CO, PM ₁₀	2
33	Bharatpur	Satisfactory	83	PM ₁₀	1
34	Bhilai	Good	19	O ₃	3
35	Bhilwara	Satisfactory	93	PM _{2.5}	1
36	Bhiwandi	Good	22	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Joimbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	56	PM ₁₀	1
38	Bhopal	Satisfactory	51	PM ₁₀ , CO	3
39	Bihar Sharif	Moderate	102	03	1
40	Bikaner	Satisfactory	96	PM ₁₀	1
41	Bilaspur	Satisfactory	89	со	1
42	Bileipada	Satisfactory	57	PM ₁₀	1
43	Bulandshahr	Satisfactory	73	PM ₁₀	1
44	Chamarajanagar	Good	44	PM ₁₀	1
45	Chandigarh	Good	44	со	3
46	Chandrapur	Good	37	PM ₁₀	1
47	Charkhi Dadri	Satisfactory	72	PM ₁₀	1
48	Chennai	Satisfactory	67	PM ₁₀ , CO	7

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Colmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoor

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Good	30	PM _{2.5}	1
50	Chikkaballapur	Good	27	03	1
51	Chittoor	Good	25	PM ₁₀	1
52	Chittorgarh	Satisfactory	74	PM ₁₀	1
53	Churu	Satisfactory	62	PM ₁₀	1
54	Cuddalore	Moderate	112	NO ₂	2
55	Damoh	Good	20	со	1
56	Dausa	Satisfactory	94	PM ₁₀	1
57	Davanagere	Good	16	03	1
58	Dehradun	Satisfactory	51	03	1
59	Delhi	Satisfactory	77	CO, PM _{2.5}	34
60	Dewas	Good	37	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	188	СО	1
62	Dharuhera	Satisfactory	99	PM ₁₀	1
63	Dholpur	Good	45	03	1
64	Dhule	Good	36	PM ₁₀	1
65	Dindigul	Good	42	SO ₂	1
66	Durgapur	Satisfactory	56	PM ₁₀	1
67	Faridabad	Satisfactory	64	PM ₁₀ , PM _{2.5}	4
68	Fatehabad	Moderate	156	O ₃	1
69	Firozabad	Satisfactory	63	PM ₁₀	2
70	Gandhinagar	Satisfactory	52	O ₃	1
71	Gangtok	Satisfactory	54	SO ₂	1
72	Gaya	Satisfactory	69	03	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Satisfactory	70	PM ₁₀	4
74	Gorakhpur	Satisfactory	63	SO ₂	1
75	Greater Noida	Satisfactory	67	PM ₁₀	2
76	Gurugram	Satisfactory	87	PM _{2.5}	4
77	Guwahati	Satisfactory	55	CO, PM ₁₀	4
78	Gwalior	Satisfactory	60	PM ₁₀ , CO	4
79	Hajipur	Good	48	PM ₁₀	1
80	Haldia	Good	35	O ₃	1
81	Hanumangarh	Satisfactory	87	PM ₁₀	1
82	Hapur	Good	35	PM ₁₀	1
83	Hisar	Satisfactory	69	O ₃	1
84	Howrah	Good	40	NO ₂ , PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Colmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoor

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Good	34	PM ₁₀	1
86	Hyderabad	Satisfactory	55	PM _{2.5} , PM ₁₀	14
87	Indore	Good	48	PM ₁₀	1
88	Jabalpur	Good	48	03	1
89	Jaipur	Satisfactory	56	PM ₁₀ , O ₃	5
90	Jaisalmer	Satisfactory	51	PM ₁₀	1
91	Jhalawar	Good	40	03	1
92	Jhansi	Good	42	O ₃	1
93	Jhunjhunu	Moderate	123	PM ₁₀	1
94	Jind	Satisfactory	63	со	1
95	Jodhpur	Satisfactory	83	PM ₁₀	5
96	Kadapa	Good	28	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	60	PM _{2.5}	1
98	Kalaburgi	Good	48	PM ₁₀	1
99	Kalyan	Moderate	115	03	1
100	Kanchipuram	Good	22	со	1
101	Kanpur	Satisfactory	59	PM ₁₀	3
102	Karauli	Poor	203	PM _{2.5}	1
103	Karnal	Good	47	PM ₁₀	1
104	Kashipur	Good	41	PM ₁₀	1
105	Katihar	Satisfactory	65	со	1
106	Katni	Good	41	PM ₁₀	1
107	Khanna	Good	45	PM ₁₀	1
108	Khurja	Satisfactory	84	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Good	48	PM ₁₀	1
110	Kohima	Good	46	SO ₂	1
111	Kolar	Good	19	SO ₂	1
112	Kolhapur	Good	25	PM _{2.5}	2
113	Kolkata	Good	32	O ₃ , PM ₁₀	7
114	Kollam	Satisfactory	62	PM ₁₀	1
115	Korba	Good	30	PM ₁₀	2
116	Kota	Satisfactory	83	PM _{2.5}	3
117	Kunjemura	Good	28	PM _{2.5}	1
118	Latur	Good	36	со	1
119	Lucknow	Satisfactory	70	PM _{2.5}	6
120	Ludhiana	Satisfactory	79	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Madikeri	Good	17	PM ₁₀	1
122	Mahad	Good	35	SO ₂	1
123	Maihar	Good	41	PM ₁₀	1
124	Mandideep	Satisfactory	71	03	1
125	Mandikhera	Good	46	PM ₁₀	1
126	Manesar	Satisfactory	60	PM _{2.5}	1
127	Mangalore	Satisfactory	55	PM ₁₀	1
128	Manguraha	Good	38	PM ₁₀	1
129	Meerut	Satisfactory	63	CO, PM ₁₀	3
130	Moradabad	Satisfactory	77	PM _{2.5}	6
131	Motihari	Satisfactory	54	PM ₁₀	1
132	Mumbai	Satisfactory	87	PM _{2.5} , NO ₂	17

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Joimbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Moderate	112	PM ₁₀	1
134	Muzaffarpur	Satisfactory	79	со	3
135	Mysuru	Good	33	PM ₁₀	1
136	Nagaon	Satisfactory	56	03	1
137	Nagaur	Satisfactory	64	PM ₁₀	1
138	Nagpur	Good	34	PM ₁₀	4
139	Naharlagun	Good	16	PM _{2.5}	1
140	Nalbari	Satisfactory	62	PM ₁₀	1
141	Nashik	Good	45	PM ₁₀ , CO	3
142	Navi Mumbai	Good	38	NO ₂ , CO	5
143	Nayagarh	Good	29	NO ₂	1
144	Noida	Satisfactory	71	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Good	32	PM ₁₀	1
146	Panchkula	Good	49	O ₃	1
147	Panipat	Satisfactory	56	PM ₁₀	1
148	Parbhani	Good	39	PM ₁₀	1
149	Patiala	Good	44	со	1
150	Patna	Satisfactory	83	PM _{2.5} , NO ₂	6
151	Pimpri Chinchwad	Good	35	CO, PM ₁₀	3
152	Pithampur	Satisfactory	52	PM ₁₀	1
153	Pratapgarh	Good	50	03	1
154	Prayagraj	Satisfactory	66	PM ₁₀	3
155	Puducherry	Good	40	PM ₁₀	1
156	Pune	Satisfactory	87	NO ₂ , PM ₁₀	5

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Colmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoor

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Satisfactory	70	СО	1
158	Raichur	Good	47	SO ₂	1
159	Raipur	Good	39	PM ₁₀ , NO ₂	4
160	Rairangpur	Good	49	PM ₁₀	1
161	Rajamahendravaram	Good	15	со	1
162	Rajsamand	Moderate	180	PM _{2.5}	1
163	Ramanagara	Good	48	NO ₂	1
164	Ramanathapuram	Good	33	PM ₁₀	1
165	Rishikesh	Good	41	со	1
166	Rourkela	Good	49	PM ₁₀	1
167	Rupnagar	Poor	217	PM ₁₀	1
168	Sagar	Good	41	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Goimbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Satisfactory	60	PM ₁₀	1
170	Salem	Good	28	SO ₂	1
171	Samastipur	Satisfactory	86	PM ₁₀	1
172	Sangli	Good	18	O ₃	1
173	Satna	Satisfactory	62	PM ₁₀	1
174	Sawai Madhopur	Satisfactory	74	PM ₁₀	1
175	Shillong	Good	20	SO ₂	1
176	Shivamogga	Satisfactory	54	O ₃	1
177	Sikar	Moderate	103	PM ₁₀	1
178	Silchar	Good	28	со	1
179	Siliguri	Good	41	PM ₁₀	1
180	Singrauli	Moderate	106	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sirohi	Good	42	PM ₁₀	1
182	Sivasagar	Good	32	SO ₂	1
183	Siwan	Satisfactory	79	PM ₁₀	1
184	Solapur	Good	44	03	3
185	Sonipat	Satisfactory	96	PM ₁₀	1
186	Sri Ganganagar	Poor	250	PM ₁₀	1
187	Srinagar	Good	32	PM ₁₀	1
188	Suakati	Satisfactory	54	PM ₁₀	1
189	Talcher	Good	40	NO ₂	1
190	Thoothukudi	Satisfactory	83	03	1
191	Thrissur	Good	48	PM _{2.5}	1
192	Tirupati	Satisfactory	53	03	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

Golmbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Satisfactory	75	PM ₁₀	1
194	Tumidih	Good	29	PM ₁₀	1
195	Udaipur	Satisfactory	52	PM ₁₀	1
196	Ulhasnagar	Good	36	PM ₁₀	1
197	Varanasi	Good	36	O ₃ , PM ₁₀	4
198	Vatva	Good	44	PM ₁₀	1
199	Vijayapura	Good	46	PM ₁₀	1
200	Visakhapatnam	Satisfactory	76	PM ₁₀	1
201	Vrindavan	Good	36	PM ₁₀	1
202	Yadgir	Good	25	SO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,
Ankleshwar, Ariyalur, Asansol, Begusarai, Bhiwadi, Bidar, Boisar,
Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Chikkamagaluru,

-Coimbatore, Darbhanga, Dharwad, Eloor, Ernakulam, Cadag, Gummidipoone

Hassan, Haveri, Hosur, Imphal, Jalandhar, Jalgaon, Jalna, Jorapokhar, Kannur, Keonjhar, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Mandi Gobindgarh, Milupara, Mira-Bhayandar, Muzaffarnagar, Nanded, Nandesari, Narnaul, Ooty, Pali, Palkalaiperur, Rajgir, Ratlam, Rohtak, Sasaram, Sirsa, Surat, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vapi, Vijayawada, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.