

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	PM ₁₀	1
2	Agra	Satisfactory	79	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	77	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	77	PM ₁₀	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Good	29	O ₃	1
8	Ambala	Moderate	126	PM _{2.5}	1
9	Amritsar	Moderate	118	PM _{2.5}	1
10	Ankleshwar	Satisfactory	75	PM ₁₀	1
11	Asansol	Satisfactory	66	PM ₁₀	1
12	Bagalkot	Good	34	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	125	PM ₁₀	1
14	Bahadurgarh	Satisfactory	80	PM ₁₀	1
15	Ballabgarh	Moderate	107	PM ₁₀	1
16	Bathinda	Satisfactory	56	PM ₁₀	1
17	Bengaluru	Satisfactory	60	CO, NO ₂ , PM _{2.5}	10
18	Bhiwadi	Moderate	133	PM ₁₀	1
19	Bhiwani	Moderate	103	PM ₁₀	1
20	Bhopal	Satisfactory	84	PM ₁₀	1
21	Bulandshahr	Moderate	119	PM ₁₀	1
22	Chamarajanagar	Good	41	PM ₁₀	1
23	Chandigarh	Satisfactory	94	O ₃ , PM ₁₀	2
24	Chandrapur	Satisfactory	54	PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	136	PM _{2.5}	1
26	Chennai	Satisfactory	66	PM ₁₀	7
27	Chikkamagaluru	Good	36	PM ₁₀	1
28	Damoh	Good	35	PM _{2.5}	1
29	Delhi	Moderate	118	PM ₁₀	33
30	Dewas	Satisfactory	79	PM ₁₀	1
31	Dharuhera	Satisfactory	83	со	1
32	Eloor	Good	48	03	1
33	Faridabad	Moderate	118	PM ₁₀ , O ₃	3
34	Fatehabad	Moderate	149	PM ₁₀	1
35	Firozabad	Satisfactory	79	PM ₁₀	1
36	Gadag	Good	19	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	62	PM _{2.5} , PM ₁₀	2
38	Gaya	Satisfactory	54	CO, PM _{2.5}	2
39	Ghaziabad	Moderate	143	PM ₁₀	4
40	Gorakhpur	Good	19	СО	1
41	Greater Noida	Moderate	184	O ₃ , PM ₁₀	2
42	Gurugram	Satisfactory	99	PM _{2.5} , PM ₁₀	3
43	Guwahati	Satisfactory	52	SO ₂	2
44	Gwalior	Satisfactory	78	PM ₁₀	2
45	Hajipur	Satisfactory	83	со	1
46	Haldia	Satisfactory	64	PM ₁₀	1
47	Hapur	Moderate	123	PM ₁₀	1
48	Hassan	Satisfactory	59	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	67	PM ₁₀ , PM _{2.5}	3
50	Hubballi	Good	46	PM ₁₀	1
51	Hyderabad	Good	50	NO ₂ , PM ₁₀ , CO	5
52	Indore	Satisfactory	82	PM ₁₀	1
53	Jabalpur	Moderate	111	PM ₁₀	1
54	Jaipur	Satisfactory	86	PM ₁₀	3
55	Jalandhar	Moderate	117	PM ₁₀	1
56	Jind	Moderate	129	PM ₁₀	1
57	Jodhpur	Moderate	111	PM ₁₀	1
58	Kaithal	Moderate	148	PM ₁₀	1
59	Kalaburgi	Satisfactory	56	PM ₁₀	1
60	Kalyan	Good	46	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Good	50	PM ₁₀	1
62	Kanpur	Satisfactory	68	PM ₁₀ , O ₃ , NO ₂	3
63	Karnal	Good	48	PM _{2.5}	1
64	Katni	Moderate	117	PM ₁₀	1
65	Khanna	Satisfactory	70	PM ₁₀	1
66	Kochi	Good	44	PM ₁₀	1
67	Kohima	Satisfactory	59	PM ₁₀	1
68	Kolkata	Satisfactory	70	PM _{2.5} , O ₃ , PM ₁₀	7
69	Kollam	Satisfactory	91	со	1
70	Koppal	Good	40	со	1
71	Kota	Satisfactory	72	PM ₁₀	1
72	Kozhikode	Good	34	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	122	PM ₁₀	1
74	Lucknow	Satisfactory	65	PM ₁₀ , PM _{2.5} , CO	6
75	Ludhiana	Satisfactory	60	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	154	PM _{2.5}	1
77	Mandideep	Good	34	PM _{2.5}	1
78	Manesar	Moderate	141	PM _{2.5}	1
79	Medikeri	Good	29	O ₃	1
80	Meerut	Moderate	128	PM ₁₀	3
81	Moradabad	Moderate	143	PM ₁₀	1
82	Mumbai	Satisfactory	61	PM ₁₀ , CO, PM _{2.5}	19
83	Muzaffarnagar	Moderate	124	PM ₁₀	1
84	Muzaffarpur	Good	37	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	42	PM ₁₀	1
86	Nagpur	Satisfactory	62	PM ₁₀	1
87	Naharlagun	Good	37	SO ₂	1
88	Narnaul	Good	50	PM _{2.5}	1
89	Nashik	Good	38	PM ₁₀	1
90	Navi Mumbai	Satisfactory	55	CO, PM ₁₀ , PM _{2.5}	3
91	Noida	Moderate	137	PM ₁₀	4
92	Pali	Satisfactory	86	PM ₁₀	1
93	Palwal	Moderate	118	PM ₁₀	1
94	Panchkula	Satisfactory	76	PM _{2.5}	1
95	Panipat	Moderate	115	PM ₁₀	1
96	Patiala	Satisfactory	98	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	71	PM ₁₀ , NO ₂	5
98	Pithampur	Satisfactory	74	PM _{2.5}	1
99	Prayagraj	Satisfactory	82	PM ₁₀	3
100	Puducherry	Good	44	03	1
101	Pune	Satisfactory	64	со	7
102	Raichur	Good	39	PM ₁₀	1
103	Rajamahendravaram	Good	44	PM ₁₀	1
104	Ramanagara	Good	40	PM ₁₀	1
105	Ratlam	Satisfactory	58	PM ₁₀	1
106	Rohtak	Satisfactory	97	NO ₂	1
107	Rupnagar	Moderate	104	PM ₁₀	1
108	Sagar	Good	39	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	70	PM ₁₀	1
110	Shivamogga	Good	40	PM ₁₀	1
111	Siliguri	Good	47	PM _{2.5}	1
112	Singrauli	Satisfactory	83	PM ₁₀	1
113	Sirsa	Moderate	146	PM ₁₀	1
114	Sonipat	Moderate	134	PM ₁₀	1
115	Srinagar	Satisfactory	78	PM ₁₀	1
116	Thane	Satisfactory	79	03	1
117	Thiruvananthapuram	Satisfactory	54	CO, PM ₁₀	2
118	Thoothukudi	Satisfactory	77	PM ₁₀	1
119	Thrissur	Satisfactory	88	SO ₂	1
120	Tirupati	Good	38	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	84	PM ₁₀	1
122	Udupi	Satisfactory	93	со	1
123	Ujjain	Satisfactory	78	PM ₁₀	1
124	Vapi	Satisfactory	58	PM ₁₀	1
125	Varanasi	Satisfactory	74	PM ₁₀	4
126	Vatva	Satisfactory	98	PM ₁₀	1
127	Vijayapura	Satisfactory	54	СО	1
128	Vrindavan	Satisfactory	88	PM ₁₀	1
129	Yadgir	Good	34	PM ₁₀	1
130	Yamunanagar	Moderate	133	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Darbhanga, Davanagere, Durgapur, Ernakulam, Gummidipoondi, Hisar, Jorapokhar, Kolar, Maihar, Mandikhera, Manglore, Motihari, Nandesari, Shillong, Solapur, Talcher, Visakhapatnam as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.