

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	213	PM _{2.5}	1
2	Agra	Poor	227	PM _{2.5}	1
3	Ahmedabad	Moderate	132	PM ₁₀	1
4	Aizawl	Moderate	108	PM _{2.5}	1
5	Ajmer	Moderate	122	PM _{2.5}	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Good	49	03	1
8	Ambala	Moderate	137	PM _{2.5}	1
9	Amritsar	Moderate	111	PM _{2.5}	1
10	Ankleshwar	Moderate	197	PM _{2.5}	1
11	Asansol	Moderate	193	PM _{2.5}	1
12	Aurangabad	Moderate	109	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	58	PM ₁₀	1
14	Baghpat	Very Poor	321	PM _{2.5}	1
15	Bahadurgarh	Poor	292	PM _{2.5}	1
16	Ballabgarh	Poor	212	PM _{2.5}	1
17	Bathinda	Satisfactory	87	PM ₁₀	1
18	Bengaluru	Satisfactory	95	PM ₁₀ , PM _{2.5}	7
19	Bhiwadi	Poor	263	PM _{2.5}	1
20	Bhopal	Moderate	176	PM ₁₀	1
21	Bidar	Moderate	104	PM ₁₀	1
22	Brajrajnagar	Moderate	158	PM ₁₀	1
23	Bulandshahr	Very Poor	314	PM _{2.5}	1
24	Chamarajanagar	Moderate	108	NO ₂	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	129	PM _{2.5}	1
26	Chandrapur	Moderate	108	PM _{2.5}	1
27	Charkhi Dadri	Very Poor	347	PM _{2.5}	1
28	Chennai	Satisfactory	69	PM ₁₀ , PM _{2.5}	8
29	Chikkaballapur	Moderate	105	PM _{2.5}	1
30	Coimbatore	Satisfactory	73	PM _{2.5}	1
31	Davanagere	Satisfactory	87	PM ₁₀	1
32	Delhi	Very Poor	327	PM ₁₀ , PM _{2.5}	37
33	Dewas	Moderate	109	PM ₁₀	1
34	Dharuhera	Very Poor	312	PM ₁₀	1
35	Durgapur	Poor	272	PM _{2.5}	1
36	Eloor	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	96	PM _{2.5}	1
38	Faridabad	Very Poor	310	PM ₁₀ , PM _{2.5}	4
39	Fatehabad	Satisfactory	93	PM ₁₀	1
40	Gadag	Satisfactory	93	PM ₁₀	1
41	Gandhinagar	Satisfactory	91	PM ₁₀	1
42	Gaya	Poor	221	PM _{2.5} , O ₃	2
43	Ghaziabad	Very Poor	356	PM _{2.5} , PM ₁₀	4
44	Greater Noida	Very Poor	375	PM ₁₀	1
45	Gurugram	Very Poor	302	PM _{2.5}	4
46	Guwahati	Very Poor	347	PM _{2.5}	2
47	Gwalior	Moderate	164	PM _{2.5}	2
48	Hapur	Moderate	135	PM ₁₀	1

Possible Health Impacts

od Minimal Impact

	·
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	263	PM _{2.5}	1
50	Howrah	Poor	254	PM _{2.5}	3
51	Hubballi	Moderate	176	PM _{2.5}	1
52	Hyderabad	Moderate	111	PM ₁₀ , NO ₂ , PM _{2.5}	6
53	Jabalpur	Moderate	183	PM ₁₀	1
54	Jaipur	Moderate	118	PM _{2.5} , PM ₁₀	2
55	Jalandhar	Moderate	104	PM ₁₀	1
56	Jind	Poor	216	PM _{2.5}	1
57	Jodhpur	Moderate	187	PM _{2.5}	1
58	Kaithal	Moderate	115	PM ₁₀	1
59	Kalaburgi	Satisfactory	99	PM ₁₀	1
60	Kalyan	Poor	218	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	108	PM ₁₀	1
62	Kanpur	Poor	272	PM _{2.5}	2
63	Karnal	Moderate	197	PM _{2.5}	1
64	Katni	Satisfactory	99	PM _{2.5}	1
65	Khanna	Satisfactory	56	PM ₁₀	1
66	Kohima	Moderate	154	PM _{2.5}	1
67	Kolar	Satisfactory	70	03	1
68	Kolkata	Poor	209	PM _{2.5}	7
69	Kollam	Moderate	200	PM _{2.5}	1
70	Koppal	Satisfactory	94	PM ₁₀	1
71	Kota	Moderate	123	PM _{2.5}	1
72	Kozhikode	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	253	PM _{2.5}	1
74	Lucknow	Very Poor	306	PM ₁₀ , PM _{2.5}	4
75	Ludhiana	Satisfactory	88	PM ₁₀	1
76	Maihar	Satisfactory	72	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	105	PM ₁₀	1
78	Mandideep	Moderate	185	PM ₁₀	1
79	Mandikhera	Satisfactory	94	PM ₁₀	1
80	Manesar	Poor	220	PM ₁₀	1
81	Manglore	Satisfactory	85	PM ₁₀	1
82	Medikeri	Satisfactory	77	PM ₁₀	1
83	Meerut	Very Poor	361	PM ₁₀ , PM _{2.5}	2
84	Moradabad	Very Poor	376	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	99	PM _{2.5} , PM ₁₀	20
86	Muzaffarpur	Very Poor	306	PM _{2.5}	2
87	Nagpur	Satisfactory	86	PM _{2.5}	1
88	Narnaul	Poor	274	PM _{2.5}	1
89	Nashik	Satisfactory	95	PM ₁₀	1
90	Navi Mumbai	Moderate	166	PM _{2.5} , PM ₁₀	3
91	Noida	Very Poor	335	PM _{2.5}	3
92	Pali	Moderate	181	PM ₁₀	1
93	Palwal	Poor	218	PM _{2.5}	1
94	Panchkula	Moderate	105	PM _{2.5}	1
95	Panipat	Poor	201	PM ₁₀	1
96	Patiala	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Poor	234	PM _{2.5} , PM ₁₀	6
98	Pithampur	Moderate	102	O ₃	1
99	Puducherry	Good	38	PM ₁₀	1
100	Pune	Moderate	120	PM _{2.5} , PM ₁₀	6
101	Raichur	Moderate	173	PM ₁₀	1
102	Ramanagara	Satisfactory	92	03	1
103	Rohtak	Poor	256	PM _{2.5}	1
104	Rupnagar	Satisfactory	90	PM ₁₀	1
105	Sagar	Satisfactory	69	PM _{2.5}	1
106	Satna	Satisfactory	86	PM ₁₀	1
107	Shivamogga	Satisfactory	86	NO ₂	1
108	Siliguri	Very Poor	314	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	263	PM ₁₀	1
110	Sirsa	Satisfactory	92	PM ₁₀	1
111	Sonipat	Very Poor	329	PM ₁₀	1
112	Srinagar	Moderate	170	PM _{2.5}	1
113	Talcher	Moderate	158	PM ₁₀	1
114	Thane	Moderate	146	PM ₁₀	1
115	Thiruvananthapuram	Satisfactory	85	PM _{2.5}	1
116	Thoothukudi	Satisfactory	53	PM ₁₀	1
117	Thrissur	Moderate	101	PM _{2.5}	1
118	Tirupati	Satisfactory	70	NO ₂	1
119	Udaipur	Moderate	132	PM ₁₀	1
120	Udupi	Poor	233	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Poor	230	O ₃	1
122	Vapi	Moderate	128	PM ₁₀	1
123	Varanasi	Poor	259	PM _{2.5}	1
124	Vatva	Moderate	192	PM _{2.5}	1
125	Vijayapura	Satisfactory	77	PM ₁₀	1
126	Yadgir	Satisfactory	100	PM ₁₀	1
127	Yamunanagar	Poor	266	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Chikkamagaluru, Damoh, Gummidipoondi, Hajipur, Haldia, Indore, Jorapokhar, Kochi, Muzaffarnagar, Mysuru, Nandesari, Rajamahendravaram, Ratlam, Shillong, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.