

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	171	PM _{2.5}	1
2	Ahmedabad	Moderate	164	OZONE	1
3	Ajmer	Satisfactory	93	PM ₁₀	1
4	Alwar	Moderate	107	PM ₁₀	1
5	Amaravati	Satisfactory	79	PM ₁₀	1
6	Ambala	Moderate	156	PM ₁₀	1
7	Amritsar	Satisfactory	98	PM _{2.5}	1
8	Ankleshwar	Satisfactory	79	PM ₁₀	1
9	Asanol	Good	41	PM _{2.5}	1
10	Aurangabad	Moderate	113	PM _{2.5}	1
11	Baghpat	Poor	252	OZONE	1
12	Bahadurgarh	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	244	PM ₁₀	1
14	Bathinda	Satisfactory	70	PM ₁₀	1
15	Bengaluru	Satisfactory	58	OZONE	4
16	Bhiwadi	Moderate	200	PM _{2.5}	1
17	Bhiwani	Moderate	196	PM _{2.5}	1
18	Brajrajnagar	Moderate	110	со	1
19	Bulandshahr	Moderate	191	PM ₁₀	1
20	Chandrapur	Moderate	144	PM ₁₀	1
21	Chennai	Moderate	122	PM _{2.5} , CO	3
22	Chikkaballapur	Good	44	PM ₁₀	1
23	Delhi	Poor	206	PM ₁₀ , OZONE, PM _{2.5}	35
24	Dewas	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	147	PM ₁₀	1
26	Durgapur	Good	41	со	1
27	Eloor	Good	37	со	1
28	Faridabad	Moderate	200	OZONE	1
29	Fatehabad	Poor	259	PM ₁₀	1
30	GandhiNagar	Satisfactory	96	PM ₁₀	1
31	Gaya	Satisfactory	78	PM _{2.5}	1
32	Ghaziabad	Poor	238	PM ₁₀	3
33	Greater_Noida	Moderate	199	PM ₁₀	1
34	Gurugram	Poor	230	PM _{2.5}	1
35	Guwahati	Satisfactory	58	PM ₁₀	1
36	Haldia	Good	22	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	208	PM _{2.5}	1
38	Howrah	Good	44	PM ₁₀ , OZONE	3
39	Hyderabad	Moderate	102	PM ₁₀ , PM _{2.5}	5
40	Jaipur	Moderate	129	PM ₁₀	3
41	Jalandhar	Moderate	161	PM ₁₀	1
42	Jind	Moderate	159	PM ₁₀	1
43	Jodhpur	Poor	217	PM _{2.5}	1
44	Kaithal	Moderate	138	PM ₁₀	1
45	Kalaburagi	Satisfactory	96	PM ₁₀	1
46	Kanpur	Moderate	120	PM _{2.5}	1
47	Karnal	Poor	246	PM _{2.5}	1
48	Khanna	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kolkata	Good	44	PM ₁₀ , PM _{2.5}	2
50	Kota	Moderate	106	PM ₁₀	1
51	Kurukshetra	Moderate	164	PM ₁₀	1
52	Loni_Dehat	Poor	274	PM ₁₀	1
53	Lucknow	Poor	209	PM _{2.5}	4
54	Ludhiana	Moderate	108	PM _{2.5}	1
55	Maihar	Satisfactory	100	PM ₁₀	1
56	Mandi Gobindgarh	Moderate	146	PM ₁₀	1
57	Mandideep	Moderate	165	PM ₁₀	1
58	Manesar	Moderate	175	PM _{2.5}	1
59	Mumbai	Satisfactory	81	СО	1
60	Muzaffarnagar	Moderate	179	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarpur	Satisfactory	63	PM _{2.5}	1
62	Narnaul	Moderate	112	PM ₁₀	1
63	Navi Mumbai	Moderate	107	со	1
64	Noida	Poor	214	PM ₁₀	2
65	Pali	Moderate	129	PM ₁₀	1
66	Palwal	Poor	211	PM _{2.5}	1
67	Panchkula	Satisfactory	79	PM _{2.5}	1
68	Panipat	Moderate	189	PM ₁₀	1
69	Patiala	Moderate	142	PM ₁₀	1
70	Patna	Satisfactory	94	OZONE	1
71	Pithampur	Moderate	148	PM ₁₀	1
72	Pune	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	74	OZONE	1
74	Ratlam	Moderate	163	PM ₁₀	1
75	Rohtak	Moderate	168	PM _{2.5}	1
76	Rupnagar	Moderate	127	PM _{2.5}	1
77	Satna	Satisfactory	86	СО	1
78	Siliguri	Satisfactory	51	СО	1
79	Singrauli	Poor	246	PM _{2.5}	1
80	Sirsa	Moderate	173	PM ₁₀	1
81	Solapur	Satisfactory	95	PM ₁₀	1
82	Sonipat	Moderate	180	OZONE	1
83	Thiruvananthapuram	Good	39	СО	1
84	Tirupati	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Moderate	109	PM ₁₀	1
86	Ujjain	Moderate	128	PM ₁₀	1
87	Vapi	Satisfactory	56	PM ₁₀	1
88	Varanasi	Moderate	159	OZONE	1
89	Vatva	Moderate	119	PM ₁₀	1
90	Visakhapatnam	Moderate	117	PM ₁₀	1
91	Yamunanagar	Moderate	198	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nagpur, Nashik, Talcher, Thane, Vijayawada as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.