

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub>	6
2	Ahmedabad	Satisfactory	72	PM <sub>10</sub>	7
3	Aizawl	Good	7	со	1
4	Ajmer	Satisfactory	79	PM <sub>10</sub>	1
5	Akola	Good	47	PM <sub>10</sub>	1
6	Alwar	Satisfactory	64	NO <sub>2</sub>	1
7	Amaravati	Good	47	PM <sub>10</sub>	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Good	34	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	91	PM <sub>2.5</sub>	1
11	Anantapur	Satisfactory	62	PM <sub>10</sub>	1
12	Araria	Satisfactory	57	со	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	51	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Good	39	со	1
15	Aurangabad (Maharashtra)	Good	41	со	3
16	Baddi	Moderate	111	PM <sub>10</sub>	1
17	Badlapur	Good	43	PM <sub>10</sub>	1
18	Baghpat	Satisfactory	78	PM <sub>10</sub>	1
19	Bahadurgarh	Satisfactory	84	PM <sub>10</sub>	1
20	Ballabgarh	Satisfactory	62	СО	1
21	Banswara	Satisfactory	82	PM <sub>10</sub>	1
22	Baran	Moderate	102	PM <sub>10</sub>	1
23	Bareilly	Good	35	SO <sub>2</sub>	1
24	Baripada	Satisfactory	62	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	86	PM <sub>10</sub>	1
26	Bathinda	Satisfactory	52	PM <sub>10</sub>	1
27	Begusarai	Satisfactory	76	NO <sub>2</sub>	1
28	Belapur	Satisfactory	53	PM <sub>10</sub>	1
29	Bengaluru	Good	42	PM <sub>10</sub> , NO <sub>2</sub>	10
30	Bhagalpur	Satisfactory	51	со	1
31	Bharatpur	Satisfactory	88	PM <sub>10</sub>	1
32	Bhilai	Good	50	PM <sub>10</sub>	2
33	Bhiwadi	Satisfactory	93	PM <sub>10</sub>	1
34	Bhiwandi	Good	42	PM <sub>10</sub>	1
35	Bhiwani	Satisfactory	54	PM <sub>10</sub>	1
36	Bhopal	Satisfactory	62	PM <sub>10</sub>	3

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	35	PM <sub>10</sub>	1
38	Bihar Sharif	Moderate	144	03	1
39	Bikaner	Moderate	110	PM <sub>10</sub>	1
40	Bilaspur	Good	44	со	1
41	Bileipada	Satisfactory	66	PM <sub>10</sub>	1
42	Brajrajnagar	Good	33	SO <sub>2</sub>	1
43	Bulandshahr	Satisfactory	77	PM <sub>10</sub>	1
44	Bundi	Moderate	112	PM <sub>10</sub>	1
45	Byrnihat	Moderate	124	PM <sub>2.5</sub>	1
46	Chamarajanagar	Good	45	PM <sub>10</sub>	1
47	Chandigarh	Satisfactory	84	PM <sub>10</sub>	2
48	Chandrapur	Satisfactory	55	со	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

xar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	68	PM <sub>10</sub>	1
50	Chennai	Satisfactory	78	со	7
51	Chhal	Good	34	PM <sub>10</sub>	1
52	Chhapra	Satisfactory	98	со	1
53	Chikkaballapur	Good	27	PM <sub>10</sub>	1
54	Chikkamagaluru	Satisfactory	72	PM <sub>10</sub>	1
55	Chittoor	Good	44	O <sub>3</sub>	1
56	Churu	Satisfactory	89	PM <sub>10</sub>	1
57	Cuddalore	Moderate	158	NO <sub>2</sub>	2
58	Damoh	Good	36	PM <sub>10</sub>	1
59	Dausa	Moderate	134	PM <sub>10</sub>	1
60	Davanagere	Good	38	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

## Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhant

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	71	03	1
62	Delhi	Moderate	101	PM <sub>10</sub>	33
63	Dewas	Good	45	PM <sub>10</sub>	1
64	Dholpur	Satisfactory	55	PM <sub>10</sub>	1
65	Dhule	Good	40	PM <sub>10</sub>	1
66	Durgapur	Moderate	119	PM <sub>10</sub>	1
67	Faridabad	Satisfactory	78	PM <sub>10</sub> , PM <sub>2.5</sub>	2
68	Fatehabad	Moderate	115	03	1
69	Firozabad	Satisfactory	63	PM <sub>10</sub>	1
70	Gadag	Good	46	SO <sub>2</sub>	1
71	Gandhinagar	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Gangtok	Satisfactory	54	SO <sub>2</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Good	49	03	2
74	Ghaziabad	Satisfactory	100	PM <sub>10</sub>	4
75	Gorakhpur	Satisfactory	64	PM <sub>2.5</sub>	1
76	Greater Noida	Moderate	134	PM <sub>10</sub>	2
77	Gummidipoondi	Moderate	101	PM <sub>10</sub>	1
78	Gurugram	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	4
79	Guwahati	Satisfactory	63	CO, SO <sub>2</sub>	3
80	Gwalior	Good	50	PM <sub>10</sub> , O <sub>3</sub>	4
81	Hajipur	Good	46	PM <sub>10</sub>	1
82	Haldia	Good	48	PM <sub>10</sub>	1
83	Hanumangarh	Satisfactory	93	PM <sub>10</sub>	1
84	Hapur	Satisfactory	51	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Good	45	PM <sub>10</sub>	1
86	Hisar	Poor	292	PM <sub>10</sub>	1
87	Hosur	Good	38	PM <sub>10</sub>	1
88	Howrah	Satisfactory	61	PM <sub>10</sub>	3
89	Hubballi	Satisfactory	83	PM <sub>10</sub>	1
90	Hyderabad	Satisfactory	61	PM <sub>10</sub> , NO <sub>2</sub>	11
91	Indore	Satisfactory	80	PM <sub>10</sub>	1
92	Jabalpur	Good	41	O <sub>3</sub> , PM <sub>10</sub>	2
93	Jaipur	Satisfactory	74	PM <sub>10</sub>	5
94	Jaisalmer	Moderate	102	PM <sub>10</sub>	1
95	Jalandhar	Satisfactory	80	PM <sub>10</sub>	1
96	Jalgaon	Good	34	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

<del>kar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhanl</del>

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Satisfactory	64	PM <sub>10</sub>	1
98	Jhalawar	Satisfactory	79	PM <sub>10</sub>	1
99	Jhansi	Good	40	PM <sub>2.5</sub>	1
100	Jhunjhunu	Satisfactory	80	PM <sub>10</sub>	1
101	Jind	Satisfactory	88	со	1
102	Jodhpur	Moderate	108	PM <sub>10</sub>	5
103	Kadapa	Good	30	PM <sub>2.5</sub>	1
104	Kaithal	Satisfactory	77	PM <sub>2.5</sub>	1
105	Kalaburgi	Good	45	PM <sub>10</sub>	1
106	Kalyan	Satisfactory	60	PM <sub>10</sub>	1
107	Kanpur	Satisfactory	82	со	4
108	Karauli	Satisfactory	99	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	56	PM <sub>10</sub>	1
110	Kashipur	Good	36	со	1
111	Katihar	Moderate	118	со	1
112	Katni	Good	37	PM <sub>10</sub>	1
113	Keonjhar	Good	44	PM <sub>10</sub>	1
114	Khanna	Satisfactory	82	PM <sub>10</sub>	1
115	Khurja	Moderate	154	03	1
116	Kishanganj	Satisfactory	73	PM <sub>10</sub>	1
117	Kochi	Satisfactory	78	СО	1
118	Kolhapur	Good	36	PM <sub>10</sub>	2
119	Kolkata	Good	49	PM <sub>10</sub>	7
120	Kollam	Satisfactory	75	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

### Dhambara Dhamad Diadiant Floor Frankston Havei Jack

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	30	SO <sub>2</sub>	1
122	Korba	Good	26	со	1
123	Kota	Satisfactory	83	PM <sub>10</sub> , PM <sub>2.5</sub>	3
124	Kunjemura	Good	38	PM <sub>10</sub>	1
125	Kurukshetra	Satisfactory	68	PM <sub>10</sub>	1
126	Latur	Satisfactory	76	PM <sub>10</sub>	1
127	Lucknow	Good	47	CO, PM <sub>10</sub>	5
128	Ludhiana	Good	47	PM <sub>10</sub>	1
129	Madikeri	Good	33	PM <sub>10</sub>	1
130	Mahad	Good	48	PM <sub>10</sub>	1
131	Maihar	Good	42	со	1
132	Mandi Gobindgarh	Moderate	140	PM <sub>2.5</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	or Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandideep	Good	48	PM <sub>10</sub>	1
134	Mandikhera	Good	48	PM <sub>10</sub>	1
135	Manesar	Satisfactory	73	PM <sub>10</sub>	1
136	Manguraha	Good	28	PM <sub>2.5</sub>	1
137	Meerut	Satisfactory	61	PM <sub>10</sub>	3
138	Moradabad	Good	47	PM <sub>10</sub>	5
139	Motihari	Satisfactory	56	PM <sub>10</sub>	1
140	Mumbai	Satisfactory	68	CO, PM <sub>10</sub>	17
141	Munger	Satisfactory	64	PM <sub>10</sub>	1
142	Muzaffarnagar	Satisfactory	72	PM <sub>10</sub>	1
143	Muzaffarpur	Satisfactory	84	PM <sub>10</sub> , NO <sub>2</sub>	3
144	Mysuru	Good	48	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaon	Satisfactory	51	PM <sub>10</sub>	1
146	Nagaur	Satisfactory	90	PM <sub>10</sub>	1
147	Nagpur	Good	43	PM <sub>10</sub>	4
148	Nalbari	Satisfactory	57	со	1
149	Nanded	Satisfactory	55	03	1
150	Nashik	Good	39	PM <sub>10</sub>	3
151	Navi Mumbai	Satisfactory	55	PM <sub>10</sub>	7
152	Nayagarh	Satisfactory	55	NO <sub>2</sub>	1
153	Noida	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	4
154	Ooty	Good	49	SO <sub>2</sub>	1
155	Pali	Moderate	143	PM <sub>2.5</sub>	1
156	Palkalaiperur	Satisfactory	66	SO <sub>2</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palwal	Good	41	PM <sub>2.5</sub>	1
158	Panchkula	Satisfactory	69	PM <sub>2.5</sub>	1
159	Panipat	Satisfactory	94	PM <sub>10</sub>	1
160	Parbhani	Good	42	PM <sub>10</sub>	1
161	Patiala	Satisfactory	67	PM <sub>10</sub>	1
162	Patna	Satisfactory	72	PM <sub>10</sub> , NO <sub>2</sub>	6
163	Pimpri Chinchwad	Satisfactory	55	PM <sub>2.5</sub> , PM <sub>10</sub>	3
164	Pithampur	Satisfactory	79	PM <sub>10</sub>	1
165	Pratapgarh	Satisfactory	97	PM <sub>10</sub>	1
166	Prayagraj	Satisfactory	52	PM <sub>10</sub>	3
167	Puducherry	Satisfactory	57	O <sub>3</sub>	1
168	Pune	Satisfactory	94	NO <sub>2</sub> , PM <sub>2.5</sub>	5

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Purnia	Satisfactory	86	PM <sub>2.5</sub>	1
170	Raipur	Good	48	PM <sub>10</sub> , NO <sub>2</sub>	4
171	Rajamahendravaram	Good	49	PM <sub>10</sub>	1
172	Rajsamand	Satisfactory	75	PM <sub>10</sub>	1
173	Ramanagara	Good	48	NO <sub>2</sub>	1
174	Ramanathapuram	Good	24	со	1
175	Ratlam	Good	50	PM <sub>10</sub>	1
176	Rishikesh	Good	26	03	1
177	Rohtak	Good	39	PM <sub>2.5</sub>	1
178	Rourkela	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	2
179	Sagar	Good	41	PM <sub>10</sub>	1
180	Samastipur	Moderate	142	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

<del>kar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhanl</del>

Notes:

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Good	33	PM <sub>10</sub>	1
182	Sasaram	Good	22	03	1
183	Satna	Satisfactory	54	PM <sub>10</sub>	1
184	Sawai Madhopur	Satisfactory	82	PM <sub>10</sub>	1
185	Shillong	Good	19	SO <sub>2</sub>	1
186	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
187	Sikar	Satisfactory	83	PM <sub>10</sub>	1
188	Silchar	Good	33	СО	1
189	Siliguri	Good	50	PM <sub>10</sub>	1
190	Singrauli	Satisfactory	77	NO <sub>2</sub>	1
191	Sirohi	Satisfactory	58	PM <sub>10</sub>	1
192	Sivasagar	Good	18	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

<del>kar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhanl</del>

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Satisfactory	59	PM <sub>2.5</sub>	1
194	Solapur	Satisfactory	64	PM <sub>10</sub>	3
195	Sonipat	Satisfactory	82	PM <sub>10</sub>	1
196	Sri Ganganagar	Moderate	128	PM <sub>10</sub>	1
197	Srinagar	Satisfactory	51	PM <sub>10</sub>	1
198	Suakati	Satisfactory	54	PM <sub>10</sub>	1
199	Surat	Moderate	124	PM <sub>10</sub>	1
200	Talcher	Satisfactory	51	PM <sub>10</sub>	1
201	Thane	Satisfactory	66	PM <sub>10</sub>	1
202	Thiruvananthapuram	Good	27	PM <sub>10</sub>	2
203	Thoothukudi	Satisfactory	96	03	1
204	Tirupati	Satisfactory	56	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Moderate	141	PM <sub>10</sub>	1
206	Tumakuru	Satisfactory	73	со	1
207	Tumidih	Good	19	PM <sub>10</sub>	1
208	Udaipur	Satisfactory	72	PM <sub>10</sub>	1
209	Ujjain	Satisfactory	69	PM <sub>10</sub>	1
210	Ulhasnagar	Satisfactory	54	PM <sub>10</sub>	1
211	Vapi	Satisfactory	59	PM <sub>2.5</sub>	1
212	Varanasi	Good	28	PM <sub>10</sub>	4
213	Vatva	Satisfactory	91	PM <sub>10</sub>	1
214	Vijayapura	Good	46	PM <sub>10</sub>	1
215	Vijayawada	Good	43	O <sub>3</sub>	1
216	Visakhapatnam	Moderate	120	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhank

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	35	PM <sub>10</sub>	1

# Possible Health Impacts Notes:

Good	od Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ankleshwar, Ariyalur, Arrah, Bagalkot, Belgaum, Bettiah, Bhilwara, Boisar,

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dhanbad,

Dharuhera, Dharwad, Dindigul, Eloor, Ernakulam, Haveri, Imphal, Jorapokhar, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Narnaul, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Tensa, Thrissur, Tirupur, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.