

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	146	PM _{2.5}	1
2	Ahmedabad	Satisfactory	77	PM ₁₀	1
3	Ajmer	Satisfactory	83	PM ₁₀	1
4	Alwar	Moderate	104	PM ₁₀	1
5	Amaravati	Moderate	152	PM _{2.5}	1
6	Ambala	Moderate	181	PM _{2.5}	1
7	Amritsar	Poor	213	PM _{2.5}	1
8	Ankleshwar	Moderate	135	PM _{2.5}	1
9	Asanol	Moderate	200	PM _{2.5}	1
10	Aurangabad	Satisfactory	87	PM ₁₀	1
11	Baghpat	Very Poor	375	PM _{2.5}	1
12	Bahadurgarh	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	399	PM ₁₀	1
14	Bathinda	Satisfactory	93	PM ₁₀	1
15	Bengaluru	Satisfactory	77	PM ₁₀ , PM _{2.5} , O ₃	9
16	Bhiwadi	Very Poor	375	PM _{2.5}	1
17	Bhiwani	Poor	290	PM _{2.5}	1
18	Bhopal	Moderate	124	PM _{2.5}	1
19	Brajrajnagar	Moderate	114	PM _{2.5}	1
20	Bulandshahr	Very Poor	389	PM _{2.5}	1
21	Chandigarh	Moderate	152	PM _{2.5}	1
22	Chennai	Moderate	106	PM _{2.5} , O ₃	4
23	Chikkaballapur	Satisfactory	57	PM ₁₀	1
24	Coimbatore	Satisfactory	62	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Severe	431	PM _{2.5} , PM ₁₀	34
26	Dewas	Satisfactory	82	PM ₁₀	1
27	Dharuhera	Very Poor	340	PM _{2.5}	1
28	Eloor	Moderate	115	PM ₁₀	1
29	Faridabad	Severe	449	PM _{2.5}	1
30	Fatehabad	Moderate	141	PM _{2.5}	1
31	Gaya	Moderate	198	PM _{2.5}	1
32	Ghaziabad	Severe	432	PM _{2.5}	4
33	Greater_Noida	Severe	434	PM _{2.5}	2
34	Gurugram	Very Poor	343	PM _{2.5}	1
35	Guwahati	Poor	240	PM _{2.5}	1
36	Haldia	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Poor	273	PM ₁₀	1
38	Hisar	Very Poor	315	PM _{2.5}	1
39	Howrah	Poor	275	PM _{2.5}	3
40	Hubballi	Satisfactory	72	PM ₁₀	1
41	Hyderabad	Moderate	166	PM _{2.5} , PM ₁₀	5
42	Indore	Satisfactory	82	PM ₁₀	1
43	Jabalpur	Poor	233	PM _{2.5}	1
44	Jaipur	Moderate	147	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Moderate	114	PM _{2.5}	1
46	Jind	Very Poor	336	PM _{2.5}	1
47	Jodhpur	Moderate	147	PM _{2.5}	1
48	Jorapokhar	Moderate	153	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	187	PM ₁₀	1
50	Kalyan	Moderate	143	PM ₁₀	1
51	Kanpur	Severe	411	PM _{2.5}	1
52	Karnal	Poor	289	PM _{2.5}	1
53	Katni	Poor	290	PM _{2.5}	1
54	Khanna	Moderate	121	PM ₁₀	1
55	Kolkata	Poor	222	PM _{2.5}	6
56	Kota	Moderate	104	PM ₁₀	1
57	Kurukshetra	Poor	234	PM _{2.5}	1
58	Lucknow	Very Poor	313	PM _{2.5}	4
59	Ludhiana	Moderate	120	PM _{2.5}	1
60	Maihar	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Poor	255	PM _{2.5}	1
62	Mandideep	Satisfactory	98	PM ₁₀	1
63	Mandikhera	Very Poor	317	PM _{2.5}	1
64	Manesar	Poor	296	PM _{2.5}	1
65	Meerut	Poor	266	PM _{2.5} , PM ₁₀	3
66	Moradabad	Very Poor	363	PM _{2.5}	1
67	Mumbai	Moderate	153	PM _{2.5}	9
68	Muzaffarpur	Very Poor	392	PM _{2.5}	1
69	Narnaul	Moderate	137	PM _{2.5}	1
70	Nashik	Satisfactory	58	PM ₁₀	1
71	Navi Mumbai	Moderate	143	PM _{2.5} , CO	3
72	Noida	Severe	456	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Satisfactory	100	PM ₁₀	1
74	Palwal	Very Poor	382	PM _{2.5}	1
75	Panchkula	Poor	204	PM _{2.5}	1
76	Panipat	Severe	404	PM ₁₀	1
77	Patiala	Moderate	177	PM _{2.5}	1
78	Patna	Very Poor	316	PM _{2.5}	4
79	Pithampur	Satisfactory	91	PM ₁₀	1
80	Pune	Moderate	144	PM _{2.5}	1
81	Rajamahendravaram	Moderate	156	O ₃	1
82	Ramanagara	Satisfactory	64	PM ₁₀	1
83	Ratlam	Moderate	106	PM ₁₀	1
84	Rohtak	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rupnagar	Moderate	136	PM _{2.5}	1
86	Satna	Satisfactory	86	PM ₁₀	1
87	Siliguri	Poor	247	PM _{2.5}	1
88	Sirsa	Moderate	139	PM _{2.5}	1
89	Sonipat	Moderate	143	PM ₁₀	1
90	Talcher	Poor	278	PM ₁₀	1
91	Thane	Satisfactory	81	PM ₁₀	1
92	Thiruvananthapuram	Satisfactory	89	со	1
93	Tirupati	Satisfactory	64	PM ₁₀	1
94	Udaipur	Moderate	143	PM _{2.5}	1
95	Ujjain	Satisfactory	100	PM _{2.5}	1
96	Vapi	Poor	208	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Moderate	114	PM ₁₀	1
98	Yadgir	Moderate	123	PM _{2.5}	1
99	Yamunanagar	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Chandrapur, Damoh, GandhiNagar, Kalaburagi, Muzaffarnagar, Mysuru, Nagpur, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.