

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	33	PM _{2.5} , PM ₁₀	2
2	Agra	Good	29	PM _{2.5} , PM ₁₀ , SO ₂	6
3	Ahmedabad	Satisfactory	87	PM ₁₀	1
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	80	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Good	39	со	1
8	Ambala	Good	44	PM _{2.5}	1
9	Amritsar	Moderate	101	PM ₁₀	1
10	Araria	Satisfactory	54	со	1
11	Arrah	Satisfactory	70	со	1
12	Aurangabad (Bihar)	Satisfactory	92	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	70	СО	1
14	Baddi	Satisfactory	84	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Good	46	O ₃	1
17	Bahadurgarh	Satisfactory	51	PM _{2.5}	1
18	Ballabgarh	Satisfactory	52	03	1
19	Bareilly	Good	34	PM ₁₀	1
20	Bathinda	Satisfactory	66	PM ₁₀	1
21	Begusarai	Good	29	O ₃	1
22	Bengaluru	Satisfactory	76	PM ₁₀ , CO	8
23	Bettiah	Satisfactory	67	PM ₁₀	1
24	Bhagalpur	Good	42	PM ₁₀ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	63	PM _{2.5}	1
26	Bhiwani	Satisfactory	69	03	1
27	Bhopal	Satisfactory	77	со	1
28	Bihar Sharif	Moderate	119	PM _{2.5}	1
29	Bilaspur	Satisfactory	61	PM ₁₀	1
30	Bulandshahr	Good	35	03	1
31	Buxar	Satisfactory	84	со	1
32	Chamarajanagar	Good	37	PM ₁₀	1
33	Chandigarh	Satisfactory	52	PM ₁₀ , O ₃	3
34	Chandrapur	Satisfactory	76	PM _{2.5} , CO	2
35	Charkhi Dadri	Satisfactory	63	PM _{2.5}	1
36	Chennai	Satisfactory	65	PM _{2.5} , CO, PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	33	PM ₁₀	1
38	Coimbatore	Good	49	PM ₁₀	1
39	Damoh	Good	20	со	1
40	Darbhanga	Good	40	со	1
41	Davanagere	Good	32	PM ₁₀	1
42	Dehradun	Good	35	03	1
43	Delhi	Satisfactory	72	CO, O ₃ , PM ₁₀	35
44	Dewas	Satisfactory	53	PM ₁₀	1
45	Eloor	Satisfactory	54	PM ₁₀	1
46	Ernakulam	Good	32	со	1
47	Faridabad	Satisfactory	62	PM _{2.5} , PM ₁₀	3
48	Firozabad	Satisfactory	54	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	39	PM ₁₀	1
50	Gandhinagar	Good	41	PM ₁₀	1
51	Gangtok	Good	16	03	1
52	Gaya	Satisfactory	67	NO ₂ , PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Satisfactory	54	CO, PM ₁₀	4
54	Gorakhpur	Good	45	SO ₂	1
55	Greater Noida	Satisfactory	58	CO, PM ₁₀	2
56	Gurugram	Satisfactory	77	PM ₁₀	1
57	Guwahati	Good	45	PM ₁₀	2
58	Gwalior	Good	41	03	1
59	Hajipur	Good	49	PM ₁₀	1
60	Haldia	Good	30	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Good	36	СО	1
62	Hassan	Good	47	SO ₂	1
63	Haveri	Good	38	со	1
64	Hisar	Satisfactory	67	03	1
65	Howrah	Good	31	PM ₁₀ , CO	3
66	Hubballi	Satisfactory	59	PM ₁₀	1
67	Hyderabad	Good	44	PM _{2.5} , NO ₂ , PM ₁₀	12
68	Imphal	Satisfactory	71	O ₃ , PM ₁₀	2
69	Indore	Satisfactory	67	PM ₁₀	1
70	Jabalpur	Good	35	O ₃	1
71	Jaipur	Good	48	CO, O ₃	3
72	Jalandhar	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Good	30	СО	1
74	Jodhpur	Satisfactory	74	PM ₁₀	1
75	Kaithal	Satisfactory	54	PM _{2.5}	1
76	Kalaburgi	Good	33	SO ₂	1
77	Kalyan	Satisfactory	75	PM ₁₀	1
78	Kannur	Satisfactory	63	PM ₁₀	1
79	Kanpur	Good	35	PM ₁₀ , PM _{2.5}	4
80	Karnal	Good	40	PM _{2.5}	1
81	Katihar	Satisfactory	67	PM ₁₀	1
82	Katni	Good	31	со	1
83	Khanna	Satisfactory	63	PM ₁₀	1
84	Khurja	Good	24	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	65	O ₃	1
86	Kochi	Moderate	130	PM _{2.5}	1
87	Kohima	Satisfactory	53	SO ₂	1
88	Kolkata	Good	41	O ₃ , PM ₁₀ , CO	7
89	Kollam	Satisfactory	66	PM ₁₀	1
90	Koppal	Good	22	PM ₁₀	1
91	Kota	Good	40	PM ₁₀	1
92	Kozhikode	Satisfactory	66	PM ₁₀	1
93	Kurukshetra	Good	46	PM ₁₀	1
94	Lucknow	Good	48	NO ₂ , CO, PM _{2.5}	5
95	Ludhiana	Satisfactory	100	PM ₁₀	1
96	Madikeri	Good	23	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Satisfactory	96	PM _{2.5}	1
98	Mandideep	Satisfactory	59	03	1
99	Mandikhera	Moderate	103	со	1
100	Manglore	Satisfactory	81	NO ₂	1
101	Manguraha	Good	22	NO ₂	1
102	Meerut	Good	27	PM ₁₀	3
103	Moradabad	Good	50	PM ₁₀ , O ₃ , PM _{2.5}	6
104	Motihari	Good	44	03	1
105	Mumbai	Satisfactory	60	CO, PM ₁₀ , SO ₂	13
106	Muzaffarpur	Satisfactory	63	PM ₁₀ , O ₃ , CO	3
107	Mysuru	Satisfactory	51	O ₃	1
108	Nagpur	Good	30	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Satisfactory	81	PM _{2.5}	1
110	Nashik	Good	38	PM ₁₀	1
111	Navi Mumbai	Satisfactory	71	CO, PM ₁₀	3
112	Noida	Satisfactory	58	CO, SO ₂ , PM ₁₀	4
113	Pali	Satisfactory	73	PM ₁₀	1
114	Palwal	Satisfactory	53	PM ₁₀	1
115	Panchkula	Good	29	NO ₂	1
116	Patiala	Satisfactory	58	03	1
117	Patna	Satisfactory	96	PM _{2.5} , PM ₁₀ , O ₃	6
118	Pithampur	Satisfactory	62	PM ₁₀	1
119	Prayagraj	Satisfactory	85	PM _{2.5} , SO ₂ , PM ₁₀	3
120	Puducherry	Good	33	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Satisfactory	59	PM ₁₀	1
122	Rajamahendravaram	Good	13	PM ₁₀	1
123	Rajgir	Good	31	со	1
124	Ramanagara	Good	45	PM ₁₀	1
125	Ratlam	Good	36	PM ₁₀	1
126	Rohtak	Satisfactory	64	PM _{2.5}	1
127	Rupnagar	Good	49	PM ₁₀	1
128	Sagar	Satisfactory	61	со	1
129	Saharsa	Satisfactory	81	NO ₂	1
130	Samastipur	Moderate	109	PM ₁₀	1
131	Satna	Good	41	PM ₁₀	1
132	Shillong	Good	23	PM ₁₀ , SO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	48	PM ₁₀	1
134	Siliguri	Good	29	PM ₁₀	1
135	Singrauli	Satisfactory	97	NO ₂	1
136	Sirsa	Moderate	110	03	1
137	Siwan	Satisfactory	55	NO ₂	1
138	Solapur	Satisfactory	68	PM ₁₀	1
139	Sonipat	Satisfactory	59	PM ₁₀	1
140	Srinagar	Satisfactory	58	PM ₁₀	1
141	Thiruvananthapuram	Good	34	со	1
142	Thoothukudi	Good	47	PM ₁₀	1
143	Tirupati	Good	48	PM ₁₀	1
144	Udaipur	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Satisfactory	62	PM ₁₀	1
146	Varanasi	Good	48	PM ₁₀ , O ₃ , SO ₂	3
147	Vatva	Satisfactory	71	PM ₁₀	1
148	Vijayapura	Good	40	PM ₁₀	1
149	Visakhapatnam	Satisfactory	98	PM ₁₀	1
150	Vrindavan	Good	46	SO ₂	1
151	Yadgir	Good	29	СО	1
152	Yamunanagar	Satisfactory	54	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Bhilai, Bidar, Brajrajnagar, Chhapra, Chikkaballapur, Dharuhera, Durgapur,
 Fatehabad, Gummidipoondi, Jind, Jorapokhar, Kolar, Maihar, Manesar, Munger,
 Muzaffarnagar, Naharlagun, Nandesari, Panipat, Pune, Raichur, Sasaram,
 Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.