

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	252	PM _{2.5}	1
2	Agra	Moderate	114	PM _{2.5}	5
3	Ahmedabad	Satisfactory	83	PM _{2.5} , PM ₁₀ , CO	8
4	Aizawl	Good	18	со	1
5	Ajmer	Moderate	160	PM _{2.5}	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	66	PM _{2.5}	1
8	Ambala	Moderate	140	PM _{2.5}	1
9	Amritsar	Satisfactory	69	PM ₁₀	1
10	Ankleshwar	Moderate	146	PM _{2.5}	1
11	Araria	Poor	297	PM _{2.5}	1
12	Arrah	Poor	262	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	210	PM _{2.5}	1
14	Aurangabad	Moderate	114	PM ₁₀	1
15	Bagalkot	Satisfactory	53	PM ₁₀	1
16	Baghpat	Moderate	157	PM _{2.5}	1
17	Bahadurgarh	Moderate	128	PM _{2.5}	1
18	Ballabgarh	Moderate	110	PM ₁₀	1
19	Bathinda	Moderate	117	PM ₁₀	1
20	Bengaluru	Satisfactory	79	PM ₁₀ , PM _{2.5}	8
21	Bettiah	Moderate	183	PM ₁₀	1
22	Bhagalpur	Very Poor	390	PM ₁₀ , PM _{2.5}	2
23	Bhilai	Satisfactory	61	PM ₁₀	1
24	Bhiwadi	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	186	PM _{2.5}	1
26	Bhopal	Moderate	132	PM ₁₀	1
27	Bihar Sharif	Very Poor	316	PM _{2.5}	1
28	Bilaspur	Moderate	101	PM ₁₀	1
29	Brajrajnagar	Satisfactory	88	PM ₁₀	1
30	Bulandshahr	Moderate	138	PM _{2.5}	1
31	Buxar	Very Poor	357	PM ₁₀	1
32	Chamarajanagar	Good	34	PM ₁₀	1
33	Chandigarh	Satisfactory	76	PM _{2.5} , PM ₁₀	2
34	Chandrapur	Moderate	103	O ₃ , PM ₁₀	2
35	Charkhi Dadri	Moderate	170	PM _{2.5}	1
36	Chennai	Satisfactory	61	PM ₁₀ , SO ₂ , CO	8

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Very Poor	353	PM _{2.5}	1
38	Chikkaballapur	Satisfactory	75	PM _{2.5}	1
39	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
40	Coimbatore	Satisfactory	69	PM _{2.5}	1
41	Damoh	Moderate	144	PM _{2.5}	1
42	Darbhanga	Very Poor	317	PM _{2.5}	1
43	Davanagere	Satisfactory	87	PM ₁₀	1
44	Delhi	Moderate	182	PM _{2.5}	28
45	Dewas	Satisfactory	77	PM _{2.5}	1
46	Dharuhera	Moderate	128	PM _{2.5}	1
47	Durgapur	Poor	300	PM ₁₀	1
48	Eloor	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Moderate	104	PM _{2.5}	1
50	Faridabad	Moderate	172	PM _{2.5} , PM ₁₀	4
51	Firozabad	Moderate	147	PM _{2.5}	1
52	Gadag	Satisfactory	67	PM _{2.5}	1
53	Gandhinagar	Satisfactory	69	SO ₂ , PM _{2.5} , PM ₁₀	3
54	Gaya	Poor	264	PM _{2.5}	3
55	Ghaziabad	Moderate	157	PM _{2.5} , CO	4
56	Gorakhpur	Moderate	142	PM _{2.5}	1
57	Greater Noida	Moderate	101	PM _{2.5}	1
58	Gummidipoondi	Good	34	PM ₁₀	1
59	Gurugram	Moderate	149	PM _{2.5} , PM ₁₀	3
60	Guwahati	Poor	238	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Satisfactory	88	PM _{2.5}	1
62	Hajipur	Poor	238	PM _{2.5}	1
63	Haldia	Poor	208	PM _{2.5}	1
64	Hapur	Satisfactory	99	PM _{2.5}	1
65	Hassan	Moderate	104	PM ₁₀	1
66	Hisar	Poor	246	PM _{2.5}	1
67	Howrah	Very Poor	308	PM _{2.5}	2
68	Hubballi	Moderate	129	PM _{2.5}	1
69	Hyderabad	Satisfactory	84	PM ₁₀ , NO ₂ , PM _{2.5}	6
70	Indore	Satisfactory	89	03	1
71	Jabalpur	Poor	263	PM _{2.5}	1
72	Jaipur	Moderate	165	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	91	PM ₁₀	1
74	Jind	Moderate	132	PM _{2.5}	1
75	Jodhpur	Satisfactory	100	PM ₁₀	1
76	Kaithal	Satisfactory	84	PM _{2.5}	1
77	Kalaburgi	Satisfactory	80	PM ₁₀	1
78	Kalyan	Poor	267	PM _{2.5}	1
79	Kannur	Moderate	117	PM _{2.5}	1
80	Kanpur	Moderate	136	PM _{2.5} , NO ₂	3
81	Karnal	Satisfactory	85	PM _{2.5}	1
82	Katihar	Very Poor	342	PM _{2.5}	1
83	Katni	Poor	222	PM _{2.5}	1
84	Khanna	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Very Poor	356	PM _{2.5}	1
86	Kochi	Moderate	181	PM _{2.5}	1
87	Kohima	Satisfactory	54	PM ₁₀	1
88	Kolkata	Poor	280	PM _{2.5}	7
89	Kollam	Satisfactory	84	PM ₁₀	1
90	Koppal	Satisfactory	79	03	1
91	Kota	Moderate	138	PM _{2.5}	1
92	Kozhikode	Satisfactory	51	со	1
93	Kurukshetra	Moderate	104	PM _{2.5}	1
94	Lucknow	Moderate	130	PM _{2.5} , PM ₁₀	6
95	Ludhiana	Satisfactory	84	PM ₁₀	1
96	Madikeri	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	50	PM _{2.5}	1
98	Mandi Gobindgarh	Satisfactory	60	PM ₁₀	1
99	Mandideep	Satisfactory	72	PM ₁₀	1
100	Mandikhera	Satisfactory	77	PM _{2.5}	1
101	Manesar	Poor	256	PM _{2.5}	1
102	Manglore	Good	50	PM _{2.5}	1
103	Meerut	Satisfactory	100	PM _{2.5} , PM ₁₀	3
104	Moradabad	Satisfactory	67	PM _{2.5} , CO	3
105	Motihari	Poor	275	PM _{2.5}	1
106	Mumbai	Poor	204	PM _{2.5}	15
107	Munger	Severe	427	PM _{2.5}	1
108	Muzaffarnagar	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Very Poor	365	PM _{2.5}	3
110	Mysuru	Satisfactory	58	PM ₁₀	1
111	Nagpur	Moderate	110	со	1
112	Narnaul	Moderate	160	PM _{2.5}	1
113	Nashik	Moderate	103	PM _{2.5}	1
114	Navi Mumbai	Poor	231	PM _{2.5}	3
115	Noida	Moderate	133	PM _{2.5} , PM ₁₀	3
116	Pali	Satisfactory	64	PM _{2.5}	1
117	Palwal	Satisfactory	94	PM ₁₀	1
118	Panchkula	Satisfactory	60	PM _{2.5}	1
119	Panipat	Satisfactory	99	PM ₁₀	1
120	Patiala	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Very Poor	333	PM _{2.5} , PM ₁₀	6
122	Pithampur	Moderate	106	PM ₁₀	1
123	Prayagraj	Poor	205	PM _{2.5}	3
124	Puducherry	Good	44	PM ₁₀	1
125	Pune	Moderate	158	PM _{2.5}	2
126	Purnia	Very Poor	380	PM _{2.5}	1
127	Raichur	Satisfactory	96	PM ₁₀	1
128	Rajamahendravaram	Moderate	115	PM _{2.5}	1
129	Rajgir	Very Poor	356	PM _{2.5}	1
130	Ramanagara	Good	48	PM ₁₀	1
131	Ratlam	Satisfactory	62	PM ₁₀	1
132	Rohtak	Moderate	164	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Satisfactory	80	PM ₁₀	1
134	Sagar	Satisfactory	65	PM _{2.5}	1
135	Saharsa	Very Poor	397	PM ₁₀	1
136	Sasaram	Very Poor	391	PM _{2.5}	1
137	Satna	Satisfactory	52	PM ₁₀	1
138	Shillong	Good	36	PM _{2.5}	1
139	Shivamogga	Good	49	PM ₁₀	1
140	Siliguri	Moderate	126	PM ₁₀	1
141	Singrauli	Poor	290	PM _{2.5}	1
142	Sirsa	Moderate	102	PM ₁₀	1
143	Siwan	Very Poor	366	PM _{2.5}	1
144	Srinagar	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Talcher	Moderate	136	PM _{2.5}	1
146	Thane	Moderate	171	PM ₁₀	1
147	Thiruvananthapuram	Satisfactory	92	PM ₁₀ , PM _{2.5}	2
148	Thoothukudi	Good	31	PM ₁₀	1
149	Tirupati	Good	43	со	1
150	Udaipur	Satisfactory	74	PM ₁₀	1
151	Ujjain	Moderate	135	PM _{2.5}	1
152	Vapi	Moderate	172	PM _{2.5}	1
153	Varanasi	Moderate	146	PM _{2.5}	4
154	Vatva	Moderate	107	PM ₁₀	1
155	Vijayapura	Satisfactory	51	PM ₁₀	1
156	Visakhapatnam	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Satisfactory	69	PM ₁₀	1
158	Yamunanagar	Moderate	159	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Fatehabad, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur, Sonipat, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.