

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	80	PM _{2.5}	1
2	Agra	Satisfactory	98	PM ₁₀	5
3	Ahmedabad	Satisfactory	74	PM ₁₀	7
4	Akola	Satisfactory	83	PM ₁₀	1
5	Alwar	Satisfactory	80	PM ₁₀	1
6	Amaravati	Satisfactory	72	PM ₁₀	1
7	Ambala	Satisfactory	97	СО	1
8	Amravati	Satisfactory	78	PM ₁₀	2
9	Amritsar	Moderate	128	PM _{2.5}	1
10	Anantapur	Satisfactory	69	PM ₁₀	1
11	Araria	Good	48	PM ₁₀	1
12	Arrah	Moderate	111	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagalur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	97	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	66	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	68	PM ₁₀	2
16	Baddi	Satisfactory	91	PM ₁₀	1
17	Badlapur	Satisfactory	53	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Moderate	135	PM ₁₀	1
20	Bahadurgarh	Moderate	104	PM ₁₀	1
21	Ballabgarh	Satisfactory	100	PM ₁₀	1
22	Banswara	Satisfactory	78	PM ₁₀	1
23	Baran	Satisfactory	97	PM ₁₀	1
24	Bareilly	Satisfactory	70	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagalu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Moderate	108	PM ₁₀	1
26	Barmer	Satisfactory	83	PM ₁₀	1
27	Bathinda	Satisfactory	93	PM ₁₀	1
28	Begusarai	Moderate	182	PM ₁₀	1
29	Belapur	Satisfactory	57	PM ₁₀	1
30	Belgaum	Satisfactory	91	PM ₁₀	1
31	Bengaluru	Satisfactory	65	PM ₁₀	9
32	Bettiah	Satisfactory	69	СО	1
33	Bhagalpur	Satisfactory	58	PM ₁₀	2
34	Bharatpur	Moderate	130	PM ₁₀	1
35	Bhilai	Satisfactory	88	PM ₁₀	2
36	Bhilwara	Moderate	145	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	129	PM ₁₀	1
38	Bhiwandi	Satisfactory	54	PM ₁₀	1
39	Bhiwani	Satisfactory	99	PM ₁₀	1
40	Bhopal	Satisfactory	91	PM ₁₀	3
41	Bihar Sharif	Good	28	со	1
42	Bikaner	Moderate	119	PM ₁₀	1
43	Bilaspur	Good	44	PM ₁₀	1
44	Bileipada	Moderate	156	PM ₁₀	1
45	Brajrajnagar	Satisfactory	63	PM ₁₀	1
46	Bulandshahr	Satisfactory	94	PM ₁₀	1
47	Bundi	Moderate	125	PM ₁₀	1
48	Byrnihat	Moderate	185	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	41	PM ₁₀	1
50	Chandigarh	Moderate	102	PM ₁₀	3
51	Chandrapur	Satisfactory	68	PM ₁₀	1
52	Charkhi Dadri	Satisfactory	89	PM ₁₀	1
53	Chennai	Satisfactory	82	со	7
54	Chhal	Satisfactory	67	PM ₁₀	1
55	Chhapra	Satisfactory	67	СО	1
56	Chikkaballapur	Good	50	PM ₁₀	1
57	Chittoor	Good	42	O ₃	1
58	Chittorgarh	Satisfactory	80	PM ₁₀	1
59	Churu	Moderate	101	PM ₁₀	1
60	Cuddalore	Good	30	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Satisfactory	77	PM ₁₀	1
62	Dehradun	Satisfactory	55	со	1
63	Delhi	Moderate	133	PM _{2.5} , PM ₁₀	34
64	Dewas	Good	50	PM ₁₀	1
65	Dhanbad	Moderate	195	со	1
66	Dharuhera	Moderate	129	PM ₁₀	1
67	Dholpur	Satisfactory	72	PM ₁₀	1
68	Dhule	Satisfactory	59	PM ₁₀	1
69	Durgapur	Satisfactory	98	PM ₁₀	1
70	Eloor	Satisfactory	68	PM ₁₀	1
71	Faridabad	Satisfactory	97	PM ₁₀ , PM _{2.5}	4
72	Fatehabad	Moderate	123	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagalur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	95	PM ₁₀	1
74	Gadag	Good	46	SO ₂	1
75	Gandhinagar	Satisfactory	94	PM _{2.5} , PM ₁₀	3
76	Gangtok	Satisfactory	55	SO ₂	1
77	Gaya	Satisfactory	75	PM ₁₀ , CO	3
78	Ghaziabad	Moderate	144	03	4
79	Greater Noida	Moderate	170	PM ₁₀	2
80	Gummidipoondi	Moderate	102	PM ₁₀	1
81	Gurugram	Satisfactory	96	PM _{2.5}	3
82	Guwahati	Very Poor	319	PM ₁₀	1
83	Gwalior	Satisfactory	71	PM ₁₀ , PM _{2.5}	4
84	Hajipur	Satisfactory	93	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagalui

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Satisfactory	90	PM ₁₀	1
86	Hanumangarh	Moderate	124	PM ₁₀	1
87	Hapur	Satisfactory	67	PM ₁₀	1
88	Hassan	Satisfactory	51	PM ₁₀	1
89	Haveri	Good	47	PM ₁₀	1
90	Hisar	Moderate	161	PM ₁₀	1
91	Hosur	Satisfactory	83	PM ₁₀	1
92	Howrah	Moderate	117	PM ₁₀	3
93	Hubballi	Satisfactory	77	PM ₁₀	2
94	Hyderabad	Satisfactory	86	O ₃	12
95	Indore	Satisfactory	92	PM ₁₀	1
96	Jabalpur	Satisfactory	98	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar Ariyalur Bidar Bajaar Buyar Changalaattu Chikkamagalur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Moderate	103	PM ₁₀	4
98	Jaisalmer	Moderate	112	PM ₁₀	1
99	Jalandhar	Satisfactory	74	PM ₁₀	1
100	Jalgaon	Good	47	PM ₁₀	1
101	Jalna	Satisfactory	69	PM ₁₀	1
102	Jhalawar	Satisfactory	91	PM ₁₀	1
103	Jhunjhunu	Moderate	121	PM _{2.5}	1
104	Jind	Satisfactory	94	PM ₁₀	1
105	Jodhpur	Satisfactory	98	PM ₁₀	5
106	Kaithal	Moderate	150	PM _{2.5}	1
107	Kalaburgi	Satisfactory	52	PM ₁₀	1
108	Kalyan	Satisfactory	61	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	69	PM ₁₀	1
110	Kanpur	Satisfactory	99	PM ₁₀	4
111	Karauli	Moderate	113	PM ₁₀	1
112	Karnal	Satisfactory	96	PM ₁₀	1
113	Kashipur	Satisfactory	76	PM ₁₀	1
114	Katihar	Moderate	104	со	1
115	Katni	Moderate	107	PM ₁₀	1
116	Keonjhar	Moderate	106	PM ₁₀	1
117	Khanna	Satisfactory	88	PM ₁₀	1
118	Khurja	Moderate	117	PM _{2.5}	1
119	Kishanganj	Good	45	PM ₁₀	1
120	Kochi	Satisfactory	66	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar Ariyalur Bidar Baisar Buyar Changalaattu Chikkamagalur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Satisfactory	57	PM ₁₀	2
122	Kolkata	Satisfactory	94	PM ₁₀ , PM _{2.5}	7
123	Kollam	Satisfactory	87	PM ₁₀	1
124	Koppal	Good	32	03	1
125	Korba	Satisfactory	62	PM ₁₀	2
126	Kota	Satisfactory	88	PM ₁₀	3
127	Kunjemura	Moderate	159	PM ₁₀	1
128	Latur	Satisfactory	74	PM ₁₀	1
129	Lucknow	Moderate	108	PM ₁₀	5
130	Ludhiana	Moderate	103	PM ₁₀	1
131	Madikeri	Good	48	PM ₁₀	1
132	Mahad	Good	31	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	49	PM ₁₀	1
134	Mandi Gobindgarh	Moderate	133	PM ₁₀	1
135	Mandideep	Satisfactory	73	PM ₁₀	1
136	Mandikhera	Satisfactory	96	PM ₁₀	1
137	Manesar	Moderate	120	PM ₁₀	1
138	Mangalore	Satisfactory	72	NO ₂	1
139	Manguraha	Good	21	NO ₂	1
140	Meerut	Moderate	136	PM ₁₀	3
141	Moradabad	Moderate	120	PM ₁₀	5
142	Mumbai	Satisfactory	65	CO, PM ₁₀	17
143	Munger	Satisfactory	61	PM ₁₀	1
144	Muzaffarnagar	Moderate	136	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagalur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	77	NO ₂	3
146	Mysuru	Satisfactory	64	PM ₁₀	1
147	Nagaon	Moderate	107	PM ₁₀	1
148	Nagaur	Moderate	111	PM ₁₀	1
149	Nagpur	Satisfactory	75	PM ₁₀	4
150	Nalbari	Moderate	151	PM ₁₀	1
151	Narnaul	Satisfactory	97	PM ₁₀	1
152	Nashik	Good	41	PM ₁₀	3
153	Navi Mumbai	Satisfactory	56	PM ₁₀	7
154	Nayagarh	Satisfactory	98	PM ₁₀	1
155	Noida	Moderate	146	PM ₁₀ , CO	4
156	Ooty	Good	49	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar Ariyalur Ridar Rojaar Ruyar Changalaettu Chikkamagalur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Moderate	163	PM _{2.5}	1
158	Palkalaiperur	Satisfactory	66	SO ₂	1
159	Palwal	Good	40	PM ₁₀	1
160	Panchkula	Moderate	105	PM _{2.5}	1
161	Panipat	Moderate	109	PM ₁₀	1
162	Parbhani	Satisfactory	74	PM ₁₀	1
163	Patiala	Satisfactory	88	PM ₁₀	1
164	Patna	Satisfactory	83	PM ₁₀ , NO ₂	5
165	Pimpri Chinchwad	Satisfactory	64	PM ₁₀	3
166	Pithampur	Satisfactory	85	PM ₁₀	1
167	Pratapgarh	Moderate	101	PM ₁₀	1
168	Prayagraj	Satisfactory	96	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Satisfactory	54	co	1
170	Pune	Satisfactory	90	NO ₂ , PM _{2.5}	6
171	Purnia	Satisfactory	65	со	1
172	Raipur	Satisfactory	59	PM ₁₀	4
173	Rajamahendravaram	Satisfactory	81	PM ₁₀	1
174	Rajgir	Moderate	113	PM ₁₀	1
175	Rajsamand	Moderate	101	PM ₁₀	1
176	Ramanagara	Satisfactory	56	NO ₂	1
177	Ramanathapuram	Satisfactory	84	СО	1
178	Ratlam	Satisfactory	70	PM ₁₀	1
179	Rishikesh	Good	31	PM ₁₀	1
180	Rohtak	Satisfactory	63	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Moderate	120	PM ₁₀	2
182	Rupnagar	Moderate	114	PM ₁₀	1
183	Sagar	Moderate	188	со	1
184	Sangli	Satisfactory	51	PM ₁₀	1
185	Sasaram	Satisfactory	76	PM ₁₀	1
186	Satna	Satisfactory	53	PM ₁₀	1
187	Sawai Madhopur	Moderate	118	PM ₁₀	1
188	Shillong	Good	39	PM ₁₀ , PM _{2.5}	2
189	Shivamogga	Satisfactory	58	PM ₁₀	1
190	Silchar	Good	28	СО	1
191	Siliguri	Satisfactory	65	PM ₁₀	1
192	Singrauli	Moderate	199	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagaluru

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Satisfactory	52	PM ₁₀	1
194	Sivasagar	Good	15	PM ₁₀	1
195	Siwan	Good	48	PM ₁₀	1
196	Solapur	Satisfactory	68	PM ₁₀	2
197	Sonipat	Moderate	130	PM ₁₀	1
198	Suakati	Moderate	126	PM ₁₀	1
199	Talcher	Satisfactory	81	PM ₁₀	1
200	Thane	Satisfactory	51	PM ₁₀ , CO	2
201	Thiruvananthapuram	Good	32	CO, PM ₁₀	2
202	Thoothukudi	Moderate	183	O ₃	1
203	Tirupati	Satisfactory	59	PM ₁₀	1
204	Tirupur	Satisfactory	65	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Moderate	120	PM ₁₀	1
206	Tumakuru	Satisfactory	53	co	1
207	Tumidih	Good	42	PM ₁₀	1
208	Udaipur	Satisfactory	82	PM ₁₀	1
209	Ujjain	Satisfactory	87	PM ₁₀	1
210	Ulhasnagar	Satisfactory	68	PM ₁₀	1
211	Vapi	Satisfactory	88	СО	1
212	Varanasi	Good	47	PM ₁₀	4
213	Vatva	Satisfactory	93	PM ₁₀	1
214	Vijayapura	Good	46	PM ₁₀	1
215	Visakhapatnam	Moderate	142	PM ₁₀	1
216	Vrindavan	Good	46	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	44	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

-Ankleshwar, Ariyalur, Bidar, Boisar, Buxar, Chengalpattu, Chikkamagaluru

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.