

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	72	PM _{2.5}	1
2	Ahmedabad	Poor	241	NO ₂	1
3	Ajmer	Moderate	166	PM _{2.5}	1
4	Alwar	Satisfactory	87	PM ₁₀	1
5	Amaravati	Good	39	OZONE	1
6	Ambala	Moderate	151	PM _{2.5}	1
7	Ankleshwar	Moderate	194	PM _{2.5}	1
8	Asanol	Moderate	120	PM _{2.5}	1
9	Aurangabad	Satisfactory	87	PM ₁₀	1
10	Baghpat	Poor	257	PM _{2.5}	1
11	Bahadurgarh	Moderate	168	PM _{2.5}	1
12	Ballabgarh	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	133	PM ₁₀	1
14	Bengaluru	Good	50	PM ₁₀ , PM _{2.5} , CO	8
15	Bhiwadi	Poor	203	PM _{2.5}	1
16	Bhiwani	Moderate	161	PM _{2.5}	1
17	Bhopal	Moderate	159	PM ₁₀	1
18	Brajrajnagar	Moderate	101	PM ₁₀	1
19	Bulandshahr	Moderate	166	OZONE	1
20	Chandigarh	Moderate	117	PM _{2.5}	1
21	Chandrapur	Good	45	OZONE	1
22	Chennai	Satisfactory	76	PM _{2.5}	3
23	Chikkaballapur	Good	25	СО	1
24	Delhi	Poor	248	PM _{2.5} , PM ₁₀	31

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	154	OZONE	1
26	Dharuhera	Moderate	165	PM ₁₀	1
27	Eloor	Good	32	со	1
28	Faridabad	Poor	214	PM _{2.5}	1
29	Fatehabad	Moderate	171	PM ₁₀	1
30	GandhiNagar	Moderate	121	PM ₁₀	1
31	Gaya	Moderate	158	PM _{2.5}	1
32	Ghaziabad	Poor	270	PM _{2.5}	4
33	Greater_Noida	Poor	222	PM _{2.5}	2
34	Gurugram	Poor	258	PM _{2.5}	1
35	Guwahati	Satisfactory	95	PM _{2.5}	1
36	Hapur	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	271	PM _{2.5}	1
38	Howrah	Poor	260	PM _{2.5}	2
39	Hubballi	Satisfactory	59	PM ₁₀	1
40	Hyderabad	Good	48	PM ₁₀ , PM _{2.5}	6
41	Indore	Moderate	150	PM ₁₀	1
42	Jabalpur	Moderate	153	PM _{2.5}	1
43	Jaipur	Moderate	112	PM ₁₀ , PM _{2.5}	3
44	Jalandhar	Moderate	126	PM ₁₀	1
45	Jind	Poor	253	PM _{2.5}	1
46	Jodhpur	Moderate	154	PM ₁₀	1
47	Kaithal	Moderate	144	PM ₁₀	1
48	Kalaburagi	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Moderate	182	PM _{2.5}	1
50	Karnal	Poor	240	PM _{2.5}	1
51	Katni	Poor	210	PM _{2.5}	1
52	Khanna	Satisfactory	97	PM _{2.5}	1
53	Kolkata	Moderate	157	PM _{2.5} , PM ₁₀	6
54	Kota	Moderate	149	PM _{2.5}	1
55	Kurukshetra	Moderate	157	PM _{2.5}	1
56	Lucknow	Poor	216	PM _{2.5}	4
57	Ludhiana	Moderate	156	PM _{2.5}	1
58	Mandi Gobindgarh	Satisfactory	100	PM ₁₀	1
59	Mandideep	Moderate	162	PM ₁₀	1
60	Mandikhera	Moderate	156	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Manesar	Poor	217	PM _{2.5}	1
62	Meerut	Poor	243	PM _{2.5}	2
63	Moradabad	Poor	266	PM _{2.5}	1
64	Mumbai	Moderate	142	PM _{2.5} , PM ₁₀	10
65	Muzaffarnagar	Moderate	198	PM _{2.5}	1
66	Muzaffarpur	Poor	266	PM _{2.5}	1
67	Mysuru	Good	38	PM ₁₀	1
68	Nagpur	Satisfactory	95	PM ₁₀	1
69	Narnaul	Moderate	128	PM _{2.5}	1
70	Navi Mumbai	Moderate	164	PM _{2.5}	2
71	Noida	Poor	243	PM _{2.5}	4
72	Pali	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Poor	235	PM _{2.5}	1
74	Panchkula	Satisfactory	94	PM _{2.5}	1
75	Panipat	Poor	267	PM _{2.5}	1
76	Patiala	Moderate	114	PM _{2.5}	1
77	Patna	Poor	298	PM _{2.5}	1
78	Pithampur	Moderate	122	PM _{2.5}	1
79	Rajamahendravaram	Good	46	со	1
80	Ramanagara	Good	32	PM ₁₀	1
81	Ratlam	Moderate	135	PM ₁₀	1
82	Rohtak	Poor	236	PM _{2.5}	1
83	Rupnagar	Moderate	130	PM ₁₀	1
84	Satna	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Shillong	Good	34	PM _{2.5}	1
86	Siliguri	Satisfactory	82	PM ₁₀	1
87	Singrauli	Poor	251	PM ₁₀	1
88	Sirsa	Very Poor	347	PM _{2.5}	1
89	Solapur	Satisfactory	77	PM ₁₀	1
90	Sonipat	Moderate	176	PM _{2.5}	1
91	Talcher	Satisfactory	51	PM ₁₀	1
92	Thane	Satisfactory	75	PM ₁₀	1
93	Thiruvananthapuram	Good	49	СО	1
94	Tirupati	Good	35	NO ₂	1
95	Udaipur	Moderate	102	PM ₁₀	1
96	Ujjain	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Moderate	191	PM _{2.5}	1
98	Varanasi	Poor	215	PM _{2.5}	1
99	Vatva	Poor	205	PM ₁₀	1
100	Vijayawada	Moderate	156	со	1
101	Visakhapatnam	Good	34	OZONE	1
102	Yadgir	Good	38	OZONE	1
103	Yamunanagar	Poor	274	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalyan, Maihar, Nashik, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.