

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM <sub>10</sub> , O <sub>3</sub>	2
2	Agra	Moderate	134	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	121	PM <sub>2.5</sub> , PM <sub>10</sub>	8
4	Aizawl	Good	22	PM <sub>10</sub>	1
5	Ajmer	Moderate	172	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	92	PM <sub>10</sub>	1
7	Amaravati	Good	34	PM <sub>10</sub>	1
8	Ambala	Moderate	171	PM <sub>10</sub>	1
9	Amritsar	Moderate	122	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	140	PM <sub>10</sub>	1
11	Arrah	Moderate	141	PM <sub>10</sub>	1
12	Asansol	Satisfactory	93	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	212	PM <sub>10</sub>	1
14	Aurangabad	Moderate	105	PM <sub>10</sub>	1
15	Baddi	Poor	227	PM <sub>2.5</sub>	1
16	Bagalkot	Good	50	PM <sub>2.5</sub>	1
17	Baghpat	Poor	251	PM <sub>10</sub>	1
18	Bahadurgarh	Poor	294	PM <sub>2.5</sub>	1
19	Ballabgarh	Poor	290	PM <sub>10</sub>	1
20	Bathinda	Poor	267	PM <sub>10</sub>	1
21	Bengaluru	Moderate	122	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	7
22	Bhagalpur	Moderate	116	PM <sub>10</sub>	2
23	Bhiwadi	Poor	269	PM <sub>2.5</sub>	1
24	Bhiwani	Poor	285	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	151	PM <sub>10</sub>	1
26	Bidar	Moderate	121	PM <sub>10</sub>	1
27	Bihar Sharif	Poor	201	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	57	PM <sub>10</sub>	1
29	Bulandshahr	Very Poor	307	PM <sub>10</sub>	1
30	Buxar	Moderate	196	PM <sub>10</sub>	1
31	Chamarajanagar	Good	43	PM <sub>10</sub>	1
32	Chandigarh	Moderate	142	PM <sub>10</sub>	3
33	Chandrapur	Moderate	148	PM <sub>2.5</sub> , PM <sub>10</sub>	2
34	Charkhi Dadri	Poor	263	PM <sub>2.5</sub>	1
35	Chennai	Good	39	PM <sub>10</sub> , CO	7
36	Chikkaballapur	Satisfactory	94	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
38	Coimbatore	Moderate	118	PM <sub>2.5</sub>	1
39	Damoh	Satisfactory	85	PM <sub>10</sub>	1
40	Darbhanga	Moderate	113	PM <sub>10</sub>	1
41	Davanagere	Satisfactory	82	PM <sub>10</sub>	1
42	Delhi	Poor	296	PM <sub>10</sub>	35
43	Dewas	Moderate	110	PM <sub>2.5</sub>	1
44	Dharuhera	Moderate	189	PM <sub>2.5</sub>	1
45	Durgapur	Moderate	106	PM <sub>10</sub>	1
46	Eloor	Satisfactory	70	PM <sub>10</sub>	1
47	Ernakulam	Satisfactory	54	PM <sub>10</sub>	1
48	Faridabad	Poor	257	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Poor	283	PM <sub>2.5</sub>	1
50	Firozabad	Satisfactory	97	PM <sub>2.5</sub>	1
51	Gandhinagar	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Gaya	Moderate	104	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Ghaziabad	Poor	287	PM <sub>10</sub>	3
54	Gorakhpur	Good	41	03	1
55	Greater Noida	Very Poor	328	PM <sub>10</sub>	2
56	Gummidipoondi	Good	31	PM <sub>10</sub>	1
57	Gurugram	Poor	258	PM <sub>10</sub> , PM <sub>2.5</sub>	3
58	Guwahati	Satisfactory	67	PM <sub>2.5</sub>	1
59	Hajipur	Satisfactory	56	03	1
60	Haldia	Good	42	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	358	PM <sub>10</sub>	1
62	Hassan	Satisfactory	64	PM <sub>2.5</sub>	1
63	Haveri	Satisfactory	94	со	1
64	Hisar	Poor	216	PM <sub>2.5</sub>	1
65	Howrah	Satisfactory	64	PM <sub>10</sub>	3
66	Hubballi	Satisfactory	94	PM <sub>10</sub>	1
67	Hyderabad	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	6
68	Imphal	Satisfactory	65	SO <sub>2</sub> , PM <sub>10</sub>	2
69	Indore	Moderate	136	PM <sub>10</sub>	1
70	Jabalpur	Poor	226	PM <sub>10</sub>	1
71	Jaipur	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Jalandhar	Moderate	146	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Poor	227	PM <sub>10</sub>	1
74	Kaithal	Poor	258	PM <sub>10</sub>	1
75	Kalaburgi	Moderate	131	PM <sub>10</sub>	1
76	Kannur	Satisfactory	74	PM <sub>10</sub>	1
77	Kanpur	Moderate	115	PM <sub>10</sub>	3
78	Karnal	Moderate	165	PM <sub>10</sub>	1
79	Katni	Poor	223	PM <sub>10</sub>	1
80	Khanna	Moderate	146	PM <sub>10</sub>	1
81	Kishanganj	Satisfactory	88	03	1
82	Kochi	Moderate	102	PM <sub>2.5</sub>	1
83	Kolkata	Satisfactory	57	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	7
84	Kollam	Satisfactory	90	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	56	PM <sub>10</sub>	1
86	Kota	Moderate	160	PM <sub>2.5</sub>	1
87	Kozhikode	Good	48	PM <sub>10</sub>	1
88	Kurukshetra	Moderate	198	PM <sub>2.5</sub>	1
89	Lucknow	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	6
90	Ludhiana	Moderate	128	PM <sub>10</sub>	1
91	Madikeri	Satisfactory	62	O <sub>3</sub>	1
92	Mandi Gobindgarh	Moderate	188	PM <sub>2.5</sub>	1
93	Mandideep	Satisfactory	78	PM <sub>10</sub>	1
94	Mandikhera	Moderate	101	PM <sub>10</sub>	1
95	Manglore	Satisfactory	59	со	1
96	Meerut	Poor	276	PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	156	PM <sub>10</sub>	4
98	Motihari	Moderate	173	O <sub>3</sub>	1
99	Mumbai	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	19
100	Munger	Moderate	156	PM <sub>10</sub>	1
101	Muzaffarpur	Satisfactory	80	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
102	Mysuru	Satisfactory	58	PM <sub>10</sub>	1
103	Nagpur	Poor	219	PM <sub>2.5</sub>	1
104	Nandesari	Good	47	PM <sub>2.5</sub>	1
105	Narnaul	Moderate	135	PM <sub>2.5</sub>	1
106	Nashik	Satisfactory	57	O <sub>3</sub>	1
107	Navi Mumbai	Moderate	127	PM <sub>10</sub> , CO	3
108	Noida	Very Poor	320	PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Poor	213	PM <sub>2.5</sub>	1
110	Palwal	Moderate	163	PM <sub>10</sub>	1
111	Panchkula	Moderate	183	PM <sub>2.5</sub>	1
112	Patiala	Moderate	157	PM <sub>10</sub>	1
113	Patna	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	6
114	Pithampur	Moderate	120	PM <sub>10</sub>	1
115	Prayagraj	Satisfactory	90	PM <sub>10</sub> , PM <sub>2.5</sub>	2
116	Puducherry	Good	27	PM <sub>10</sub>	1
117	Pune	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	5
118	Rajamahendravaram	Good	35	PM <sub>10</sub>	1
119	Rajgir	Moderate	105	PM <sub>10</sub>	1
120	Ramanagara	Moderate	136	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	101	PM <sub>10</sub>	1
122	Rohtak	Poor	277	PM <sub>2.5</sub>	1
123	Sagar	Moderate	113	PM <sub>2.5</sub>	1
124	Samastipur	Moderate	176	PM <sub>10</sub>	1
125	Sasaram	Moderate	171	03	1
126	Satna	Satisfactory	64	PM <sub>10</sub>	1
127	Shillong	Good	31	PM <sub>2.5</sub>	2
128	Shivamogga	Satisfactory	67	PM <sub>10</sub>	1
129	Siliguri	Satisfactory	51	PM <sub>10</sub>	1
130	Singrauli	Very Poor	358	PM <sub>10</sub>	1
131	Sirsa	Poor	217	PM <sub>10</sub>	1
132	Siwan	Moderate	126	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	84	PM <sub>10</sub>	1
134	Srinagar	Good	45	NH <sub>3</sub>	1
135	Talcher	Satisfactory	85	со	1
136	Thane	Moderate	168	PM <sub>10</sub>	1
137	Thiruvananthapuram	Satisfactory	67	PM <sub>10</sub> , CO	2
138	Thoothukudi	Satisfactory	55	PM <sub>10</sub>	1
139	Thrissur	Satisfactory	100	PM <sub>2.5</sub>	1
140	Tirupati	Satisfactory	73	PM <sub>10</sub>	1
141	Udaipur	Moderate	118	PM <sub>10</sub>	1
142	Udupi	Satisfactory	70	03	1
143	Ujjain	Moderate	132	PM <sub>10</sub>	1
144	Varanasi	Moderate	129	O <sub>3</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	106	PM <sub>10</sub>	1
146	Vijayapura	Good	46	PM <sub>10</sub>	1
147	Visakhapatnam	Satisfactory	76	PM <sub>10</sub>	1
148	Vrindavan	Moderate	137	PM <sub>10</sub>	1
149	Yadgir	Satisfactory	98	PM <sub>10</sub>	1
150	Yamunanagar	Poor	204	PM <sub>10</sub>	1

## Possible Health Impacts

Good	od Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhilai, Brajrajnagar, Chhapra, Gadag, Gangtok, Gwalior, Jhansi,
  Jodhpur, Jorapokhar, Kalyan, Katihar, Kohima, Kolar, Maihar, Manesar,
  Manguraha, Muzaffarnagar, Naharlagun, Panipat, Purnia, Raichur, Rupnagar,
  Saharsa, Sonipat, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.