

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	188	PM _{2.5}	1
2	Agra	Poor	207	PM _{2.5}	1
3	Ahmedabad	Moderate	131	PM ₁₀	1
4	Aizawl	Satisfactory	80	PM ₁₀	1
5	Ajmer	Moderate	105	PM ₁₀	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Good	34	03	1
8	Amritsar	Satisfactory	71	PM ₁₀	1
9	Ankleshwar	Moderate	137	PM _{2.5}	1
10	Asansol	Moderate	171	PM _{2.5}	1
11	Aurangabad	Satisfactory	93	PM ₁₀	1
12	Bagalkot	Good	42	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	181	PM ₁₀	1
14	Ballabgarh	Moderate	124	PM _{2.5}	1
15	Bathinda	Satisfactory	90	PM ₁₀	1
16	Bengaluru	Satisfactory	65	O ₃ , PM ₁₀ , PM _{2.5}	8
17	Bhiwadi	Poor	277	PM _{2.5}	1
18	Bhiwani	Moderate	110	PM ₁₀	1
19	Bhopal	Moderate	115	PM ₁₀	1
20	Bidar	Satisfactory	70	PM ₁₀	1
21	Brajrajnagar	Satisfactory	94	SO ₂	1
22	Bulandshahr	Poor	211	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	69	PM ₁₀	1
24	Chandigarh	Satisfactory	93	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	187	O ₃ , PM _{2.5}	2
26	Charkhi Dadri	Moderate	133	PM ₁₀	1
27	Chennai	Satisfactory	56	PM _{2.5} , PM ₁₀ , O ₃	8
28	Damoh	Good	50	PM _{2.5}	1
29	Davanagere	Satisfactory	86	PM ₁₀	1
30	Delhi	Poor	206	PM ₁₀ , PM _{2.5}	27
31	Dharuhera	Poor	201	PM ₁₀	1
32	Durgapur	Poor	219	PM _{2.5}	1
33	Ernakulam	Good	48	PM ₁₀	1
34	Faridabad	Moderate	173	PM ₁₀	3
35	Fatehabad	Moderate	170	PM ₁₀	1
36	Gandhinagar	Satisfactory	75	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	97	03	1
38	Ghaziabad	Poor	224	PM _{2.5} , PM ₁₀	4
39	Greater Noida	Poor	208	PM ₁₀	1
40	Gummidipoondi	Moderate	104	PM ₁₀	1
41	Gurugram	Moderate	187	PM _{2.5}	3
42	Guwahati	Moderate	198	PM ₁₀	2
43	Gwalior	Moderate	148	PM ₁₀	2
44	Hajipur	Poor	212	PM _{2.5}	1
45	Haldia	Satisfactory	96	PM ₁₀	1
46	Hapur	Moderate	130	PM ₁₀	1
47	Hisar	Moderate	176	PM _{2.5}	1
48	Howrah	Moderate	138	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	107	PM ₁₀	1
50	Hyderabad	Moderate	106	PM ₁₀	5
51	Indore	Moderate	125	PM ₁₀	1
52	Jabalpur	Moderate	122	PM ₁₀	1
53	Jaipur	Moderate	103	PM _{2.5} , PM ₁₀ , O ₃	3
54	Jalandhar	Satisfactory	87	PM ₁₀	1
55	Jind	Moderate	118	PM _{2.5}	1
56	Jodhpur	Poor	209	PM _{2.5}	1
57	Kaithal	Moderate	102	PM ₁₀	1
58	Kalaburgi	Satisfactory	67	PM ₁₀	1
59	Kalyan	Poor	265	PM _{2.5}	1
60	Kannur	Moderate	107	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Moderate	147	PM _{2.5}	2
62	Karnal	Satisfactory	86	PM ₁₀	1
63	Katni	Moderate	178	PM ₁₀	1
64	Khanna	Satisfactory	92	PM ₁₀	1
65	Kolkata	Moderate	158	PM _{2.5} , O ₃ , PM ₁₀	7
66	Kollam	Satisfactory	81	PM ₁₀	1
67	Kota	Moderate	190	PM _{2.5}	1
68	Kozhikode	Satisfactory	71	PM ₁₀	1
69	Kurukshetra	Moderate	101	PM ₁₀	1
70	Lucknow	Moderate	161	PM _{2.5} , PM ₁₀ , O ₃	4
71	Ludhiana	Satisfactory	90	PM ₁₀	1
72	Mandi Gobindgarh	Moderate	190	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Satisfactory	52	PM ₁₀	1
74	Mandikhera	Satisfactory	86	PM ₁₀	1
75	Manglore	Satisfactory	52	PM _{2.5}	1
76	Medikeri	Good	46	PM ₁₀	1
77	Meerut	Moderate	178	PM _{2.5} , PM ₁₀	2
78	Moradabad	Moderate	187	PM _{2.5}	1
79	Mumbai	Moderate	156	O ₃ , PM ₁₀	18
80	Muzaffarnagar	Moderate	145	PM ₁₀	1
81	Muzaffarpur	Moderate	198	PM _{2.5} , PM ₁₀	2
82	Mysuru	Satisfactory	57	PM ₁₀	1
83	Narnaul	Poor	206	PM ₁₀	1
84	Nashik	Moderate	124	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Poor	206	PM _{2.5} , PM ₁₀	2
86	Noida	Moderate	182	PM _{2.5} , PM ₁₀	2
87	Pali	Moderate	140	PM _{2.5}	1
88	Panchkula	Moderate	108	PM _{2.5}	1
89	Panipat	Moderate	119	PM ₁₀	1
90	Patiala	Satisfactory	94	PM ₁₀	1
91	Patna	Poor	209	PM _{2.5} , PM ₁₀	5
92	Pithampur	Moderate	115	PM ₁₀	1
93	Puducherry	Good	39	O ₃	1
94	Pune	Moderate	113	PM _{2.5}	4
95	Raichur	Moderate	126	PM ₁₀	1
96	Rajamahendravaram	Good	50	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Satisfactory	81	03	1
98	Rohtak	Moderate	174	PM _{2.5}	1
99	Rupnagar	Satisfactory	69	PM ₁₀	1
100	Satna	Satisfactory	74	PM ₁₀	1
101	Shillong	Good	41	03	1
102	Siliguri	Moderate	160	PM _{2.5}	1
103	Singrauli	Moderate	190	PM _{2.5}	1
104	Sirsa	Satisfactory	86	PM ₁₀	1
105	Sonipat	Moderate	139	PM ₁₀	1
106	Srinagar	Good	43	PM _{2.5}	1
107	Talcher	Satisfactory	80	PM _{2.5}	1
108	Thane	Moderate	184	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Good	42	PM ₁₀	1
110	Thoothukudi	Good	39	PM ₁₀	1
111	Thrissur	Satisfactory	77	03	1
112	Tirupati	Satisfactory	65	NO ₂	1
113	Udaipur	Moderate	131	PM ₁₀	1
114	Ujjain	Poor	213	03	1
115	Vapi	Moderate	148	PM ₁₀	1
116	Varanasi	Poor	226	PM _{2.5}	1
117	Vatva	Moderate	180	PM ₁₀	1
118	Vijayapura	Good	48	PM _{2.5}	1
119	Visakhapatnam	Satisfactory	65	PM ₁₀	1
120	Yadgir	Moderate	109	03	1

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	139	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Koppal, Maihar, Manesar, Nagpur, Nandesari, Palwal, Ratlam, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.