

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM ₁₀	1
2	Agra	Good	24	PM _{2.5} , SO ₂	6
3	Ahmedabad	Moderate	170	PM _{2.5}	1
4	Aizawl	Good	27	O ₃	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Satisfactory	58	PM ₁₀	1
7	Amaravati	Good	26	со	1
8	Amritsar	Satisfactory	78	PM ₁₀	1
9	Anantapur	Good	44	со	1
10	Ankleshwar	Satisfactory	84	PM ₁₀	1
11	Araria	Satisfactory	90	со	1
12	Arrah	Satisfactory	87	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	62	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	58	со	1
15	Aurangabad (Maharashtra)	Satisfactory	80	PM ₁₀	1
16	Bagalkot	Good	38	СО	1
17	Baghpat	Good	44	O ₃	1
18	Bahadurgarh	Satisfactory	52	PM ₁₀	1
19	Ballabgarh	Satisfactory	54	PM ₁₀	1
20	Bareilly	Good	33	СО	2
21	Bathinda	Satisfactory	91	PM ₁₀	1
22	Belgaum	Good	47	со	1
23	Bengaluru	Good	50	PM _{2.5} , CO, PM ₁₀	7
24	Bettiah	Good	27	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	73	со	1
26	Bhilai	Good	30	PM ₁₀	1
27	Bhiwadi	Satisfactory	61	со	1
28	Bhiwani	Good	45	PM ₁₀	1
29	Bhopal	Good	50	PM ₁₀ , O ₃	2
30	Bihar Sharif	Satisfactory	85	со	1
31	Bilaspur	Satisfactory	54	PM ₁₀	1
32	Bulandshahr	Good	26	03	1
33	Buxar	Satisfactory	73	со	1
34	Chamarajanagar	Good	37	PM ₁₀	1
35	Chandigarh	Good	45	CO, PM ₁₀	3
36	Chandrapur	Good	47	NO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Satisfactory	57	PM _{2.5}	1
38	Chennai	Satisfactory	53	PM _{2.5} , CO, PM ₁₀	8
39	Chhapra	Satisfactory	75	PM ₁₀	1
40	Chikkaballapur	Good	37	PM ₁₀	1
41	Chikkamagaluru	Good	25	PM ₁₀	1
42	Coimbatore	Satisfactory	70	PM ₁₀	1
43	Darbhanga	Poor	222	NO ₂	1
44	Delhi	Satisfactory	66	O ₃ , CO, PM _{2.5}	32
45	Dewas	Satisfactory	73	PM ₁₀	1
46	Dharuhera	Satisfactory	88	PM _{2.5}	1
47	Durgapur	Satisfactory	99	PM ₁₀	1
48	Eloor	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Satisfactory	78	СО	1
50	Faridabad	Good	49	O ₃ , PM ₁₀ , CO	4
51	Fatehabad	Good	43	PM ₁₀	1
52	Firozabad	Good	41	PM ₁₀ , SO ₂	2
53	Gadag	Good	27	SO ₂	1
54	Gandhinagar	Satisfactory	76	PM _{2.5}	1
55	Gangtok	Good	16	O ₃	1
56	Gaya	Satisfactory	63	PM ₁₀ , CO	3
57	Ghaziabad	Good	40	PM _{2.5} , PM ₁₀ , NO ₂	3
58	Gorakhpur	Satisfactory	51	SO ₂	1
59	Greater Noida	Good	41	PM ₁₀	2
60	Gurugram	Satisfactory	58	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Good	40	PM ₁₀	2
62	Gwalior	Good	41	O ₃	1
63	Hajipur	Satisfactory	73	PM ₁₀	1
64	Haldia	Good	25	PM ₁₀	1
65	Hapur	Good	18	03	1
66	Hassan	Good	32	NO ₂	1
67	Haveri	Good	31	СО	1
68	Hisar	Satisfactory	55	O ₃	1
69	Hosur	Satisfactory	88	со	1
70	Howrah	Good	45	PM ₁₀ , CO	3
71	Hubballi	Satisfactory	63	со	1
72	Hyderabad	Good	44	CO, NO ₂ , PM ₁₀	11

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Satisfactory	78	O ₃ , PM ₁₀	2
74	Indore	Satisfactory	89	PM ₁₀	1
75	Jabalpur	Satisfactory	72	со	1
76	Jaipur	Satisfactory	59	03	2
77	Jalandhar	Satisfactory	57	PM ₁₀	1
78	Jhansi	Good	29	SO ₂	1
79	Jodhpur	Satisfactory	95	PM ₁₀	1
80	Jorapokhar	Satisfactory	91	PM ₁₀	1
81	Kaithal	Good	23	PM ₁₀	1
82	Kalaburgi	Good	40	SO ₂	1
83	Kalyan	Moderate	112	PM ₁₀	1
84	Kannur	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Good	28	CO, O ₃	4
86	Karnal	Good	23	PM ₁₀	1
87	Katihar	Moderate	176	PM ₁₀	1
88	Katni	Good	33	PM ₁₀	1
89	Khanna	Good	41	PM ₁₀	1
90	Khurja	Good	46	PM ₁₀	1
91	Kishanganj	Satisfactory	69	03	1
92	Kochi	Moderate	152	PM _{2.5}	1
93	Kolkata	Good	31	O ₃ , NO ₂ , PM _{2.5}	6
94	Kollam	Satisfactory	89	PM ₁₀	1
95	Koppal	Satisfactory	84	O ₃	1
96	Kota	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kozhikode	Satisfactory	69	PM ₁₀	1
98	Kurukshetra	Satisfactory	52	03	1
99	Lucknow	Good	43	NO ₂ , CO, PM ₁₀	6
100	Ludhiana	Satisfactory	61	PM ₁₀	1
101	Madikeri	Good	26	03	1
102	Maihar	Good	11	SO ₂	1
103	Mandi Gobindgarh	Satisfactory	79	PM ₁₀	1
104	Mandideep	Good	48	PM ₁₀	1
105	Mandikhera	Satisfactory	61	PM ₁₀	1
106	Manesar	Satisfactory	60	PM ₁₀	1
107	Manglore	Satisfactory	58	СО	1
108	Manguraha	Good	34	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Meerut	Good	27	O ₃ , NO ₂	3
110	Moradabad	Good	47	O ₃ , PM _{2.5} , SO ₂	5
111	Motihari	Good	40	03	1
112	Mumbai	Satisfactory	67	NO ₂ , PM ₁₀ , CO	17
113	Muzaffarnagar	Satisfactory	59	03	1
114	Muzaffarpur	Good	48	PM _{2.5} , PM ₁₀	2
115	Mysuru	Satisfactory	75	PM ₁₀	1
116	Nagpur	Satisfactory	56	со	1
117	Nandesari	Satisfactory	68	PM _{2.5}	1
118	Navi Mumbai	Moderate	126	PM _{2.5} , PM ₁₀	3
119	Noida	Satisfactory	60	CO, O ₃	4
120	Ooty	Good	49	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pali	Satisfactory	90	PM ₁₀	1
122	Palwal	Good	44	со	1
123	Panchkula	Good	50	PM _{2.5}	1
124	Panipat	Good	33	03	1
125	Patiala	Good	49	03	1
126	Patna	Satisfactory	63	PM ₁₀ , NO ₂	6
127	Pithampur	Satisfactory	89	PM ₁₀	1
128	Prayagraj	Good	41	PM _{2.5} , SO ₂ , O ₃	3
129	Puducherry	Good	26	со	1
130	Purnia	Satisfactory	66	PM ₁₀	1
131	Rajamahendravaram	Good	24	со	1
132	Rajgir	Satisfactory	78	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanagara	Good	33	O ₃	1
134	Ratlam	Satisfactory	77	PM ₁₀	1
135	Rohtak	Good	49	PM _{2.5}	1
136	Rupnagar	Good	49	со	1
137	Sagar	Satisfactory	53	со	1
138	Saharsa	Good	44	PM ₁₀	1
139	Samastipur	Satisfactory	58	PM ₁₀	1
140	Satna	Good	27	PM _{2.5}	1
141	Shillong	Good	21	SO ₂	1
142	Shivamogga	Good	40	PM ₁₀	1
143	Siliguri	Good	46	PM ₁₀	1
144	Singrauli	Satisfactory	84	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Satisfactory	52	O ₃	1
146	Sivasagar	Good	15	со	1
147	Siwan	Satisfactory	59	со	1
148	Solapur	Satisfactory	75	PM ₁₀	1
149	Sonipat	Good	49	PM ₁₀	1
150	Srinagar	Satisfactory	73	PM ₁₀	1
151	Talcher	Satisfactory	59	SO ₂	1
152	Thane	Satisfactory	90	PM ₁₀	1
153	Thiruvananthapuram	Good	43	PM _{2.5} , PM ₁₀	2
154	Thoothukudi	Good	48	PM ₁₀	1
155	Thrissur	Satisfactory	68	PM _{2.5}	1
156	Tirupati	Good	44	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Tiruppur	Moderate	137	PM ₁₀	1
158	Udaipur	Satisfactory	74	PM ₁₀	1
159	Varanasi	Good	44	NO ₂ , PM ₁₀	4
160	Vatva	Satisfactory	90	PM ₁₀	1
161	Visakhapatnam	Satisfactory	64	PM ₁₀	1
162	Vrindavan	Satisfactory	52	SO ₂	1
163	Yadgir	Good	30	со	1
164	Yamunanagar	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baddi, Begusarai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dindigul, Gummidipoondi, Jind, Kohima, Kolar, Munger, Naharlagun, Narnaul, Nashik, Pune, Raichur, Ramanathapuram, Salem, Sasaram, Udupi, Ujjain, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.