

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	214	PM _{2.5}	2
2	Agra	Satisfactory	71	PM _{2.5} , PM ₁₀	6
3	Ajmer	Satisfactory	70	PM ₁₀	1
4	Alwar	Satisfactory	81	PM _{2.5}	1
5	Amaravati	Moderate	121	PM _{2.5}	1
6	Ambala	Moderate	169	PM _{2.5}	1
7	Amritsar	Moderate	147	PM _{2.5}	1
8	Anantapur	Satisfactory	59	03	1
9	Ankleshwar	Poor	224	PM _{2.5}	1
10	Araria	Very Poor	306	PM _{2.5}	1
11	Ariyalur	Satisfactory	78	PM _{2.5}	1
12	Arrah	Very Poor	329	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	329	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	315	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	124	PM ₁₀	1
16	Baddi	Very Poor	330	PM _{2.5}	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Bahadurgarh	Poor	217	PM _{2.5}	1
19	Ballabgarh	Moderate	200	PM _{2.5}	1
20	Bareilly	Moderate	138	PM ₁₀	2
21	Baripada	Moderate	197	PM _{2.5}	1
22	Bathinda	Moderate	160	PM _{2.5}	1
23	Begusarai	Severe	467	PM _{2.5}	1
24	Belgaum	Moderate	155	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	73	PM _{2.5} , PM ₁₀	9
26	Bettiah	Severe	458	PM _{2.5}	1
27	Bhagalpur	Very Poor	397	PM _{2.5}	2
28	Bhiwadi	Moderate	172	PM ₁₀	1
29	Bhiwani	Moderate	155	PM _{2.5}	1
30	Bhopal	Moderate	198	PM _{2.5}	2
31	Bidar	Satisfactory	78	PM ₁₀	1
32	Bihar Sharif	Very Poor	366	PM _{2.5}	1
33	Bilaspur	Moderate	104	со	1
34	Bileipada	Moderate	156	PM ₁₀	1
35	Brajrajnagar	Moderate	109	PM ₁₀	1
36	Bulandshahr	Moderate	189	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	382	PM _{2.5}	1
38	Chamarajanagar	Good	44	PM ₁₀	1
39	Chandigarh	Poor	236	PM _{2.5}	2
40	Chandrapur	Moderate	137	PM _{2.5}	2
41	Charkhi Dadri	Moderate	171	PM _{2.5}	1
42	Chennai	Satisfactory	73	PM ₁₀ , PM _{2.5}	8
43	Chhapra	Very Poor	363	PM _{2.5}	1
44	Chikkaballapur	Moderate	127	PM ₁₀	1
45	Chikkamagaluru	Good	50	PM ₁₀	1
46	Chittoor	Satisfactory	79	PM _{2.5}	1
47	Coimbatore	Satisfactory	100	PM _{2.5}	1
48	Damoh	Satisfactory	56	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Severe	424	PM _{2.5}	1
50	Dehradun	Moderate	189	PM _{2.5}	1
51	Delhi	Very Poor	308	PM ₁₀ , PM _{2.5}	38
52	Dewas	Moderate	140	PM ₁₀	1
53	Dharuhera	Poor	289	PM _{2.5}	1
54	Dindigul	Poor	236	NO ₂	1
55	Durgapur	Poor	228	PM ₁₀	1
56	Faridabad	Poor	263	PM _{2.5}	4
57	Fatehabad	Moderate	173	PM _{2.5}	1
58	Firozabad	Satisfactory	76	PM ₁₀	2
59	Gadag	Good	47	O ₃	1
60	Gandhinagar	Moderate	118	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	43	PM _{2.5}	1
62	Gaya	Poor	278	PM _{2.5}	3
63	Ghaziabad	Poor	256	PM _{2.5}	4
64	Gorakhpur	Moderate	106	PM _{2.5}	1
65	Greater Noida	Poor	300	PM _{2.5}	2
66	Gurugram	Poor	257	PM _{2.5}	3
67	Guwahati	Poor	230	PM _{2.5}	3
68	Gwalior	Poor	277	PM _{2.5}	3
69	Hajipur	Poor	213	PM _{2.5}	1
70	Hapur	Moderate	109	PM ₁₀	1
71	Haveri	Moderate	108	PM _{2.5}	1
72	Hisar	Poor	264	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	196	03	1
74	Howrah	Poor	248	PM _{2.5}	3
75	Hubballi	Satisfactory	92	PM ₁₀	2
76	Hyderabad	Satisfactory	88	PM _{2.5} , PM ₁₀	12
77	Imphal	Moderate	104	PM _{2.5} , SO ₂	2
78	Indore	Moderate	141	PM ₁₀	1
79	Jabalpur	Poor	286	PM _{2.5}	1
80	Jaipur	Satisfactory	72	PM _{2.5} , PM ₁₀	3
81	Jalandhar	Moderate	140	PM _{2.5}	1
82	Jhansi	Moderate	126	PM ₁₀	1
83	Jind	Poor	228	PM _{2.5}	1
84	Jodhpur	Moderate	106	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	163	PM _{2.5}	1
86	Kalaburgi	Moderate	104	PM _{2.5}	1
87	Kalyan	Moderate	162	PM ₁₀	1
88	Kanchipuram	Satisfactory	58	SO ₂	1
89	Kannur	Satisfactory	74	PM _{2.5}	1
90	Kanpur	Moderate	117	PM ₁₀	3
91	Karnal	Poor	215	PM _{2.5}	1
92	Katihar	Severe	424	PM _{2.5}	1
93	Katni	Poor	266	PM _{2.5}	1
94	Keonjhar	Moderate	121	PM _{2.5}	1
95	Khanna	Moderate	187	PM _{2.5}	1
96	Khurja	Moderate	185	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Very Poor	306	PM _{2.5}	1
98	Kochi	Poor	204	PM _{2.5}	1
99	Kohima	Satisfactory	64	PM ₁₀	1
100	Kolkata	Moderate	194	PM _{2.5}	7
101	Kollam	Moderate	119	PM ₁₀	1
102	Kota	Moderate	122	PM _{2.5}	1
103	Kozhikode	Satisfactory	75	PM _{2.5}	1
104	Kurukshetra	Moderate	193	PM _{2.5}	1
105	Lucknow	Poor	201	PM _{2.5}	6
106	Ludhiana	Moderate	184	PM _{2.5}	1
107	Madikeri	Good	28	03	1
108	Maihar	Satisfactory	94	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Very Poor	315	PM _{2.5}	1
110	Mandideep	Moderate	113	PM _{2.5}	1
111	Manesar	Poor	224	PM _{2.5}	1
112	Mangalore	Moderate	108	PM ₁₀	1
113	Manguraha	Moderate	120	PM _{2.5}	1
114	Meerut	Poor	221	PM _{2.5}	3
115	Moradabad	Moderate	129	PM _{2.5}	6
116	Motihari	Very Poor	305	PM ₁₀	1
117	Mumbai	Moderate	186	PM _{2.5} , PM ₁₀	17
118	Munger	Very Poor	365	PM _{2.5}	1
119	Muzaffarnagar	Very Poor	332	PM _{2.5}	1
120	Muzaffarpur	Very Poor	386	PM _{2.5}	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	54	PM ₁₀	1
122	Nagpur	Poor	257	PM _{2.5}	1
123	Nalbari	Poor	275	PM _{2.5}	1
124	Narnaul	Moderate	105	PM ₁₀	1
125	Nashik	Satisfactory	87	PM _{2.5}	1
126	Navi Mumbai	Poor	209	PM _{2.5}	2
127	Nayagarh	Moderate	127	PM ₁₀	1
128	Noida	Poor	270	PM _{2.5}	4
129	Ooty	Good	48	SO ₂	1
130	Pali	Moderate	109	PM ₁₀	1
131	Palwal	Satisfactory	62	PM ₁₀	1
132	Panchkula	Moderate	200	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	170	PM ₁₀	1
134	Patiala	Moderate	123	PM _{2.5}	1
135	Patna	Very Poor	338	PM ₁₀ , PM _{2.5}	6
136	Pithampur	Poor	217	PM _{2.5}	1
137	Prayagraj	Moderate	172	PM _{2.5}	3
138	Puducherry	Satisfactory	81	PM _{2.5}	1
139	Purnia	Severe	404	PM _{2.5}	1
140	Raichur	Good	43	PM _{2.5}	1
141	Rairangpur	Satisfactory	97	PM ₁₀	1
142	Rajamahendravaram	Satisfactory	84	PM ₁₀	1
143	Rajgir	Very Poor	342	PM _{2.5}	1
144	Ramanagara	Satisfactory	78	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Satisfactory	62	PM _{2.5}	1
146	Ratlam	Moderate	123	PM _{2.5}	1
147	Rohtak	Poor	220	PM _{2.5}	1
148	Rourkela	Poor	237	PM _{2.5}	1
149	Rupnagar	Moderate	144	PM ₁₀	1
150	Sagar	Poor	253	PM _{2.5}	1
151	Saharsa	Very Poor	371	PM _{2.5}	1
152	Samastipur	Very Poor	378	PM _{2.5}	1
153	Sasaram	Very Poor	304	PM _{2.5}	1
154	Satna	Satisfactory	94	PM ₁₀	1
155	Shillong	Satisfactory	74	PM _{2.5}	1
156	Shivamogga	Good	48	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siliguri	Moderate	175	PM _{2.5}	1
158	Singrauli	Very Poor	336	PM _{2.5}	1
159	Sirsa	Moderate	143	PM _{2.5}	1
160	Sivasagar	Good	40	PM _{2.5}	1
161	Siwan	Severe	420	PM _{2.5}	1
162	Solapur	Moderate	108	PM _{2.5}	1
163	Sonipat	Moderate	159	PM ₁₀	1
164	Suakati	Moderate	103	PM ₁₀	1
165	Surat	Poor	280	PM _{2.5}	1
166	Talcher	Poor	223	PM _{2.5}	1
167	Tensa	Satisfactory	55	PM ₁₀	1
168	Thane	Moderate	160	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Moderate	104	PM _{2.5}	2
170	Thoothukudi	Satisfactory	77	PM ₁₀	1
171	Thrissur	Moderate	125	PM ₁₀	1
172	Tirupati	Satisfactory	60	NO ₂ , PM _{2.5}	2
173	Tirupur	Satisfactory	63	PM ₁₀	1
174	Udaipur	Moderate	186	PM _{2.5}	1
175	Udupi	Satisfactory	99	СО	1
176	Ujjain	Poor	212	PM _{2.5}	1
177	Vapi	Very Poor	314	PM _{2.5}	1
178	Varanasi	Satisfactory	90	O ₃ , PM _{2.5}	4
179	Vatva	Moderate	159	PM _{2.5}	1
180	Vijayapura	Satisfactory	58	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor, Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba, Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Satisfactory	95	PM ₁₀	1
182	Yamunanagar	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ahmedabad, Aizawl,
 Baghpat, Bhilai, Buxar, Chengalpattu, Davanagere, Dharwad, Eloor,
 Ernakulam, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Koppal, Korba,
 Mandikhera, Naharlagun, Nandesari, Pune, Raipur, Salem, Srinagar, Tumakuru,
 Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.