

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	99	PM _{2.5}	1
2	Agra	Moderate	160	PM _{2.5} , PM ₁₀	4
3	Ahmedabad	Satisfactory	90	NO ₂ , PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	34	PM ₁₀	1
5	Ajmer	Moderate	116	PM ₁₀	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Good	35	O ₃	1
8	Ambala	Moderate	134	PM ₁₀	1
9	Amritsar	Moderate	105	PM ₁₀	1
10	Ankleshwar	Moderate	162	PM _{2.5}	1
11	Asansol	Moderate	105	PM _{2.5}	1
12	Bagalkot	Good	29	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	146	PM ₁₀	1
14	Bahadurgarh	Moderate	129	PM ₁₀	1
15	Ballabgarh	Poor	270	PM _{2.5}	1
16	Bengaluru	Satisfactory	57	CO, PM ₁₀	8
17	Bhiwadi	Poor	242	PM _{2.5}	1
18	Bhiwani	Moderate	146	PM _{2.5}	1
19	Bhopal	Moderate	107	PM ₁₀	1
20	Bidar	Good	50	со	1
21	Bilaspur	Satisfactory	83	PM ₁₀	1
22	Brajrajnagar	Satisfactory	76	PM ₁₀	1
23	Bulandshahr	Moderate	167	03	1
24	Chamarajanagar	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	137	O ₃ , PM ₁₀	2
26	Chandrapur	Satisfactory	79	PM ₁₀	2
27	Charkhi Dadri	Moderate	172	PM _{2.5}	1
28	Chennai	Satisfactory	55	CO, PM ₁₀	6
29	Chikkaballapur	Good	32	NO ₂	1
30	Chikkamagaluru	Good	36	NO ₂	1
31	Damoh	Satisfactory	55	PM _{2.5}	1
32	Davanagere	Good	27	со	1
33	Delhi	Moderate	167	PM _{2.5} , PM ₁₀ , O ₃	25
34	Dewas	Satisfactory	70	PM ₁₀	1
35	Dharuhera	Moderate	176	PM _{2.5}	1
36	Durgapur	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	42	со	1
38	Faridabad	Poor	205	PM _{2.5} , PM ₁₀ , O ₃	3
39	Firozabad	Moderate	115	PM ₁₀	1
40	Gandhinagar	Satisfactory	64	PM ₁₀	3
41	Gaya	Satisfactory	78	PM _{2.5} , PM ₁₀	2
42	Ghaziabad	Moderate	194	PM _{2.5} , PM ₁₀	3
43	Gorakhpur	Moderate	107	PM ₁₀	1
44	Greater Noida	Moderate	180	PM ₁₀	2
45	Gummidipoondi	Satisfactory	87	PM ₁₀	1
46	Gurugram	Moderate	194	PM _{2.5}	3
47	Guwahati	Satisfactory	91	SO ₂ , PM ₁₀	2
48	Gwalior	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	57	PM ₁₀	1
50	Hassan	Satisfactory	62	PM ₁₀	1
51	Hisar	Moderate	189	PM _{2.5}	1
52	Howrah	Satisfactory	92	PM ₁₀	3
53	Hubballi	Good	34	PM ₁₀	1
54	Hyderabad	Satisfactory	54	NO ₂ , PM _{2.5} , PM ₁₀	3
55	Indore	Satisfactory	74	PM ₁₀	1
56	Jabalpur	Satisfactory	82	PM ₁₀	1
57	Jaipur	Moderate	110	PM ₁₀	1
58	Jalandhar	Moderate	140	PM _{2.5}	1
59	Jind	Moderate	162	PM _{2.5}	1
60	Jodhpur	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	119	PM ₁₀	1
62	Kalyan	Satisfactory	76	PM ₁₀	1
63	Kannur	Good	42	со	1
64	Kanpur	Moderate	152	PM _{2.5} , O ₃ , PM ₁₀	4
65	Karnal	Moderate	115	PM _{2.5}	1
66	Katni	Moderate	122	PM ₁₀	1
67	Khanna	Moderate	122	PM ₁₀	1
68	Kochi	Good	44	со	1
69	Kohima	Satisfactory	63	PM ₁₀	1
70	Kolar	Good	44	со	1
71	Kolkata	Satisfactory	98	PM _{2.5} , O ₃ , PM ₁₀	7
72	Kollam	Satisfactory	90	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	67	O ₃	1
74	Kota	Satisfactory	69	PM ₁₀	1
75	Kozhikode	Good	44	PM ₁₀	1
76	Kurukshetra	Moderate	190	03	1
77	Lucknow	Moderate	130	PM _{2.5} , PM ₁₀	6
78	Ludhiana	Satisfactory	98	PM ₁₀	1
79	Maihar	Satisfactory	52	PM ₁₀	1
80	Mandi Gobindgarh	Poor	228	PM _{2.5}	1
81	Mandideep	Moderate	105	PM ₁₀	1
82	Mandikhera	Satisfactory	98	PM _{2.5}	1
83	Manesar	Moderate	157	PM _{2.5}	1
84	Manglore	Satisfactory	53	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	32	O ₃	1
86	Meerut	Moderate	173	O ₃ , PM _{2.5}	3
87	Moradabad	Moderate	178	PM _{2.5}	1
88	Mumbai	Satisfactory	64	PM ₁₀ , CO, NH ₃	19
89	Muzaffarnagar	Moderate	145	PM ₁₀	1
90	Muzaffarpur	Satisfactory	72	PM ₁₀	1
91	Mysuru	Good	37	PM ₁₀	1
92	Naharlagun	Satisfactory	64	PM ₁₀	1
93	Narnaul	Moderate	152	PM _{2.5}	1
94	Nashik	Satisfactory	60	PM _{2.5}	1
95	Navi Mumbai	Satisfactory	64	PM _{2.5} , PM ₁₀ , CO	3
96	Noida	Moderate	168	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Satisfactory	80	PM ₁₀	1
98	Palwal	Moderate	128	PM ₁₀	1
99	Panipat	Moderate	141	PM ₁₀	1
100	Patiala	Moderate	180	NO ₂	1
101	Patna	Moderate	112	O ₃ , PM ₁₀	5
102	Pithampur	Satisfactory	64	03	1
103	Prayagraj	Moderate	103	PM ₁₀ , PM _{2.5}	3
104	Puducherry	Satisfactory	58	03	1
105	Pune	Satisfactory	70	SO ₂ , CO, PM _{2.5}	6
106	Raichur	Good	47	PM ₁₀	1
107	Rajamahendravaram	Good	33	PM ₁₀	1
108	Ramanagara	Good	36	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	178	PM _{2.5}	1
110	Rupnagar	Moderate	106	PM ₁₀	1
111	Sagar	Good	48	со	1
112	Satna	Satisfactory	63	PM ₁₀	1
113	Shillong	Good	18	PM _{2.5}	1
114	Shivamogga	Good	40	PM ₁₀	1
115	Singrauli	Moderate	119	PM ₁₀	1
116	Sirsa	Moderate	120	PM ₁₀	1
117	Sonipat	Moderate	147	PM ₁₀	1
118	Srinagar	Good	48	PM ₁₀	1
119	Talcher	Satisfactory	90	PM ₁₀	1
120	Thiruvananthapuram	Good	44	CO, O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	35	PM ₁₀	1
122	Thrissur	Good	50	O ₃	1
123	Tirupati	Good	38	со	1
124	Udaipur	Satisfactory	88	PM ₁₀	1
125	Ujjain	Satisfactory	93	PM ₁₀	1
126	Varanasi	Satisfactory	78	PM ₁₀	4
127	Vatva	Moderate	149	PM _{2.5}	1
128	Vijayapura	Good	42	PM ₁₀	1
129	Visakhapatnam	Good	50	PM ₁₀	1
130	Vrindavan	Moderate	152	PM ₁₀	1
131	Yadgir	Good	27	SO ₂	1
132	Yamunanagar	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Fatehabad, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Motihari, Nagpur, Nandesari, Panchkula, Ratlam, Siliguri, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.