

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	156	PM _{2.5}	1
2	Agra	Poor	289	PM _{2.5}	1
3	Ahmedabad	Moderate	142	NO ₂	1
4	Aizawl	Satisfactory	95	PM _{2.5}	1
5	Ajmer	Satisfactory	79	PM ₁₀	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Satisfactory	95	PM _{2.5}	1
8	Ambala	Moderate	155	PM _{2.5}	1
9	Amritsar	Moderate	119	PM ₁₀	1
10	Ankleshwar	Moderate	197	PM _{2.5}	1
11	Asansol	Poor	204	PM _{2.5}	1
12	Aurangabad	Satisfactory	90	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	55	PM ₁₀	1
14	Baghpat	Very Poor	310	PM _{2.5}	1
15	Bahadurgarh	Poor	256	PM _{2.5}	1
16	Ballabgarh	Poor	296	PM _{2.5}	1
17	Bengaluru	Satisfactory	82	PM ₁₀ , PM _{2.5}	7
18	Bhiwadi	Very Poor	330	PM _{2.5}	1
19	Bhiwani	Moderate	149	PM ₁₀	1
20	Bhopal	Moderate	133	PM ₁₀	1
21	Bidar	Satisfactory	90	PM _{2.5}	1
22	Brajrajnagar	Satisfactory	89	PM ₁₀	1
23	Bulandshahr	Very Poor	343	PM _{2.5}	1
24	Chandigarh	Satisfactory	97	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	129	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Poor	216	PM _{2.5}	1
27	Chennai	Moderate	122	PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Good	49	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	77	03	1
30	Damoh	Satisfactory	90	PM _{2.5}	1
31	Delhi	Very Poor	354	PM _{2.5} , PM ₁₀	37
32	Dewas	Satisfactory	99	PM ₁₀	1
33	Dharuhera	Poor	283	PM ₁₀	1
34	Durgapur	Poor	270	PM _{2.5}	1
35	Ernakulam	Satisfactory	61	со	1
36	Faridabad	Very Poor	367	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	201	PM _{2.5}	1
38	Gadag	Satisfactory	59	PM _{2.5}	1
39	Gandhinagar	Satisfactory	93	PM ₁₀	1
40	Gaya	Satisfactory	77	PM _{2.5}	1
41	Ghaziabad	Very Poor	388	PM _{2.5}	4
42	Greater Noida	Very Poor	398	PM ₁₀ , PM _{2.5}	2
43	Gurugram	Poor	276	PM _{2.5}	4
44	Guwahati	Very Poor	344	PM _{2.5}	1
45	Gwalior	Moderate	184	PM _{2.5}	1
46	Hajipur	Moderate	195	PM ₁₀	1
47	Haldia	Moderate	144	PM _{2.5}	1
48	Hapur	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	278	PM _{2.5}	1
50	Howrah	Poor	216	PM _{2.5}	2
51	Hubballi	Satisfactory	100	PM ₁₀	1
52	Hyderabad	Moderate	151	PM _{2.5}	5
53	Indore	Moderate	101	PM ₁₀	1
54	Jabalpur	Moderate	106	PM ₁₀	1
55	Jaipur	Moderate	161	PM _{2.5} , PM ₁₀	3
56	Jalandhar	Moderate	117	PM ₁₀	1
57	Jind	Poor	268	PM _{2.5}	1
58	Jodhpur	Moderate	173	PM _{2.5}	1
59	Jorapokhar	Moderate	106	PM ₁₀	1
60	Kaithal	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Moderate	106	PM ₁₀	1
62	Kalyan	Poor	235	PM _{2.5}	1
63	Kannur	Satisfactory	76	PM ₁₀	1
64	Kanpur	Very Poor	336	PM _{2.5}	2
65	Karnal	Poor	231	PM _{2.5}	1
66	Katni	Moderate	187	PM ₁₀	1
67	Khanna	Moderate	110	PM ₁₀	1
68	Kohima	Moderate	177	PM ₁₀	1
69	Kolar	Satisfactory	54	NO ₂	1
70	Kolkata	Poor	215	PM _{2.5}	7
71	Koppal	Satisfactory	90	PM ₁₀	1
72	Kota	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	86	со	1
74	Kurukshetra	Poor	285	PM _{2.5}	1
75	Lucknow	Poor	299	PM _{2.5}	4
76	Ludhiana	Moderate	108	PM ₁₀	1
77	Maihar	Good	42	PM ₁₀	1
78	Mandi Gobindgarh	Moderate	138	PM ₁₀	1
79	Mandideep	Satisfactory	91	PM ₁₀	1
80	Mandikhera	Moderate	147	PM _{2.5}	1
81	Manesar	Poor	241	PM _{2.5}	1
82	Manglore	Satisfactory	74	PM _{2.5}	1
83	Medikeri	Satisfactory	62	03	1
84	Meerut	Very Poor	303	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	239	PM _{2.5}	1
86	Mumbai	Moderate	193	PM _{2.5}	20
87	Muzaffarnagar	Poor	268	PM _{2.5}	1
88	Muzaffarpur	Poor	244	PM _{2.5} , PM ₁₀	2
89	Nagpur	Satisfactory	67	PM ₁₀	1
90	Nandesari	Satisfactory	92	СО	1
91	Narnaul	Moderate	189	PM ₁₀	1
92	Nashik	Satisfactory	95	PM _{2.5}	1
93	Navi Mumbai	Poor	252	PM _{2.5}	3
94	Noida	Very Poor	348	PM _{2.5} , PM ₁₀	4
95	Pali	Satisfactory	82	PM ₁₀	1
96	Palwal	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Moderate	157	03	1
98	Patiala	Moderate	115	PM ₁₀	1
99	Patna	Poor	237	PM _{2.5} , PM ₁₀	6
100	Pithampur	Poor	205	PM _{2.5}	1
101	Puducherry	Satisfactory	86	PM _{2.5}	1
102	Pune	Moderate	129	PM _{2.5} , PM ₁₀	6
103	Raichur	Moderate	124	PM ₁₀	1
104	Rajamahendravaram	Poor	209	PM _{2.5}	1
105	Ramanagara	Satisfactory	54	PM ₁₀	1
106	Ratlam	Satisfactory	98	PM ₁₀	1
107	Rohtak	Poor	269	PM _{2.5}	1
108	Rupnagar	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	52	PM _{2.5}	1
110	Satna	Moderate	128	PM ₁₀	1
111	Siliguri	Very Poor	334	PM _{2.5}	1
112	Singrauli	Moderate	160	PM _{2.5}	1
113	Sirsa	Moderate	105	PM _{2.5}	1
114	Solapur	Moderate	118	PM ₁₀	1
115	Talcher	Moderate	108	PM ₁₀	1
116	Thane	Moderate	175	PM ₁₀	1
117	Thiruvananthapuram	Good	46	CO, PM ₁₀	2
118	Thoothukudi	Good	46	03	1
119	Tirupati	Moderate	124	PM _{2.5}	1
120	Udaipur	Moderate	156	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	160	O ₃	1
122	Vapi	Poor	255	PM _{2.5}	1
123	Varanasi	Poor	244	O ₃	1
124	Vatva	Moderate	175	PM ₁₀	1
125	Vijayapura	Satisfactory	60	СО	1
126	Visakhapatnam	Poor	226	PM _{2.5}	1
127	Yadgir	Satisfactory	83	PM ₁₀	1
128	Yamunanagar	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Eloor, Gummidipoondi, Kochi, Kollam, Mysuru, Panipat, Shillong, Shivamogga, Sonipat, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.