

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	141	PM ₁₀ , PM _{2.5}	4
2	Ahmedabad	Satisfactory	95	PM _{2.5} , PM ₁₀	9
3	Aizawl	Good	22	PM ₁₀	1
4	Ajmer	Satisfactory	84	PM ₁₀	1
5	Alwar	Satisfactory	60	PM ₁₀	1
6	Amaravati	Good	47	03	1
7	Ambala	Moderate	114	PM _{2.5}	1
8	Amritsar	Moderate	166	PM _{2.5}	1
9	Asansol	Satisfactory	72	PM ₁₀	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Poor	228	PM ₁₀	1
12	Bahadurgarh	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	194	PM ₁₀	1
14	Bathinda	Good	35	PM ₁₀	1
15	Bengaluru	Satisfactory	61	PM ₁₀ , CO	9
16	Bhiwadi	Moderate	142	PM ₁₀	1
17	Bhiwani	Moderate	141	PM ₁₀	1
18	Bhopal	Satisfactory	76	PM ₁₀	1
19	Bulandshahr	Moderate	173	PM ₁₀	1
20	Chamarajanagar	Satisfactory	55	PM ₁₀	1
21	Chandigarh	Poor	238	PM _{2.5}	1
22	Chandrapur	Satisfactory	72	PM ₁₀	2
23	Charkhi Dadri	Moderate	150	PM ₁₀	1
24	Chennai	Satisfactory	55	CO, PM ₁₀ , SO ₂	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	31	03	1
26	Damoh	Good	30	PM _{2.5}	1
27	Davanagere	Good	25	PM ₁₀	1
28	Delhi	Moderate	178	PM ₁₀ , PM _{2.5}	33
29	Dewas	Satisfactory	68	PM ₁₀	1
30	Dharuhera	Moderate	168	PM ₁₀	1
31	Durgapur	Moderate	174	PM _{2.5}	1
32	Ernakulam	Satisfactory	58	со	1
33	Faridabad	Moderate	156	PM _{2.5} , PM ₁₀ , NO ₂	4
34	Fatehabad	Moderate	130	PM ₁₀	1
35	Gadag	Good	17	PM _{2.5}	1
36	Gandhinagar	Moderate	134	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	104	PM _{2.5}	2
38	Ghaziabad	Poor	208	PM ₁₀	3
39	Gorakhpur	Good	48	03	1
40	Greater Noida	Moderate	198	PM ₁₀	2
41	Gummidipoondi	Satisfactory	81	PM ₁₀	1
42	Gurugram	Moderate	130	PM ₁₀ , PM _{2.5}	3
43	Guwahati	Good	46	SO ₂ , PM ₁₀	2
44	Gwalior	Satisfactory	91	PM ₁₀	1
45	Hajipur	Moderate	124	PM _{2.5}	1
46	Haldia	Satisfactory	68	PM ₁₀	1
47	Hapur	Moderate	131	PM ₁₀	1
48	Hassan	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	143	PM ₁₀	1
50	Howrah	Satisfactory	75	PM ₁₀	3
51	Hubballi	Satisfactory	51	PM ₁₀	1
52	Hyderabad	Satisfactory	64	PM ₁₀ , PM _{2.5}	6
53	Indore	Satisfactory	88	PM ₁₀	1
54	Jabalpur	Satisfactory	52	O ₃	1
55	Jaipur	Moderate	109	PM ₁₀	3
56	Jalandhar	Moderate	133	PM ₁₀	1
57	Jind	Moderate	163	PM _{2.5}	1
58	Jodhpur	Moderate	115	PM ₁₀	1
59	Kaithal	Moderate	136	PM ₁₀	1
60	Kalaburgi	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Satisfactory	99	PM ₁₀	1
62	Kannur	Satisfactory	59	PM ₁₀	1
63	Kanpur	Satisfactory	60	PM _{2.5}	2
64	Karnal	Moderate	136	PM ₁₀	1
65	Katni	Satisfactory	99	PM ₁₀	1
66	Khanna	Moderate	122	PM ₁₀	1
67	Kochi	Good	48	СО	1
68	Kohima	Good	32	SO ₂	1
69	Kolar	Satisfactory	89	со	1
70	Kolkata	Satisfactory	78	PM _{2.5} , PM ₁₀	5
71	Kollam	Satisfactory	70	со	1
72	Koppal	Satisfactory	74	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Satisfactory	75	PM ₁₀	1
74	Kozhikode	Satisfactory	70	со	1
75	Kurukshetra	Moderate	155	PM ₁₀	1
76	Lucknow	Moderate	106	PM ₁₀ , PM _{2.5}	5
77	Ludhiana	Satisfactory	100	PM ₁₀	1
78	Maihar	Good	48	со	1
79	Mandi Gobindgarh	Satisfactory	90	PM ₁₀	1
80	Mandikhera	Satisfactory	84	PM ₁₀	1
81	Manesar	Moderate	133	PM ₁₀	1
82	Manglore	Satisfactory	72	NO ₂	1
83	Medikeri	Good	33	со	1
84	Meerut	Poor	202	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	232	PM ₁₀	1
86	Mumbai	Satisfactory	74	PM _{2.5} , PM ₁₀	19
87	Muzaffarnagar	Poor	205	PM ₁₀	1
88	Muzaffarpur	Satisfactory	69	PM _{2.5}	2
89	Mysuru	Good	37	PM ₁₀	1
90	Nagpur	Satisfactory	83	03	1
91	Nandesari	Moderate	106	PM _{2.5}	1
92	Narnaul	Moderate	148	PM ₁₀	1
93	Nashik	Good	48	PM ₁₀	1
94	Navi Mumbai	Satisfactory	52	PM ₁₀ , PM _{2.5}	2
95	Noida	Moderate	189	PM ₁₀	3
96	Pali	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	122	PM ₁₀	1
98	Panchkula	Moderate	138	PM _{2.5}	1
99	Panipat	Moderate	179	PM ₁₀	1
100	Patiala	Moderate	136	PM ₁₀	1
101	Patna	Moderate	120	NO ₂ , PM ₁₀ , PM _{2.5}	5
102	Pithampur	Satisfactory	68	PM ₁₀	1
103	Prayagraj	Satisfactory	80	PM ₁₀	2
104	Puducherry	Satisfactory	54	03	1
105	Pune	Satisfactory	89	PM ₁₀ , PM _{2.5} , CO	6
106	Raichur	Good	43	PM ₁₀	1
107	Rajamahendravaram	Satisfactory	75	PM ₁₀	1
108	Ramanagara	Good	37	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Satisfactory	76	PM ₁₀	1
110	Rohtak	Moderate	131	PM _{2.5}	1
111	Rupnagar	Moderate	103	PM ₁₀	1
112	Sagar	Good	32	PM _{2.5}	1
113	Satna	Satisfactory	73	PM ₁₀	1
114	Shivamogga	Good	37	PM ₁₀	1
115	Singrauli	Satisfactory	81	PM ₁₀	1
116	Sirsa	Moderate	114	PM ₁₀	1
117	Solapur	Satisfactory	53	PM ₁₀	1
118	Sonipat	Poor	222	PM ₁₀	1
119	Srinagar	Moderate	106	PM ₁₀	1
120	Talcher	Satisfactory	100	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	130	PM ₁₀	1
122	Thiruvananthapuram	Good	42	СО	2
123	Thoothukudi	Satisfactory	51	PM ₁₀	1
124	Tirupati	Satisfactory	70	со	1
125	Udaipur	Moderate	109	PM ₁₀	1
126	Ujjain	Satisfactory	98	PM ₁₀	1
127	Vapi	Satisfactory	76	PM ₁₀	1
128	Varanasi	Satisfactory	75	PM ₁₀	1
129	Vijayapura	Good	47	PM ₁₀	1
130	Visakhapatnam	Moderate	112	PM ₁₀	1
131	Yadgir	Good	35	PM ₁₀	1
132	Yamunanagar	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Eloor, Jorapokhar, Mandideep, Naharlagun, Shillong, Siliguri, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.