

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	62	PM ₁₀	2
2	Agra	Satisfactory	95	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	103	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	60	PM ₁₀	1
5	Ajmer	Moderate	145	PM ₁₀	1
6	Alwar	Moderate	114	PM ₁₀	1
7	Amaravati	Moderate	101	PM ₁₀	1
8	Ambala	Moderate	139	PM ₁₀	1
9	Amritsar	Moderate	107	PM ₁₀	1
10	Ankleshwar	Satisfactory	54	PM ₁₀	1
11	Araria	Moderate	143	PM _{2.5}	1
12	Arrah	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	173	03	1
14	Aurangabad (Bihar)	Moderate	156	PM ₁₀	1
15	Baddi	Moderate	167	PM _{2.5}	1
16	Bagalkot	Satisfactory	51	PM ₁₀	1
17	Baghpat	Moderate	108	PM ₁₀	1
18	Bahadurgarh	Moderate	170	PM ₁₀	1
19	Ballabgarh	Moderate	193	PM _{2.5}	1
20	Bathinda	Moderate	101	PM ₁₀	1
21	Bengaluru	Satisfactory	84	PM _{2.5} , PM ₁₀	7
22	Bhagalpur	Moderate	144	PM ₁₀ , PM _{2.5}	2
23	Bhiwadi	Poor	234	PM _{2.5}	1
24	Bhiwani	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	126	PM ₁₀	1
26	Bidar	Satisfactory	83	PM ₁₀	1
27	Bihar Sharif	Moderate	185	PM ₁₀	1
28	Bilaspur	Satisfactory	65	PM ₁₀	1
29	Bulandshahr	Moderate	178	03	1
30	Buxar	Moderate	186	PM _{2.5}	1
31	Chamarajanagar	Good	42	PM ₁₀	1
32	Chandigarh	Poor	205	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Moderate	128	PM ₁₀	2
34	Chennai	Satisfactory	72	PM ₁₀ , PM _{2.5} , CO	6
35	Chhapra	Moderate	128	PM ₁₀	1
36	Chikkaballapur	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	60	PM ₁₀	1
38	Damoh	Good	34	PM ₁₀	1
39	Darbhanga	Moderate	168	PM ₁₀	1
40	Davanagere	Satisfactory	70	PM ₁₀	1
41	Dehradun	Moderate	123	PM ₁₀	1
42	Delhi	Poor	210	PM ₁₀	15
43	Dewas	Satisfactory	93	PM ₁₀	1
44	Dharuhera	Poor	268	PM ₁₀	1
45	Faridabad	Poor	212	PM _{2.5} , PM ₁₀	2
46	Fatehabad	Moderate	193	PM ₁₀	1
47	Firozabad	Satisfactory	88	03	1
48	Gadag	Good	30	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	126	PM _{2.5} , PM ₁₀	2
50	Gangtok	Good	41	03	1
51	Gaya	Moderate	150	O ₃ , PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Poor	213	PM ₁₀	4
53	Gorakhpur	Satisfactory	65	03	1
54	Greater Noida	Moderate	197	PM ₁₀	2
55	Gummidipoondi	Good	35	PM _{2.5}	1
56	Gurugram	Poor	204	PM ₁₀ , PM _{2.5}	4
57	Guwahati	Satisfactory	100	PM ₁₀	2
58	Gwalior	Moderate	143	PM ₁₀	1
59	Hajipur	Moderate	175	PM _{2.5}	1
60	Haldia	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	93	PM _{2.5}	1
62	Hassan	Moderate	105	PM ₁₀	1
63	Hisar	Moderate	163	PM _{2.5}	1
64	Howrah	Moderate	124	PM _{2.5} , PM ₁₀	3
65	Hubballi	Satisfactory	82	PM ₁₀	1
66	Hyderabad	Moderate	110	O ₃ , PM ₁₀ , PM _{2.5}	9
67	Imphal	Satisfactory	87	PM ₁₀	1
68	Indore	Satisfactory	89	PM ₁₀	1
69	Jabalpur	Moderate	120	PM ₁₀	1
70	Jaipur	Moderate	156	PM _{2.5} , PM ₁₀	3
71	Jalandhar	Poor	212	PM _{2.5}	1
72	Jind	Moderate	165	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	143	PM ₁₀	1
74	Kalaburgi	Satisfactory	85	PM ₁₀	1
75	Kalyan	Satisfactory	81	PM ₁₀	1
76	Kannur	Satisfactory	60	PM ₁₀	1
77	Kanpur	Satisfactory	98	PM ₁₀ , PM _{2.5}	2
78	Karnal	Moderate	114	PM ₁₀	1
79	Katihar	Poor	211	PM ₁₀	1
80	Katni	Satisfactory	100	PM ₁₀	1
81	Khanna	Moderate	130	PM ₁₀	1
82	Kochi	Satisfactory	97	PM _{2.5}	1
83	Kohima	Moderate	104	PM ₁₀	1
84	Kolkata	Moderate	130	PM _{2.5} , O ₃ , PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	73	PM ₁₀	1
86	Koppal	Satisfactory	55	PM ₁₀	1
87	Kota	Moderate	111	PM ₁₀	1
88	Kurukshetra	Poor	246	PM _{2.5}	1
89	Lucknow	Moderate	102	PM ₁₀	6
90	Ludhiana	Moderate	127	PM _{2.5}	1
91	Madikeri	Satisfactory	52	PM ₁₀	1
92	Maihar	Good	31	со	1
93	Mandi Gobindgarh	Poor	213	PM _{2.5}	1
94	Mandideep	Satisfactory	77	PM ₁₀	1
95	Mandikhera	Satisfactory	94	PM ₁₀	1
96	Manesar	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	61	СО	1
98	Meerut	Moderate	127	PM ₁₀	3
99	Moradabad	Moderate	134	O ₃ , PM ₁₀	3
100	Motihari	Moderate	166	03	1
101	Mumbai	Satisfactory	86	PM ₁₀ , CO, O ₃	18
102	Munger	Moderate	185	PM ₁₀	1
103	Muzaffarnagar	Poor	276	PM _{2.5}	1
104	Muzaffarpur	Moderate	172	PM _{2.5}	3
105	Mysuru	Good	47	PM ₁₀	1
106	Nagpur	Moderate	111	PM ₁₀	1
107	Narnaul	Satisfactory	60	PM ₁₀	1
108	Nashik	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	79	CO, PM ₁₀	3
110	Noida	Poor	223	PM ₁₀	4
111	Pali	Moderate	136	PM _{2.5}	1
112	Palwal	Moderate	133	PM ₁₀	1
113	Panchkula	Poor	203	PM _{2.5}	1
114	Panipat	Moderate	152	PM ₁₀	1
115	Patiala	Moderate	121	PM ₁₀	1
116	Patna	Moderate	160	PM _{2.5} , PM ₁₀ , NO ₂	6
117	Pithampur	Satisfactory	81	PM ₁₀	1
118	Prayagraj	Moderate	113	PM ₁₀	3
119	Puducherry	Satisfactory	55	PM ₁₀	1
120	Pune	Satisfactory	84	CO, PM _{2.5} , O ₃	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	218	PM _{2.5}	1
122	Raichur	Satisfactory	71	PM ₁₀	1
123	Rajamahendravaram	Moderate	113	PM ₁₀	1
124	Ramanagara	Good	48	PM ₁₀	1
125	Ratlam	Satisfactory	99	PM ₁₀	1
126	Rohtak	Poor	272	PM _{2.5}	1
127	Rupnagar	Poor	262	PM ₁₀	1
128	Sagar	Satisfactory	64	со	1
129	Saharsa	Moderate	160	PM ₁₀	1
130	Samastipur	Poor	210	PM ₁₀	1
131	Sasaram	Moderate	168	03	1
132	Satna	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Satisfactory	52	PM ₁₀	2
134	Shivamogga	Satisfactory	58	PM ₁₀	1
135	Siliguri	Good	44	NO ₂	1
136	Singrauli	Poor	201	PM ₁₀	1
137	Sirsa	Poor	291	PM ₁₀	1
138	Solapur	Moderate	103	PM ₁₀	1
139	Sonipat	Poor	217	PM ₁₀	1
140	Srinagar	Good	45	PM ₁₀	1
141	Thiruvananthapuram	Good	39	со	1
142	Thoothukudi	Good	35	PM ₁₀	1
143	Thrissur	Good	43	PM _{2.5}	1
144	Tirupati	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	102	PM ₁₀	1
146	Ujjain	Poor	235	PM ₁₀	1
147	Varanasi	Satisfactory	80	O ₃ , NO ₂	3
148	Vatva	Satisfactory	67	PM ₁₀	1
149	Vijayapura	Satisfactory	55	PM ₁₀	1
150	Visakhapatnam	Moderate	150	PM ₁₀	1
151	Vrindavan	Satisfactory	92	PM ₁₀	1
152	Yadgir	Satisfactory	62	PM ₁₀	1
153	Yamunanagar	Poor	259	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Coimbatore, Durgapur, Eloor, Ernakulam, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.