



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	PM _{2.5}	1
2	Agra	Good	44	PM ₁₀	6
3	Ahmedabad	Satisfactory	76	CO, O ₃	6
4	Aizawl	Good	18	PM ₁₀	1
5	Ajmer	Satisfactory	58	NO ₂	1
6	Akola	Good	49	PM ₁₀	1
7	Alwar	Satisfactory	60	NO ₂	1
8	Amaravati	Good	33	PM ₁₀	1
9	Ambala	Satisfactory	97	CO	1
10	Amravati	Good	48	PM ₁₀	2
11	Anantapur	Satisfactory	54	PM ₁₀	1
12	Ankleshwar	Poor	205	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	41	PM ₁₀	1
14	Arrah	Satisfactory	93	PM ₁₀	1
15	Aurangabad (Bihar)	Satisfactory	62	CO	1
16	Aurangabad (Maharashtra)	Good	46	CO	3
17	Baddi	Satisfactory	81	PM ₁₀	1
18	Badlapur	Good	37	PM ₁₀	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Satisfactory	53	PM ₁₀	1
21	Bahadurgarh	Good	40	O ₃	1
22	Ballabgarh	Good	40	PM ₁₀	1
23	Banswara	Good	36	PM ₁₀	1
24	Baran	Good	49	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	26	SO ₂	1
26	Baripada	Good	45	PM ₁₀	1
27	Barmer	Good	49	PM ₁₀	1
28	Bathinda	Good	33	PM ₁₀	1
29	Belapur	Good	31	PM ₁₀	1
30	Bengaluru	Satisfactory	52	PM ₁₀	9
31	Bettiah	Good	44	CO	1
32	Bhagalpur	Good	46	O ₃	2
33	Bharatpur	Good	25	PM _{2.5}	1
34	Bhilai	Good	32	PM ₁₀ , CO	3
35	Bhilwara	Satisfactory	58	PM ₁₀	1
36	Bhiwadi	Good	48	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Good	39	PM ₁₀	1
38	Bhiwani	Good	45	CO	1
39	Bhopal	Satisfactory	77	CO	3
40	Bidar	Good	26	PM ₁₀	1
41	Bikaner	Good	35	PM ₁₀	1
42	Bileipada	Satisfactory	76	PM ₁₀	1
43	Bulandshahr	Good	41	PM ₁₀	1
44	Byrnihat	Satisfactory	74	PM ₁₀	1
45	Chamarajanagar	Good	46	PM ₁₀	1
46	Chandigarh	Satisfactory	55	PM ₁₀	3
47	Chandrapur	Good	41	PM ₁₀	1
48	Charkhi Dadri	Good	33	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	85	PM ₁₀ , CO	7
50	Chhal	Good	39	CO	1
51	Chhapra	Satisfactory	62	PM _{2.5}	1
52	Chikkaballapur	Good	28	PM ₁₀	1
53	Chikkamagaluru	Good	34	CO	1
54	Chittoor	Good	33	O ₃	1
55	Chittorgarh	Good	45	PM ₁₀	1
56	Churu	Good	50	PM ₁₀	1
57	Cuddalore	Good	36	PM _{2.5}	2
58	Damoh	Good	30	PM ₁₀	1
59	Dausa	Satisfactory	70	PM ₁₀	1
60	Davanagere	Good	29	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Good	39	O ₃	1
62	Delhi	Satisfactory	65	CO	36
63	Dewas	Good	30	PM ₁₀	1
64	Dharuhera	Good	34	NO ₂	1
65	Dholpur	Good	29	O ₃	1
66	Dhule	Satisfactory	51	PM ₁₀	1
67	Durgapur	Good	44	PM ₁₀	1
68	Eloor	Satisfactory	68	PM ₁₀	1
69	Faridabad	Satisfactory	51	PM ₁₀	2
70	Fatehabad	Moderate	125	O ₃	1
71	Firozabad	Good	23	PM ₁₀	2
72	Gadag	Good	46	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Good	43	PM ₁₀	1
74	Gangtok	Satisfactory	57	SO ₂	1
75	Gaya	Good	48	O ₃	3
76	Ghaziabad	Satisfactory	64	O ₃ , PM ₁₀	4
77	Gorakhpur	Satisfactory	72	SO ₂	1
78	Greater Noida	Good	50	PM ₁₀	2
79	Gummidipoondi	Moderate	116	PM ₁₀	1
80	Gurugram	Satisfactory	62	PM ₁₀	3
81	Guwahati	Good	37	SO ₂ , O ₃	4
82	Gwalior	Good	45	O ₃ , CO	4
83	Hajipur	Satisfactory	86	O ₃	1
84	Haldia	Good	44	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, Vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Good	26	PM ₁₀	1
86	Hapur	Good	44	PM ₁₀	1
87	Howrah	Good	44	NO ₂ , PM ₁₀	3
88	Hubballi	Satisfactory	51	CO	1
89	Hyderabad	Satisfactory	60	PM ₁₀	14
90	Indore	Satisfactory	70	PM ₁₀	1
91	Jabalpur	Good	49	PM ₁₀	3
92	Jaipur	Satisfactory	58	PM ₁₀	5
93	Jaisalmer	Satisfactory	73	PM ₁₀	1
94	Jalandhar	Satisfactory	84	PM ₁₀	1
95	Jalgaon	Satisfactory	58	PM ₁₀	1
96	Jhalawar	Good	36	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	61	PM _{2.5}	1
98	Jhunjhunu	Satisfactory	66	O ₃	1
99	Jind	Satisfactory	91	CO	1
100	Jodhpur	Good	39	PM ₁₀	4
101	Kaithal	Good	37	PM _{2.5}	1
102	Kannur	Satisfactory	70	PM ₁₀	1
103	Kanpur	Good	48	PM ₁₀	2
104	Karauli	Satisfactory	53	O ₃	1
105	Karnal	Good	33	PM ₁₀	1
106	Kashipur	Good	32	PM ₁₀	1
107	Katihar	Satisfactory	76	CO	1
108	Katni	Good	41	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Good	48	PM ₁₀	1
110	Khanna	Good	46	PM ₁₀	1
111	Khurja	Satisfactory	67	SO ₂	1
112	Kochi	Satisfactory	78	CO	1
113	Kohima	Good	46	SO ₂	1
114	Kolar	Good	37	PM ₁₀	1
115	Kolhapur	Good	32	PM ₁₀	2
116	Kolkata	Good	40	O ₃ , PM ₁₀	6
117	Kollam	Satisfactory	87	PM ₁₀	1
118	Koppal	Good	25	SO ₂	1
119	Korba	Good	29	NO ₂	1
120	Kota	Good	42	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kunjemura	Good	49	PM ₁₀	1
122	Latur	Satisfactory	55	PM ₁₀	1
123	Lucknow	Good	50	PM ₁₀	6
124	Ludhiana	Satisfactory	63	PM _{2.5}	1
125	Madikeri	Good	36	PM ₁₀	1
126	Mahad	Good	37	PM ₁₀	1
127	Maihar	Good	32	CO	1
128	Mandi Gobindgarh	Satisfactory	62	PM _{2.5}	1
129	Mandideep	Good	43	PM ₁₀	1
130	Mandikhera	Good	30	PM ₁₀	1
131	Manesar	Satisfactory	81	PM ₁₀	1
132	Mangalore	Satisfactory	57	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Satisfactory	66	CO, PM ₁₀	3
134	Moradabad	Satisfactory	59	PM ₁₀	6
135	Motihari	Satisfactory	57	CO	1
136	Mumbai	Satisfactory	52	CO, PM ₁₀	16
137	Munger	Moderate	117	PM ₁₀	1
138	Muzaffarnagar	Satisfactory	74	PM _{2.5}	1
139	Muzaffarpur	Satisfactory	60	CO	3
140	Mysuru	Satisfactory	53	PM ₁₀	1
141	Nagaon	Satisfactory	66	PM ₁₀	1
142	Nagaur	Good	41	PM ₁₀	1
143	Nagpur	Good	50	PM ₁₀	4
144	Narnaul	Good	23	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Good	35	PM ₁₀	3
146	Navi Mumbai	Good	41	O ₃ , PM ₁₀	7
147	Nayagarh	Satisfactory	56	NO ₂	1
148	Noida	Satisfactory	61	CO	4
149	Ooty	Satisfactory	55	PM ₁₀	1
150	Pali	Satisfactory	87	PM ₁₀	1
151	Palkalaiperur	Satisfactory	66	SO ₂	1
152	Palwal	Moderate	149	O ₃	1
153	Panchkula	Moderate	115	CO	1
154	Panipat	Good	32	O ₃	1
155	Parbhani	Good	44	PM ₁₀	1
156	Patiala	Good	34	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Satisfactory	79	PM ₁₀ , NO ₂	6
158	Pimpri Chinchwad	Good	38	PM ₁₀	3
159	Pithampur	Satisfactory	72	PM ₁₀	1
160	Pratapgarh	Good	37	PM ₁₀	1
161	Prayagraj	Good	48	PM ₁₀	3
162	Puducherry	Satisfactory	59	PM ₁₀	1
163	Pune	Satisfactory	78	NO ₂ , PM ₁₀	5
164	Purnia	Satisfactory	64	CO	1
165	Raipur	Good	49	PM ₁₀	4
166	Rajamahendravaram	Good	37	PM ₁₀	1
167	Rajsamand	Good	49	CO	1
168	Ramanagara	Good	47	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Satisfactory	57	PM ₁₀	1
170	Ratlam	Good	31	PM ₁₀	1
171	Rishikesh	Good	30	O ₃	1
172	Rourkela	Satisfactory	67	PM ₁₀	2
173	Sagar	Good	28	CO	1
174	Saharsa	Satisfactory	54	PM ₁₀	1
175	Samastipur	Moderate	126	PM ₁₀	1
176	Sangli	Good	34	PM ₁₀	1
177	Sasaram	Good	33	PM ₁₀	1
178	Satna	Satisfactory	94	PM ₁₀	1
179	Sawai Madhopur	Satisfactory	53	O ₃	1
180	Shillong	Good	34	PM ₁₀ , PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shivamogga	Satisfactory	53	PM ₁₀	1
182	Sikar	Satisfactory	54	O ₃	1
183	Silchar	Good	19	CO	1
184	Siliguri	Good	33	PM ₁₀	1
185	Singrauli	Moderate	195	NO ₂	1
186	Sirohi	Good	24	PM ₁₀	1
187	Sivasagar	Good	14	PM ₁₀	1
188	Solapur	Satisfactory	64	PM ₁₀	3
189	Sri Ganganagar	Good	50	PM ₁₀	1
190	Suakati	Satisfactory	62	O ₃	1
191	Tensa	Good	46	PM ₁₀	1
192	Thane	Satisfactory	51	PM ₁₀ , CO	3

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	30	CO, PM ₁₀	2
194	Thoothukudi	Satisfactory	83	PM ₁₀	1
195	Thrissur	Satisfactory	57	PM ₁₀	1
196	Tirupati	Satisfactory	100	PM _{2.5} , O ₃	2
197	Tonk	Satisfactory	63	PM ₁₀	1
198	Tumidih	Good	30	PM ₁₀	1
199	Udaipur	Good	30	PM _{2.5}	1
200	Ulhasnagar	Satisfactory	54	PM ₁₀	1
201	Vapi	Satisfactory	83	CO	1
202	Varanasi	Good	37	CO	4
203	Vatva	Satisfactory	62	PM ₁₀	1
204	Vijayapura	Good	46	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayawada	Good	43	O ₃	1
206	Visakhapatnam	Satisfactory	71	PM ₁₀	1
207	Vrindavan	Satisfactory	59	PM _{2.5}	1
208	Yadgir	Good	26	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Araria, Asansol, Begusarai, Belgaum, Bihar Sharif, Bilaspur, Boisar, Brajarajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Ernakulam, Hassan, Haveri, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nanded, Nandesari, Raichur, Rairangpur, Rajgir, Rohtak, Rupnagar, Salem, Sirsa, Siwan, Sonapat, Srinagar, Surat, Talcher, Tirupur, Tumakuru, Udupi, Ujjain, Virar, Yamunanagar, Vellore as data was not available.
Some stations have data available at 3PM

Notes:

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases