

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	PM _{2.5}	1
2	Agra	Moderate	118	PM _{2.5}	1
3	Ahmedabad	Moderate	153	03	1
4	Aizawl	Satisfactory	96	PM ₁₀	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Satisfactory	71	PM ₁₀	1
8	Ambala	Moderate	125	PM ₁₀	1
9	Amritsar	Satisfactory	92	PM ₁₀	1
10	Ankleshwar	Moderate	198	NO ₂	1
11	Asansol	Moderate	142	PM ₁₀	1
12	Aurangabad	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	38	O ₃	1
14	Baghpat	Moderate	150	PM ₁₀	1
15	Bahadurgarh	Moderate	139	PM _{2.5}	1
16	Ballabgarh	Moderate	126	PM ₁₀	1
17	Bathinda	Moderate	122	PM ₁₀	1
18	Bengaluru	Moderate	102	PM ₁₀ , PM _{2.5}	9
19	Bhiwadi	Poor	217	PM _{2.5}	1
20	Bhiwani	Moderate	118	PM ₁₀	1
21	Bhopal	Moderate	145	PM ₁₀	1
22	Bidar	Satisfactory	96	PM ₁₀	1
23	Brajrajnagar	Moderate	103	PM ₁₀	1
24	Bulandshahr	Moderate	186	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	92	PM ₁₀	1
26	Chandrapur	Moderate	160	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Moderate	124	PM ₁₀	1
28	Chennai	Satisfactory	83	PM ₁₀ , PM _{2.5}	6
29	Chikkaballapur	Moderate	107	PM ₁₀	1
30	Chikkamagaluru	Satisfactory	68	PM _{2.5}	1
31	Damoh	Satisfactory	52	PM ₁₀	1
32	Davanagere	Moderate	117	PM ₁₀	1
33	Delhi	Moderate	188	PM _{2.5} , PM ₁₀ , O ₃	35
34	Dewas	Moderate	110	PM ₁₀	1
35	Dharuhera	Moderate	166	PM ₁₀	1
36	Durgapur	Moderate	193	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Good	48	со	1
38	Ernakulam	Satisfactory	93	PM _{2.5}	1
39	Faridabad	Moderate	197	PM _{2.5} , PM ₁₀ , O ₃	4
40	Fatehabad	Moderate	131	PM ₁₀	1
41	Gandhinagar	Satisfactory	94	PM ₁₀	1
42	Gaya	Moderate	119	03	1
43	Ghaziabad	Moderate	198	PM _{2.5} , PM ₁₀	4
44	Greater Noida	Moderate	189	PM ₁₀	2
45	Gurugram	Moderate	164	PM _{2.5} , PM ₁₀	4
46	Guwahati	Poor	222	PM ₁₀	2
47	Gwalior	Moderate	158	PM _{2.5}	1
48	Hajipur	Moderate	156	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	134	PM ₁₀	1
50	Hisar	Moderate	146	PM _{2.5}	1
51	Howrah	Moderate	123	PM ₁₀ , PM _{2.5}	2
52	Hubballi	Moderate	166	PM _{2.5}	1
53	Hyderabad	Moderate	131	PM _{2.5} , PM ₁₀	6
54	Indore	Moderate	157	PM ₁₀	1
55	Jabalpur	Moderate	185	PM ₁₀	1
56	Jaipur	Satisfactory	90	PM _{2.5} , PM ₁₀	2
57	Jalandhar	Moderate	111	PM ₁₀	1
58	Jind	Moderate	127	PM ₁₀	1
59	Jodhpur	Poor	239	PM ₁₀	1
60	Kaithal	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Moderate	114	PM _{2.5}	1
62	Kalyan	Moderate	127	PM _{2.5}	1
63	Kannur	Satisfactory	97	PM ₁₀	1
64	Kanpur	Moderate	107	PM _{2.5}	2
65	Karnal	Satisfactory	91	PM ₁₀	1
66	Katni	Poor	228	PM ₁₀	1
67	Khanna	Moderate	125	PM ₁₀	1
68	Kohima	Moderate	131	PM ₁₀	1
69	Kolkata	Moderate	157	O ₃ , PM ₁₀	6
70	Kollam	Moderate	138	PM _{2.5}	1
71	Koppal	Moderate	105	PM ₁₀	1
72	Kota	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	83	PM ₁₀	1
74	Kurukshetra	Moderate	112	PM ₁₀	1
75	Lucknow	Moderate	164	PM _{2.5} , PM ₁₀	4
76	Ludhiana	Moderate	137	PM ₁₀	1
77	Maihar	Satisfactory	66	PM ₁₀	1
78	Mandideep	Satisfactory	73	PM ₁₀	1
79	Mandikhera	Satisfactory	78	PM _{2.5}	1
80	Manesar	Moderate	183	PM _{2.5}	1
81	Manglore	Satisfactory	92	PM ₁₀	1
82	Medikeri	Satisfactory	74	PM ₁₀	1
83	Meerut	Poor	252	NO ₂	1
84	Moradabad	Moderate	155	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	142	PM _{2.5} , PM ₁₀	20
86	Muzaffarnagar	Moderate	140	PM ₁₀	1
87	Muzaffarpur	Moderate	136	PM ₁₀	1
88	Mysuru	Satisfactory	89	03	1
89	Nagpur	Satisfactory	76	PM _{2.5}	1
90	Nandesari	Moderate	123	со	1
91	Narnaul	Moderate	164	PM ₁₀	1
92	Nashik	Satisfactory	73	PM _{2.5}	1
93	Navi Mumbai	Poor	203	PM _{2.5} , PM ₁₀	3
94	Noida	Moderate	168	PM _{2.5} , PM ₁₀	4
95	Pali	Moderate	160	PM _{2.5}	1
96	Palwal	Satisfactory	57	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	47	PM _{2.5}	1
98	Panipat	Moderate	153	PM ₁₀	1
99	Patiala	Moderate	103	PM ₁₀	1
100	Patna	Moderate	186	PM _{2.5} , PM ₁₀	6
101	Pithampur	Moderate	128	PM ₁₀	1
102	Puducherry	Moderate	109	PM _{2.5}	1
103	Pune	Moderate	103	PM _{2.5} , PM ₁₀ , CO	6
104	Raichur	Moderate	134	PM ₁₀	1
105	Rajamahendravaram	Satisfactory	85	PM ₁₀	1
106	Ramanagara	Satisfactory	84	PM ₁₀	1
107	Rohtak	Satisfactory	82	PM _{2.5}	1
108	Rupnagar	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Very Poor	316	PM _{2.5}	1
110	Satna	Moderate	111	PM ₁₀	1
111	Shillong	Satisfactory	51	PM _{2.5}	1
112	Shivamogga	Satisfactory	66	PM _{2.5}	1
113	Siliguri	Poor	210	PM _{2.5}	1
114	Singrauli	Moderate	112	PM _{2.5}	1
115	Sirsa	Moderate	101	PM ₁₀	1
116	Solapur	Moderate	112	PM ₁₀	1
117	Sonipat	Satisfactory	81	PM ₁₀	1
118	Srinagar	Moderate	155	PM ₁₀	1
119	Talcher	Moderate	150	PM ₁₀	1
120	Thiruvananthapuram	Satisfactory	70	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Satisfactory	79	PM ₁₀	1
122	Thrissur	Moderate	150	O ₃	1
123	Tirupati	Satisfactory	73	PM ₁₀	1
124	Udaipur	Moderate	150	PM ₁₀	1
125	Udupi	Satisfactory	66	СО	1
126	Ujjain	Poor	209	O ₃	1
127	Vapi	Poor	204	PM ₁₀	1
128	Varanasi	Poor	215	O ₃	1
129	Vatva	Moderate	182	PM _{2.5}	1
130	Vijayapura	Satisfactory	69	PM ₁₀	1
131	Visakhapatnam	Moderate	153	PM ₁₀	1
132	Yadgir	Satisfactory	94	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.