

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	93	PM <sub>2.5</sub>	1
2	Agra	Moderate	177	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	187	PM <sub>2.5</sub>	1
4	Aizawl	Good	22	PM <sub>10</sub>	1
5	Ajmer	Moderate	156	PM <sub>10</sub>	1
6	Alwar	Satisfactory	88	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	83	PM <sub>10</sub>	1
8	Ambala	Poor	237	PM <sub>2.5</sub>	1
9	Amritsar	Poor	297	PM <sub>2.5</sub>	1
10	Anantapur	Moderate	163	PM <sub>2.5</sub>	1
11	Araria	Moderate	129	PM <sub>10</sub>	1
12	Arrah	Moderate	158	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	146	PM <sub>10</sub>	1
14	Aurangabad	Moderate	155	PM <sub>10</sub>	1
15	Aurangabad	Poor	203	PM <sub>10</sub>	1
16	Baddi	Moderate	180	03	1
17	Bagalkot	Satisfactory	56	PM <sub>10</sub>	1
18	Baghpat	Moderate	191	PM <sub>2.5</sub>	1
19	Bahadurgarh	Poor	231	PM <sub>2.5</sub>	1
20	Ballabgarh	Satisfactory	89	со	1
21	Bareilly	Poor	238	PM <sub>2.5</sub>	2
22	Bathinda	Moderate	146	PM <sub>10</sub>	1
23	Begusarai	Poor	289	PM <sub>2.5</sub>	1
24	Belgaum	Moderate	125	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	151	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	8
26	Bettiah	Poor	284	PM <sub>2.5</sub>	1
27	Bhagalpur	Moderate	140	PM <sub>2.5</sub>	2
28	Bhilai	Poor	218	PM <sub>2.5</sub>	2
29	Bhiwadi	Moderate	150	PM <sub>10</sub>	1
30	Bhiwani	Poor	232	PM <sub>2.5</sub>	1
31	Bhopal	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	2
32	Bidar	Satisfactory	58	СО	1
33	Bilaspur	Satisfactory	81	PM <sub>2.5</sub>	1
34	Bulandshahr	Poor	261	PM <sub>2.5</sub>	1
35	Buxar	Moderate	155	PM <sub>10</sub>	1
36	Chamarajanagar	Satisfactory	59	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	160	O <sub>3</sub> , PM <sub>2.5</sub>	3
38	Chandrapur	Poor	221	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Poor	219	PM <sub>2.5</sub>	1
40	Chennai	Moderate	147	PM <sub>2.5</sub> , PM <sub>10</sub>	9
41	Chhapra	Moderate	167	PM <sub>10</sub>	1
42	Chikkaballapur	Moderate	122	PM <sub>10</sub>	1
43	Chikkamagaluru	Satisfactory	88	PM <sub>2.5</sub>	1
44	Coimbatore	Satisfactory	69	СО	1
45	Darbhanga	Very Poor	301	PM <sub>2.5</sub>	1
46	Davanagere	Satisfactory	88	PM <sub>10</sub>	1
47	Dehradun	Moderate	104	O <sub>3</sub>	1
48	Delhi	Poor	271	PM <sub>10</sub> , PM <sub>2.5</sub>	33

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	101	PM <sub>10</sub>	1
50	Dharuhera	Poor	274	PM <sub>2.5</sub>	1
51	Dindigul	Moderate	116	PM <sub>2.5</sub>	1
52	Durgapur	Moderate	142	PM <sub>10</sub>	1
53	Eloor	Satisfactory	77	PM <sub>10</sub>	1
54	Ernakulam	Satisfactory	56	PM <sub>10</sub>	1
55	Faridabad	Poor	246	PM <sub>2.5</sub> , PM <sub>10</sub>	4
56	Fatehabad	Poor	253	PM <sub>2.5</sub>	1
57	Firozabad	Satisfactory	94	PM <sub>2.5</sub>	2
58	Gadag	Satisfactory	66	03	1
59	Gandhinagar	Moderate	102	PM <sub>10</sub>	1
60	Gangtok	Good	25	03	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	3
62	Ghaziabad	Poor	273	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
63	Gorakhpur	Poor	250	PM <sub>2.5</sub>	1
64	Greater Noida	Poor	243	O <sub>3</sub> , PM <sub>2.5</sub>	2
65	Gurugram	Poor	244	PM <sub>2.5</sub>	4
66	Guwahati	Moderate	139	PM <sub>2.5</sub>	2
67	Gwalior	Poor	228	PM <sub>2.5</sub>	1
68	Hajipur	Poor	207	PM <sub>2.5</sub>	1
69	Haldia	Satisfactory	80	PM <sub>10</sub>	1
70	Hapur	Poor	300	PM <sub>2.5</sub>	1
71	Hassan	Satisfactory	60	PM <sub>2.5</sub>	1
72	Haveri	Satisfactory	79	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	273	PM <sub>2.5</sub>	1
74	Hosur	Moderate	168	PM <sub>2.5</sub>	1
75	Howrah	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub>	3
76	Hubballi	Satisfactory	91	PM <sub>10</sub>	1
77	Hyderabad	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub>	13
78	Imphal	Moderate	176	03	1
79	Indore	Moderate	129	PM <sub>10</sub>	1
80	Jabalpur	Poor	229	PM <sub>2.5</sub>	1
81	Jaipur	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	3
82	Jalandhar	Poor	205	PM <sub>2.5</sub>	1
83	Jhansi	Moderate	129	PM <sub>10</sub>	1
84	Jind	Very Poor	302	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	105	PM <sub>2.5</sub>	1
86	Jorapokhar	Moderate	113	PM <sub>10</sub>	1
87	Kaithal	Poor	260	PM <sub>2.5</sub>	1
88	Kalaburgi	Moderate	132	PM <sub>2.5</sub>	1
89	Kalyan	Moderate	168	PM <sub>2.5</sub>	1
90	Kannur	Satisfactory	67	PM <sub>10</sub>	1
91	Kanpur	Moderate	156	PM <sub>2.5</sub>	3
92	Karnal	Poor	282	PM <sub>2.5</sub>	1
93	Katihar	Poor	268	PM <sub>2.5</sub>	1
94	Katni	Moderate	171	PM <sub>2.5</sub>	1
95	Khanna	Moderate	177	PM <sub>2.5</sub>	1
96	Khurja	Poor	206	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Satisfactory	68	03	1
98	Kochi	Poor	215	PM <sub>2.5</sub>	1
99	Kolar	Moderate	120	PM <sub>10</sub>	1
100	Kolkata	Satisfactory	81	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
101	Kollam	Satisfactory	85	PM <sub>10</sub>	1
102	Koppal	Moderate	152	03	1
103	Korba	Satisfactory	60	PM <sub>2.5</sub>	1
104	Kota	Moderate	103	PM <sub>2.5</sub>	1
105	Kozhikode	Satisfactory	76	PM <sub>10</sub>	1
106	Kurukshetra	Very Poor	307	PM <sub>2.5</sub>	1
107	Lucknow	Poor	235	PM <sub>2.5</sub> , PM <sub>10</sub>	6
108	Ludhiana	Poor	285	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Satisfactory	80	O <sub>3</sub>	1
110	Maihar	Good	49	PM <sub>10</sub>	1
111	Mandi Gobindgarh	Moderate	164	PM <sub>2.5</sub>	1
112	Mandideep	Moderate	138	PM <sub>10</sub>	1
113	Mandikhera	Moderate	108	PM <sub>10</sub>	1
114	Manesar	Poor	224	PM <sub>2.5</sub>	1
115	Manguraha	Satisfactory	52	PM <sub>2.5</sub>	1
116	Meerut	Poor	242	PM <sub>2.5</sub>	3
117	Moradabad	Poor	237	PM <sub>2.5</sub>	4
118	Motihari	Very Poor	301	PM <sub>2.5</sub>	1
119	Mumbai	Moderate	159	PM <sub>2.5</sub> , PM <sub>10</sub>	18
120	Munger	Moderate	143	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Very Poor	335	PM <sub>2.5</sub>	1
122	Muzaffarpur	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	3
123	Mysuru	Satisfactory	82	PM <sub>10</sub>	1
124	Nagpur	Moderate	166	PM <sub>2.5</sub>	1
125	Narnaul	Moderate	132	PM <sub>10</sub>	1
126	Nashik	Satisfactory	84	PM <sub>2.5</sub>	1
127	Navi Mumbai	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	3
128	Noida	Poor	262	PM <sub>2.5</sub> , PM <sub>10</sub>	4
129	Ooty	Satisfactory	76	PM <sub>10</sub>	1
130	Pali	Satisfactory	75	PM <sub>2.5</sub>	1
131	Palwal	Moderate	141	PM <sub>10</sub>	1
132	Panchkula	Satisfactory	76	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	196	PM <sub>10</sub>	1
134	Patiala	Moderate	195	PM <sub>2.5</sub>	1
135	Patna	Moderate	196	PM <sub>2.5</sub> , PM <sub>10</sub>	6
136	Pithampur	Satisfactory	90	PM <sub>10</sub>	1
137	Prayagraj	Moderate	160	PM <sub>2.5</sub>	3
138	Pune	Satisfactory	78	PM <sub>2.5</sub>	1
139	Purnia	Poor	273	PM <sub>2.5</sub>	1
140	Raipur	Moderate	132	PM <sub>10</sub> , PM <sub>2.5</sub>	3
141	Rajamahendravaram	Moderate	118	PM <sub>2.5</sub>	1
142	Rajgir	Moderate	131	PM <sub>2.5</sub>	1
143	Ramanagara	Satisfactory	82	PM <sub>10</sub>	1
144	Ramanathapuram	Satisfactory	56	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	121	PM <sub>10</sub>	1
146	Rohtak	Moderate	181	PM <sub>2.5</sub>	1
147	Rupnagar	Moderate	171	PM <sub>10</sub>	1
148	Sagar	Satisfactory	52	СО	1
149	Saharsa	Poor	229	PM <sub>2.5</sub>	1
150	Salem	Moderate	111	PM <sub>2.5</sub>	1
151	Satna	Good	50	O <sub>3</sub>	1
152	Shillong	Good	40	PM <sub>2.5</sub>	1
153	Shivamogga	Satisfactory	65	PM <sub>10</sub>	1
154	Siliguri	Satisfactory	65	PM <sub>10</sub>	1
155	Sirsa	Moderate	176	PM <sub>2.5</sub>	1
156	Sivasagar	Good	9	PM <sub>10</sub>	1

## Possible Health Impacts

## od Minimal Impact

Cood	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Poor	258	PM <sub>2.5</sub>	1
158	Solapur	Satisfactory	94	PM <sub>10</sub>	1
159	Sonipat	Moderate	182	PM <sub>10</sub>	1
160	Srinagar	Poor	218	PM <sub>2.5</sub>	1
161	Talcher	Moderate	177	PM <sub>2.5</sub>	1
162	Thane	Moderate	125	PM <sub>10</sub>	1
163	Thiruvananthapuram	Satisfactory	60	CO, PM <sub>2.5</sub>	2
164	Thoothukudi	Good	49	PM <sub>10</sub>	1
165	Tirupati	Satisfactory	80	PM <sub>10</sub>	1
166	Tiruppur	Moderate	110	PM <sub>10</sub>	1
167	Udaipur	Moderate	109	PM <sub>2.5</sub>	1
168	Ujjain	Moderate	108	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	4
170	Vatva	Moderate	136	PM <sub>2.5</sub>	1
171	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1
172	Visakhapatnam	Moderate	195	PM <sub>10</sub>	1
173	Vrindavan	Moderate	113	PM <sub>10</sub>	1
174	Yadgir	Satisfactory	67	PM <sub>10</sub>	1
175	Yamunanagar	Moderate	188	PM <sub>10</sub>	1
176	vellore	Moderate	140	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kanchipuram, Kohima, Manglore, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Sasaram, Singrauli, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.