

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	261	PM <sub>2.5</sub>	1
2	Agra	Moderate	120	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	101	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	16	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
6	Alwar	Satisfactory	83	PM <sub>10</sub>	1
7	Amaravati	Good	38	O <sub>3</sub>	1
8	Ambala	Moderate	153	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	116	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	113	PM <sub>2.5</sub>	1
11	Araria	Moderate	158	PM <sub>2.5</sub>	1
12	Arrah	Moderate	130	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	65	PM <sub>2.5</sub>	1
14	Aurangabad	Satisfactory	97	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Poor	227	PM <sub>2.5</sub>	1
17	Bahadurgarh	Poor	226	PM <sub>2.5</sub>	1
18	Ballabgarh	Poor	259	PM <sub>2.5</sub>	1
19	Bathinda	Moderate	162	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	76	PM <sub>10</sub>	9
21	Bettiah	Moderate	152	PM <sub>2.5</sub>	1
22	Bhagalpur	Moderate	185	PM <sub>2.5</sub>	2
23	Bhilai	Good	42	PM <sub>10</sub>	1
24	Bhiwadi	Poor	273	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	150	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	131	PM <sub>2.5</sub>	1
27	Bihar Sharif	Satisfactory	92	PM <sub>10</sub>	1
28	Brajrajnagar	Good	49	O <sub>3</sub>	1
29	Bulandshahr	Poor	276	PM <sub>2.5</sub>	1
30	Buxar	Moderate	187	PM <sub>2.5</sub>	1
31	Chamarajanagar	Good	32	NO <sub>2</sub>	1
32	Chandigarh	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	2
33	Chandrapur	Satisfactory	58	PM <sub>10</sub>	2
34	Charkhi Dadri	Moderate	177	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	57	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
36	Chhapra	Moderate	189	со	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	76	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	38	PM <sub>10</sub>	1
39	Coimbatore	Satisfactory	74	PM <sub>2.5</sub>	1
40	Damoh	Satisfactory	99	PM <sub>2.5</sub>	1
41	Darbhanga	Moderate	120	PM <sub>2.5</sub>	1
42	Davanagere	Good	50	PM <sub>10</sub>	1
43	Delhi	Very Poor	321	PM <sub>10</sub> , PM <sub>2.5</sub>	34
44	Dewas	Moderate	109	PM <sub>2.5</sub>	1
45	Dharuhera	Poor	236	PM <sub>2.5</sub>	1
46	Durgapur	Moderate	145	PM <sub>2.5</sub>	1
47	Eloor	Satisfactory	70	PM <sub>10</sub>	1
48	Ernakulam	Satisfactory	54	PM <sub>2.5</sub>	1

### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur,
  Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong,
  Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Fatehabad	Satisfactory	90	PM <sub>10</sub>	1
51	Firozabad	Poor	201	PM <sub>2.5</sub>	1
52	Gadag	Very Poor	328	PM <sub>2.5</sub>	1
53	Gandhinagar	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Gaya	Moderate	124	PM <sub>2.5</sub> , CO	3
55	Ghaziabad	Very Poor	335	PM <sub>2.5</sub>	3
56	Gorakhpur	Good	38	PM <sub>10</sub>	1
57	Greater Noida	Very Poor	332	PM <sub>2.5</sub>	2
58	Gummidipoondi	Good	41	PM <sub>10</sub>	1
59	Gurugram	Poor	282	PM <sub>2.5</sub>	3
60	Guwahati	Satisfactory	76	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Poor	229	PM <sub>2.5</sub>	1
62	Hajipur	Satisfactory	79	PM <sub>10</sub>	1
63	Haldia	Satisfactory	82	PM <sub>10</sub>	1
64	Hapur	Poor	291	PM <sub>2.5</sub>	1
65	Hassan	Satisfactory	99	PM <sub>10</sub>	1
66	Hisar	Moderate	192	PM <sub>2.5</sub>	1
67	Howrah	Moderate	177	PM <sub>2.5</sub> , PM <sub>10</sub>	2
68	Hubballi	Moderate	112	PM <sub>2.5</sub>	1
69	Hyderabad	Satisfactory	66	PM <sub>10</sub> , PM <sub>2.5</sub>	5
70	Indore	Moderate	122	PM <sub>2.5</sub>	1
71	Jabalpur	Moderate	124	PM <sub>2.5</sub>	1
72	Jaipur	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	97	PM <sub>2.5</sub>	1
74	Jind	Poor	213	PM <sub>2.5</sub>	1
75	Jodhpur	Poor	238	PM <sub>2.5</sub>	1
76	Kaithal	Moderate	129	PM <sub>2.5</sub>	1
77	Kalaburgi	Satisfactory	82	PM <sub>10</sub>	1
78	Kalyan	Poor	230	PM <sub>2.5</sub>	1
79	Kannur	Satisfactory	59	PM <sub>2.5</sub>	1
80	Kanpur	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	3
81	Karnal	Moderate	131	PM <sub>2.5</sub>	1
82	Katihar	Poor	218	PM <sub>2.5</sub>	1
83	Katni	Moderate	145	PM <sub>2.5</sub>	1
84	Khanna	Satisfactory	95	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Poor	270	PM <sub>2.5</sub>	1
86	Kochi	Moderate	106	PM <sub>2.5</sub>	1
87	Kohima	Satisfactory	64	PM <sub>2.5</sub>	1
88	Kolkata	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	6
89	Kollam	Satisfactory	78	PM <sub>10</sub>	1
90	Koppal	Satisfactory	61	03	1
91	Kota	Moderate	128	PM <sub>2.5</sub>	1
92	Kozhikode	Good	40	PM <sub>10</sub>	1
93	Kurukshetra	Moderate	139	PM <sub>2.5</sub>	1
94	Lucknow	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Ludhiana	Moderate	114	PM <sub>10</sub>	1
96	Madikeri	Good	32	СО	1

### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	40	со	1
98	Mandi Gobindgarh	Moderate	138	PM <sub>2.5</sub>	1
99	Mandideep	Satisfactory	90	PM <sub>10</sub>	1
100	Mandikhera	Satisfactory	59	PM <sub>10</sub>	1
101	Manesar	Very Poor	314	PM <sub>2.5</sub>	1
102	Manglore	Satisfactory	59	NO <sub>2</sub>	1
103	Meerut	Poor	262	PM <sub>2.5</sub>	3
104	Moradabad	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	4
105	Motihari	Moderate	105	PM <sub>2.5</sub>	1
106	Mumbai	Moderate	172	PM <sub>2.5</sub> , O <sub>3</sub>	14
107	Munger	Poor	260	PM <sub>2.5</sub>	1
108	Muzaffarnagar	Poor	280	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Moderate	140	PM <sub>2.5</sub>	2
110	Mysuru	Good	47	03	1
111	Narnaul	Moderate	173	PM <sub>2.5</sub>	1
112	Nashik	Satisfactory	85	PM <sub>2.5</sub>	1
113	Navi Mumbai	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	2
114	Noida	Poor	297	PM <sub>2.5</sub>	4
115	Pali	Moderate	118	PM <sub>2.5</sub>	1
116	Palwal	Satisfactory	54	PM <sub>10</sub>	1
117	Panchkula	Poor	283	PM <sub>2.5</sub>	1
118	Panipat	Moderate	162	PM <sub>10</sub>	1
119	Patiala	Satisfactory	93	PM <sub>10</sub>	1
120	Patna	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	6

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	148	PM <sub>2.5</sub>	1
122	Prayagraj	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	3
123	Puducherry	Satisfactory	94	PM <sub>2.5</sub>	1
124	Pune	Moderate	162	PM <sub>2.5</sub>	2
125	Purnia	Poor	202	PM <sub>2.5</sub>	1
126	Raichur	Moderate	125	PM <sub>10</sub>	1
127	Rajamahendravaram	Satisfactory	69	03	1
128	Rajgir	Moderate	160	PM <sub>2.5</sub>	1
129	Ramanagara	Satisfactory	58	PM <sub>2.5</sub>	1
130	Ratlam	Satisfactory	84	PM <sub>10</sub>	1
131	Rohtak	Moderate	151	PM <sub>2.5</sub>	1
132	Rupnagar	Moderate	124	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sagar	Satisfactory	53	PM <sub>10</sub>	1
134	Saharsa	Moderate	126	PM <sub>10</sub>	1
135	Sasaram	Poor	229	PM <sub>2.5</sub>	1
136	Satna	Satisfactory	55	PM <sub>10</sub>	1
137	Shivamogga	Good	49	PM <sub>10</sub>	1
138	Siliguri	Satisfactory	85	PM <sub>10</sub>	1
139	Singrauli	Moderate	168	PM <sub>2.5</sub>	1
140	Sirsa	Moderate	109	PM <sub>10</sub>	1
141	Solapur	Satisfactory	74	PM <sub>10</sub>	1
142	Sonipat	Satisfactory	80	PM <sub>10</sub>	1
143	Srinagar	Poor	208	PM <sub>10</sub>	1
144	Talcher	Moderate	117	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Moderate	198	03	1
146	Thiruvananthapuram	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub>	2
147	Thoothukudi	Good	34	PM <sub>10</sub>	1
148	Tirupati	Good	50	PM <sub>10</sub>	1
149	Ujjain	Moderate	116	PM <sub>2.5</sub>	1
150	Vapi	Poor	211	PM <sub>2.5</sub>	1
151	Varanasi	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	4
152	Vatva	Moderate	108	PM <sub>2.5</sub>	1
153	Vijayapura	Good	50	PM <sub>10</sub>	1
154	Visakhapatnam	Satisfactory	67	PM <sub>10</sub>	1
155	Vrindavan	Moderate	105	PM <sub>2.5</sub>	1
156	Yadgir	Satisfactory	69	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

<sup>\*</sup> AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	131	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bidar, Bilaspur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Shillong, Siwan, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.