

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	272	PM <sub>2.5</sub>	1
2	Ahmedabad	Satisfactory	92	NO <sub>2</sub>	1
3	Ajmer	Satisfactory	82	OZONE	1
4	Alwar	Satisfactory	62	OZONE	1
5	Amaravati	Satisfactory	72	PM <sub>10</sub>	1
6	Ambala	Satisfactory	87	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	70	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	135	PM <sub>2.5</sub>	1
9	Asanol	Good	50	PM <sub>10</sub>	1
10	Baghpat	Very Poor	306	PM <sub>2.5</sub>	1
11	Bahadurgarh	Moderate	135	PM <sub>2.5</sub>	1
12	Ballabgarh	Moderate	126	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	86	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	94	OZONE, PM <sub>10</sub> , PM <sub>2.5</sub>	7
15	Bhiwadi	Poor	289	PM <sub>2.5</sub>	1
16	Bhiwani	Satisfactory	89	PM <sub>2.5</sub>	1
17	Brajrajnagar	Moderate	112	со	1
18	Bulandshahr	Poor	257	PM <sub>2.5</sub>	1
19	Chandrapur	Satisfactory	62	PM <sub>10</sub>	2
20	Chennai	Satisfactory	75	PM <sub>2.5</sub> , CO	3
21	Chikkaballapur	Satisfactory	75	PM <sub>10</sub>	1
22	Damoh	Moderate	124	PM <sub>2.5</sub>	1
23	Delhi	Poor	276	PM <sub>2.5</sub>	34
24	Dewas	Moderate	114	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	167	PM <sub>2.5</sub>	1
26	Faridabad	Poor	266	PM <sub>2.5</sub>	1
27	Fatehabad	Satisfactory	99	PM <sub>10</sub>	1
28	GandhiNagar	Satisfactory	99	PM <sub>10</sub>	1
29	Gaya	Satisfactory	82	PM <sub>2.5</sub>	1
30	Ghaziabad	Very Poor	309	PM <sub>2.5</sub>	1
31	Greater_Noida	Very Poor	302	PM <sub>2.5</sub>	1
32	Gurugram	Moderate	180	PM <sub>2.5</sub>	2
33	Haldia	Moderate	129	PM <sub>10</sub>	1
34	Hapur	Poor	256	PM <sub>2.5</sub>	1
35	Hisar	Moderate	118	PM <sub>2.5</sub>	1
36	Howrah	Poor	229	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hubballi	Satisfactory	86	PM <sub>10</sub>	1
38	Hyderabad	Satisfactory	92	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6
39	Jaipur	Satisfactory	82	PM <sub>10</sub> , OZONE, PM <sub>2.5</sub>	3
40	Jalandhar	Satisfactory	92	PM <sub>10</sub>	1
41	Jind	Moderate	174	PM <sub>2.5</sub>	1
42	Jodhpur	Satisfactory	91	PM <sub>10</sub>	1
43	Jorapokhar	Satisfactory	56	PM <sub>10</sub>	1
44	Kanpur	Moderate	146	PM <sub>2.5</sub>	1
45	Karnal	Moderate	145	PM <sub>2.5</sub>	1
46	Khanna	Good	49	PM <sub>10</sub>	1
47	Kolkata	Poor	254	PM <sub>2.5</sub>	2
48	Kota	Satisfactory	67	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurushketra	Moderate	173	PM <sub>2.5</sub>	1
50	Lucknow	Moderate	108	PM <sub>2.5</sub>	3
51	Ludhiana	Good	48	PM <sub>2.5</sub>	1
52	Maihar	Satisfactory	93	СО	1
53	Mandi Gobindgarh	Moderate	124	PM <sub>10</sub>	1
54	Mandideep	Moderate	124	PM <sub>2.5</sub>	1
55	Mandikhera	Moderate	159	PM <sub>2.5</sub>	1
56	Manesar	Moderate	193	PM <sub>2.5</sub>	1
57	Mumbai	Moderate	124	PM <sub>10</sub>	1
58	Muzaffarnagar	Satisfactory	70	PM <sub>2.5</sub>	1
59	Muzaffarpur	Poor	227	PM <sub>2.5</sub>	1
60	Nagpur	Moderate	157	OZONE	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Moderate	159	OZONE	1
62	Navi Mumbai	Moderate	112	со	1
63	Noida	Poor	269	PM <sub>2.5</sub>	2
64	Pali	Satisfactory	91	PM <sub>10</sub>	1
65	Palwal	Moderate	174	PM <sub>2.5</sub>	1
66	Panchkula	Satisfactory	95	OZONE	1
67	Panipat	Satisfactory	95	PM <sub>10</sub>	1
68	Patiala	Moderate	112	PM <sub>10</sub>	1
69	Patna	Poor	221	PM <sub>2.5</sub>	1
70	Pithampur	Moderate	120	PM <sub>10</sub>	1
71	Pune	Satisfactory	86	PM <sub>10</sub>	1
72	Rajamahendravaram	Satisfactory	81	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ratlam	Moderate	108	PM <sub>10</sub>	1
74	Rohtak	Poor	201	PM <sub>2.5</sub>	1
75	Rupnagar	Satisfactory	53	PM <sub>2.5</sub>	1
76	Satna	Moderate	103	со	1
77	Siliguri	Poor	288	PM <sub>2.5</sub>	1
78	Singrauli	Satisfactory	75	PM <sub>2.5</sub>	1
79	Sirsa	Moderate	150	PM <sub>2.5</sub>	1
80	Solapur	Moderate	109	PM <sub>10</sub>	1
81	Sonipat	Moderate	172	PM <sub>2.5</sub>	1
82	Thiruvananthapuram	Satisfactory	85	OZONE	1
83	Tirupati	Satisfactory	71	OZONE	1
84	Udaipur	Moderate	118	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ujjain	Moderate	169	OZONE	1
86	Vapi	Poor	254	PM <sub>2.5</sub>	1
87	Varanasi	Poor	207	PM <sub>2.5</sub>	1
88	Vatva	Moderate	124	PM <sub>10</sub>	1
89	Vijayawada	Good	44	PM <sub>10</sub>	1
90	Visakhapatnam	Moderate	118	PM <sub>2.5</sub>	1
91	Yamunanagar	Satisfactory	84	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Kalaburgi, Moradabad, Narnaul, Talcher, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.