

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	264	PM _{2.5}	1
2	Ahmedabad	Moderate	133	PM _{2.5}	1
3	Aizawl	Good	16	PM ₁₀	1
4	Ajmer	Satisfactory	98	PM _{2.5}	1
5	Alwar	Satisfactory	96	PM ₁₀	1
6	Amaravati	Poor	235	PM _{2.5}	1
7	Ambala	Moderate	116	PM _{2.5}	1
8	Amritsar	Poor	221	PM _{2.5}	1
9	Ankleshwar	Moderate	151	PM ₁₀	1
10	Asansol	Poor	280	PM _{2.5}	1
11	Aurangabad	Moderate	130	PM _{2.5}	1
12	Bagalkot	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	269	PM _{2.5}	1
14	Bahadurgarh	Poor	218	PM _{2.5}	1
15	Ballabgarh	Moderate	135	PM _{2.5}	1
16	Bathinda	Moderate	122	PM _{2.5}	1
17	Bengaluru	Moderate	101	PM _{2.5} , PM ₁₀	8
18	Bhiwadi	Very Poor	364	PM _{2.5}	1
19	Bhiwani	Moderate	116	PM ₁₀	1
20	Brajrajnagar	Poor	254	PM _{2.5}	1
21	Bulandshahr	Very Poor	311	PM _{2.5}	1
22	Chamarajanagar	Satisfactory	62	PM ₁₀	1
23	Chandigarh	Satisfactory	94	PM ₁₀	1
24	Chandrapur	Moderate	132	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	169	PM ₁₀	1
26	Chennai	Satisfactory	74	PM _{2.5} , PM ₁₀	6
27	Chikkaballapur	Moderate	115	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	78	PM _{2.5}	1
29	Damoh	Moderate	194	PM _{2.5}	1
30	Delhi	Poor	290	PM _{2.5}	32
31	Dharuhera	Poor	229	PM _{2.5}	1
32	Durgapur	Moderate	188	PM ₁₀	1
33	Eloor	Satisfactory	52	PM ₁₀	1
34	Faridabad	Poor	289	PM _{2.5} , PM ₁₀	3
35	Fatehabad	Moderate	135	PM ₁₀	1
36	Gandhinagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Poor	223	PM _{2.5}	2
38	Ghaziabad	Very Poor	310	PM _{2.5}	3
39	Greater Noida	Very Poor	315	PM _{2.5}	2
40	Gurugram	Poor	227	PM _{2.5}	4
41	Guwahati	Poor	283	PM ₁₀ , PM _{2.5}	2
42	Gwalior	Poor	273	PM _{2.5}	1
43	Haldia	Moderate	188	PM ₁₀	1
44	Hapur	Moderate	123	PM ₁₀	1
45	Hisar	Poor	225	PM _{2.5}	1
46	Howrah	Very Poor	328	PM ₁₀ , PM _{2.5}	3
47	Hubballi	Moderate	129	PM _{2.5}	1
48	Hyderabad	Moderate	189	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	142	PM _{2.5}	1
50	Jabalpur	Very Poor	332	PM _{2.5}	1
51	Jaipur	Moderate	104	PM _{2.5}	3
52	Jalandhar	Moderate	110	PM ₁₀	1
53	Jind	Poor	252	PM _{2.5}	1
54	Jodhpur	Moderate	163	PM _{2.5}	1
55	Kaithal	Moderate	148	PM ₁₀	1
56	Kalaburgi	Moderate	115	PM ₁₀	1
57	Kalyan	Poor	238	PM _{2.5}	1
58	Kanpur	Poor	286	PM _{2.5}	2
59	Katni	Very Poor	321	PM _{2.5}	1
60	Khanna	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Satisfactory	64	PM ₁₀	1
62	Kolkata	Very Poor	321	PM _{2.5}	5
63	Kollam	Moderate	146	PM _{2.5}	1
64	Koppal	Moderate	103	PM ₁₀	1
65	Kota	Moderate	172	PM _{2.5}	1
66	Kozhikode	Satisfactory	90	PM _{2.5}	1
67	Kurukshetra	Poor	224	PM _{2.5}	1
68	Lucknow	Very Poor	320	PM _{2.5}	4
69	Ludhiana	Satisfactory	80	PM ₁₀	1
70	Maihar	Satisfactory	67	PM ₁₀	1
71	Mandi Gobindgarh	Moderate	129	PM _{2.5}	1
72	Mandideep	Moderate	178	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Satisfactory	94	PM ₁₀	1
74	Manesar	Moderate	165	PM _{2.5}	1
75	Medikeri	Satisfactory	97	O ₃	1
76	Meerut	Poor	291	NO ₂ , PM _{2.5}	3
77	Moradabad	Poor	284	PM _{2.5}	1
78	Mumbai	Poor	225	PM _{2.5}	19
79	Muzaffarnagar	Poor	272	PM _{2.5}	1
80	Muzaffarpur	Very Poor	355	PM _{2.5} , PM ₁₀	2
81	Mysuru	Satisfactory	78	PM ₁₀	1
82	Nandesari	Good	50	со	1
83	Narnaul	Moderate	185	PM ₁₀	1
84	Nashik	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Poor	266	PM _{2.5}	3
86	Noida	Very Poor	302	PM _{2.5}	2
87	Pali	Moderate	104	PM ₁₀	1
88	Palwal	Moderate	129	PM _{2.5}	1
89	Panchkula	Poor	252	PM _{2.5}	1
90	Panipat	Moderate	194	PM ₁₀	1
91	Patiala	Moderate	106	PM ₁₀	1
92	Patna	Very Poor	356	PM _{2.5} , PM ₁₀	3
93	Pithampur	Poor	249	PM _{2.5}	1
94	Pune	Moderate	130	PM _{2.5} , CO	4
95	Raichur	Moderate	150	PM _{2.5}	1
96	Rajamahendravaram	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Satisfactory	68	PM _{2.5}	1
98	Ratlam	Moderate	122	PM ₁₀	1
99	Rohtak	Moderate	157	PM _{2.5}	1
100	Sagar	Satisfactory	74	PM _{2.5}	1
101	Satna	Moderate	106	PM ₁₀	1
102	Shillong	Good	21	03	1
103	Shivamogga	Moderate	135	PM _{2.5}	1
104	Singrauli	Very Poor	373	PM _{2.5}	1
105	Sirsa	Satisfactory	96	PM ₁₀	1
106	Solapur	Moderate	159	PM _{2.5}	1
107	Sonipat	Moderate	144	PM ₁₀	1
108	Talcher	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Poor	213	PM ₁₀	1
110	Thiruvananthapuram	Satisfactory	66	PM ₁₀	2
111	Thoothukudi	Satisfactory	80	03	1
112	Thrissur	Satisfactory	88	03	1
113	Tirupati	Moderate	146	PM _{2.5}	1
114	Udaipur	Moderate	114	PM ₁₀	1
115	Ujjain	Moderate	137	PM ₁₀	1
116	Vapi	Poor	237	PM _{2.5}	1
117	Varanasi	Poor	237	PM ₁₀	1
118	Vatva	Moderate	182	PM ₁₀	1
119	Vijayapura	Satisfactory	63	со	1
120	Visakhapatnam	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Moderate	142	PM _{2.5}	1
122	Yamunanagar	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Bhopal, Coimbatore, Dewas, Ernakulam, Hajipur, Jorapokhar, Kannur, Karnal, Kochi, Nagpur, Rupnagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.