

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	248	PM _{2.5}	2
2	Agra	Satisfactory	80	PM ₁₀	5
3	Aizawl	Good	35	PM ₁₀	1
4	Ajmer	Moderate	171	PM _{2.5}	1
5	Alwar	Moderate	175	PM _{2.5}	1
6	Amaravati	Poor	270	PM _{2.5}	1
7	Ambala	Moderate	115	PM _{2.5}	1
8	Amritsar	Moderate	162	PM _{2.5}	1
9	Anantapur	Satisfactory	90	O ₃	1
10	Ankleshwar	Moderate	109	O ₃	1
11	Araria	Very Poor	336	PM _{2.5}	1
12	Ariyalur	Moderate	143	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	352	PM _{2.5}	1
14	Asansol	Poor	263	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	302	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	168	PM _{2.5}	1
17	Baddi	Very Poor	318	PM _{2.5}	1
18	Bagalkot	Good	43	PM ₁₀	1
19	Bahadurgarh	Poor	244	PM _{2.5}	1
20	Ballabgarh	Poor	247	PM _{2.5}	1
21	Bareilly	Moderate	136	PM ₁₀	2
22	Baripada	Moderate	179	03	1
23	Bathinda	Moderate	127	PM _{2.5}	1
24	Begusarai	Very Poor	358	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	184	PM _{2.5}	1
26	Bengaluru	Satisfactory	95	PM _{2.5} , CO	9
27	Bettiah	Very Poor	339	PM _{2.5}	1
28	Bhagalpur	Severe	401	PM _{2.5}	2
29	Bhiwadi	Poor	236	PM ₁₀	1
30	Bhiwani	Moderate	114	PM _{2.5}	1
31	Bhopal	Moderate	130	PM ₁₀ , PM _{2.5}	2
32	Bidar	Satisfactory	76	SO ₂	1
33	Bihar Sharif	Very Poor	386	PM _{2.5}	1
34	Bilaspur	Satisfactory	99	PM ₁₀	1
35	Bileipada	Moderate	175	PM ₁₀	1
36	Brajrajnagar	Satisfactory	93	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Poor	229	PM _{2.5}	1
38	Byrnihat	Severe	413	PM _{2.5}	1
39	Chamarajanagar	Good	40	PM ₁₀	1
40	Chandigarh	Poor	224	PM _{2.5}	2
41	Chandrapur	Moderate	148	PM ₁₀ , PM _{2.5}	2
42	Charkhi Dadri	Moderate	120	PM _{2.5}	1
43	Chennai	Moderate	193	PM _{2.5}	8
44	Chhapra	Severe	418	PM ₁₀	1
45	Chikkaballapur	Moderate	131	PM ₁₀	1
46	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
47	Coimbatore	Moderate	135	PM _{2.5}	1
48	Damoh	Satisfactory	54	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Very Poor	372	PM _{2.5}	1
50	Davanagere	Satisfactory	94	PM ₁₀	1
51	Dehradun	Satisfactory	98	PM _{2.5}	1
52	Delhi	Very Poor	349	PM _{2.5}	37
53	Dewas	Moderate	139	PM _{2.5}	1
54	Dharuhera	Very Poor	334	PM _{2.5}	1
55	Dindigul	Poor	212	NO ₂	1
56	Durgapur	Poor	213	PM _{2.5}	1
57	Faridabad	Very Poor	314	PM _{2.5}	4
58	Fatehabad	Satisfactory	81	PM ₁₀	1
59	Firozabad	Satisfactory	68	PM ₁₀	2
60	Gadag	Satisfactory	88	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Satisfactory	89	PM ₁₀	1
62	Gangtok	Satisfactory	59	PM _{2.5}	1
63	Gaya	Poor	237	PM _{2.5}	3
64	Ghaziabad	Poor	280	PM _{2.5}	4
65	Gorakhpur	Moderate	125	PM _{2.5}	1
66	Greater Noida	Very Poor	328	PM _{2.5}	2
67	Gummidipoondi	Poor	253	PM _{2.5}	1
68	Gurugram	Very Poor	355	PM _{2.5}	3
69	Guwahati	Poor	247	PM _{2.5}	4
70	Gwalior	Very Poor	313	PM _{2.5}	3
71	Haldia	Moderate	155	PM ₁₀	1
72	Hapur	Moderate	122	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Moderate	103	PM _{2.5}	1
74	Hisar	Moderate	187	PM _{2.5}	1
75	Hosur	Moderate	120	PM _{2.5}	1
76	Howrah	Very Poor	305	PM _{2.5}	3
77	Hubballi	Moderate	101	PM ₁₀	2
78	Hyderabad	Moderate	119	PM _{2.5} , PM ₁₀	12
79	Imphal	Moderate	128	PM _{2.5} , SO ₂	2
80	Indore	Moderate	124	PM ₁₀	1
81	Jabalpur	Moderate	147	PM _{2.5}	1
82	Jaipur	Moderate	137	PM _{2.5} , PM ₁₀	3
83	Jalandhar	Moderate	126	PM _{2.5}	1
84	Jhansi	Moderate	144	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	118	PM ₁₀	1
86	Kaithal	Moderate	112	PM _{2.5}	1
87	Kanchipuram	Moderate	104	PM ₁₀	1
88	Kannur	Satisfactory	74	PM _{2.5}	1
89	Kanpur	Moderate	115	PM ₁₀	4
90	Karnal	Moderate	172	PM _{2.5}	1
91	Katihar	Severe	408	PM _{2.5}	1
92	Katni	Moderate	197	PM _{2.5}	1
93	Keonjhar	Moderate	199	PM _{2.5}	1
94	Khanna	Satisfactory	100	PM _{2.5}	1
95	Khurja	Poor	265	PM _{2.5}	1
96	Kishanganj	Very Poor	330	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	178	PM _{2.5}	1
98	Kolar	Moderate	157	SO ₂	1
99	Kolkata	Poor	278	PM _{2.5}	7
100	Kollam	Moderate	104	PM ₁₀	1
101	Kota	Moderate	181	PM _{2.5}	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Moderate	139	PM _{2.5}	1
104	Lucknow	Moderate	184	PM _{2.5}	6
105	Ludhiana	Poor	210	PM _{2.5}	1
106	Madikeri	Good	47	O ₃	1
107	Maihar	Satisfactory	56	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	132	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Moderate	118	PM _{2.5}	1
110	Mandikhera	Moderate	127	PM ₁₀	1
111	Manesar	Very Poor	321	PM _{2.5}	1
112	Mangalore	Moderate	107	PM ₁₀	1
113	Manguraha	Poor	230	PM _{2.5}	1
114	Meerut	Moderate	157	PM _{2.5}	3
115	Moradabad	Moderate	103	PM _{2.5}	6
116	Motihari	Moderate	185	PM ₁₀	1
117	Mumbai	Moderate	175	PM _{2.5} , PM ₁₀	18
118	Munger	Very Poor	366	PM _{2.5}	1
119	Muzaffarnagar	Very Poor	330	PM _{2.5}	1
120	Muzaffarpur	Poor	292	PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	61	O ₃	1
122	Nagpur	Poor	266	PM _{2.5}	1
123	Nalbari	Poor	291	PM _{2.5}	1
124	Nandesari	Good	17	PM _{2.5}	1
125	Narnaul	Moderate	187	PM _{2.5}	1
126	Navi Mumbai	Moderate	171	PM _{2.5}	2
127	Nayagarh	Moderate	133	PM ₁₀	1
128	Noida	Poor	280	PM _{2.5} , PM ₁₀	4
129	Ooty	Satisfactory	58	PM ₁₀	1
130	Pali	Moderate	152	PM _{2.5}	1
131	Palwal	Moderate	144	PM _{2.5}	1
132	Panchkula	Moderate	177	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	138	PM ₁₀	1
134	Patiala	Satisfactory	98	PM ₁₀	1
135	Patna	Very Poor	372	PM ₁₀ , PM _{2.5}	6
136	Pithampur	Moderate	115	PM ₁₀	1
137	Prayagraj	Moderate	121	PM ₁₀	3
138	Puducherry	Moderate	190	PM _{2.5}	1
139	Purnia	Very Poor	393	PM _{2.5}	1
140	Raichur	Good	43	PM _{2.5}	1
141	Rairangpur	Moderate	106	PM ₁₀	1
142	Rajamahendravaram	Moderate	136	PM ₁₀	1
143	Rajgir	Very Poor	327	PM _{2.5}	1
144	Ramanagara	Satisfactory	87	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Moderate	117	PM _{2.5}	1
146	Ratlam	Moderate	113	PM _{2.5}	1
147	Rohtak	Moderate	156	PM _{2.5}	1
148	Rourkela	Moderate	198	PM ₁₀	1
149	Rupnagar	Moderate	121	PM ₁₀	1
150	Sagar	Moderate	168	PM _{2.5}	2
151	Salem	Moderate	106	PM _{2.5}	1
152	Samastipur	Very Poor	355	PM _{2.5}	1
153	Sasaram	Poor	279	PM _{2.5}	1
154	Satna	Satisfactory	86	PM ₁₀	1
155	Shillong	Satisfactory	73	PM _{2.5}	1
156	Shivamogga	Good	43	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siliguri	Moderate	192	PM _{2.5}	1
158	Singrauli	Very Poor	307	PM _{2.5}	1
159	Sirsa	Satisfactory	83	PM _{2.5}	1
160	Sivasagar	Good	42	PM _{2.5}	1
161	Solapur	Satisfactory	95	PM _{2.5}	1
162	Sonipat	Poor	205	PM ₁₀	1
163	Suakati	Moderate	138	PM ₁₀	1
164	Surat	Satisfactory	98	PM _{2.5}	1
165	Talcher	Poor	210	PM _{2.5}	1
166	Tensa	Satisfactory	83	PM ₁₀	1
167	Thane	Moderate	158	PM ₁₀	1
168	Thiruvananthapuram	Satisfactory	92	PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thoothukudi	Satisfactory	98	PM ₁₀	1
170	Thrissur	Moderate	112	PM ₁₀	1
171	Tirupati	Moderate	140	PM _{2.5}	2
172	Tirupur	Moderate	110	PM ₁₀	1
173	Udaipur	Moderate	150	PM _{2.5}	1
174	Udupi	Moderate	101	со	1
175	Ujjain	Moderate	134	PM ₁₀	1
176	Vapi	Poor	227	PM _{2.5}	1
177	Varanasi	Satisfactory	85	O ₃ , PM _{2.5}	4
178	Vatva	Moderate	126	PM ₁₀	1
179	Vijayapura	Satisfactory	58	PM ₁₀	1
180	Visakhapatnam	Poor	224	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vrindavan	Moderate	167	PM ₁₀	1
182	Yadgir	Satisfactory	93	PM _{2.5}	1
183	Yamunanagar	Poor	252	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhilai, Buxar, Chengalpattu, Chittoor, Dharwad, Eloor, Ernakulam, Hajipur, Hassan, Jind, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Korba, Naharlagun, Nashik, Pune, Raipur, Saharsa, Siwan, Srinagar, Tumakuru, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.