

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	36	PM ₁₀	1
2	Agra	Satisfactory	66	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	77	O ₃ , PM ₁₀	2
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Good	50	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Satisfactory	61	PM ₁₀	1
8	Amritsar	Moderate	123	PM _{2.5}	1
9	Anantapur	Satisfactory	82	PM ₁₀	1
10	Ankleshwar	Satisfactory	74	PM ₁₀	1
11	Arrah	Satisfactory	85	NO ₂	1
12	Asansol	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	89	PM ₁₀	1
14	Baddi	Moderate	182	O ₃	1
15	Bagalkot	Good	37	со	1
16	Baghpat	Moderate	111	PM ₁₀	1
17	Bahadurgarh	Moderate	108	PM ₁₀	1
18	Ballabgarh	Satisfactory	83	PM ₁₀	1
19	Bareilly	Moderate	116	PM ₁₀	2
20	Bathinda	Moderate	171	PM ₁₀	1
21	Belgaum	Satisfactory	60	PM _{2.5}	1
22	Bengaluru	Moderate	126	PM ₁₀ , O ₃ , PM _{2.5}	5
23	Bhagalpur	Satisfactory	52	NO ₂ , O ₃	2
24	Bhiwani	Satisfactory	78	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	112	PM ₁₀	2
26	Bilaspur	Satisfactory	52	PM ₁₀	1
27	Bulandshahr	Moderate	145	PM ₁₀	1
28	Buxar	Satisfactory	66	со	1
29	Chamarajanagar	Good	35	PM ₁₀	1
30	Chandigarh	Moderate	119	O ₃ , PM ₁₀	3
31	Chandrapur	Satisfactory	99	PM ₁₀	1
32	Charkhi Dadri	Moderate	120	PM ₁₀	1
33	Chengalpattu	Satisfactory	76	PM ₁₀	1
34	Chennai	Moderate	101	CO, PM ₁₀	7
35	Chhapra	Satisfactory	57	со	1
36	Chikkaballapur	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	38	PM _{2.5}	1
38	Coimbatore	Good	36	CO, SO ₂	2
39	Damoh	Satisfactory	74	PM _{2.5}	1
40	Darbhanga	Satisfactory	55	со	1
41	Davanagere	Good	25	PM ₁₀	1
42	Dehradun	Satisfactory	93	03	1
43	Delhi	Moderate	150	PM ₁₀ , O ₃ , PM _{2.5}	33
44	Dewas	Satisfactory	94	PM ₁₀	1
45	Dharuhera	Moderate	184	PM ₁₀	1
46	Durgapur	Satisfactory	59	PM ₁₀	1
47	Eloor	Good	46	PM ₁₀	1
48	Ernakulam	Satisfactory	54	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	177	PM _{2.5} , PM ₁₀	3
50	Fatehabad	Moderate	102	PM ₁₀	1
51	Firozabad	Moderate	108	PM _{2.5} , PM ₁₀	2
52	Gandhinagar	Satisfactory	54	PM ₁₀	1
53	Gaya	Good	47	CO, PM ₁₀	2
54	Ghaziabad	Moderate	162	PM ₁₀ , O ₃	4
55	Gorakhpur	Good	48	SO ₂	1
56	Greater Noida	Moderate	146	PM ₁₀	2
57	Gurugram	Moderate	168	PM _{2.5} , PM ₁₀	2
58	Guwahati	Good	19	SO ₂	1
59	Gwalior	Moderate	131	PM ₁₀	1
60	Hajipur	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	28	03	1
62	Hapur	Moderate	130	PM ₁₀	1
63	Hassan	Good	35	PM _{2.5}	1
64	Haveri	Good	31	со	1
65	Hisar	Moderate	104	PM ₁₀	1
66	Howrah	Good	25	PM ₁₀ , NO ₂ , CO	3
67	Hubballi	Satisfactory	54	со	1
68	Hyderabad	Satisfactory	68	CO, PM _{2.5} , PM ₁₀	12
69	Imphal	Satisfactory	84	O ₃ , SO ₂	2
70	Indore	Satisfactory	72	PM ₁₀	1
71	Jabalpur	Moderate	123	PM ₁₀	1
72	Jaipur	Moderate	105	PM ₁₀ , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	110	PM ₁₀	1
74	Jhansi	Moderate	132	PM ₁₀	1
75	Jind	Satisfactory	87	PM ₁₀	1
76	Jodhpur	Satisfactory	65	PM ₁₀	1
77	Kaithal	Satisfactory	87	PM ₁₀	1
78	Kalaburgi	Good	50	PM _{2.5}	1
79	Kalyan	Moderate	125	PM ₁₀	1
80	Kannur	Satisfactory	66	PM ₁₀	1
81	Kanpur	Moderate	122	PM _{2.5} , PM ₁₀	4
82	Karnal	Satisfactory	76	PM ₁₀	1
83	Katihar	Satisfactory	52	СО	1
84	Katni	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	82	PM ₁₀	1
86	Khurja	Moderate	176	PM _{2.5}	1
87	Kohima	Satisfactory	51	PM ₁₀	1
88	Kolkata	Good	36	O ₃ , NO ₂ , PM ₁₀	7
89	Kollam	Satisfactory	55	PM ₁₀	1
90	Kota	Satisfactory	75	PM ₁₀	1
91	Kozhikode	Satisfactory	77	PM ₁₀	1
92	Kurukshetra	Satisfactory	100	PM _{2.5}	1
93	Lucknow	Moderate	110	PM _{2.5}	6
94	Ludhiana	Moderate	110	PM ₁₀	1
95	Madikeri	Good	34	O ₃	1
96	Maihar	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Satisfactory	98	PM ₁₀	1
98	Mandideep	Satisfactory	87	PM ₁₀	1
99	Mandikhera	Satisfactory	58	PM ₁₀	1
100	Manesar	Satisfactory	81	PM ₁₀	1
101	Manglore	Satisfactory	60	PM ₁₀	1
102	Meerut	Moderate	126	PM ₁₀	2
103	Moradabad	Satisfactory	100	PM _{2.5} , PM ₁₀	6
104	Motihari	Good	35	O ₃	1
105	Mumbai	Satisfactory	66	PM ₁₀ , NO ₂	17
106	Munger	Satisfactory	65	со	1
107	Muzaffarnagar	Moderate	122	PM ₁₀	1
108	Muzaffarpur	Satisfactory	62	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	65	PM ₁₀	1
110	Nagpur	Satisfactory	81	O ₃	1
111	Naharlagun	Good	22	SO ₂	1
112	Nandesari	Moderate	139	PM _{2.5}	1
113	Narnaul	Satisfactory	85	PM ₁₀	1
114	Navi Mumbai	Moderate	127	PM _{2.5} , PM ₁₀	3
115	Noida	Moderate	154	O ₃ , PM ₁₀ , PM _{2.5}	4
116	Ooty	Satisfactory	63	PM ₁₀	1
117	Pali	Satisfactory	56	PM ₁₀	1
118	Palwal	Satisfactory	94	PM _{2.5}	1
119	Panchkula	Good	47	PM _{2.5}	1
120	Panipat	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Satisfactory	94	PM ₁₀	1
122	Patna	Good	40	NO ₂ , O ₃ , PM ₁₀	6
123	Pithampur	Moderate	131	PM ₁₀	1
124	Prayagraj	Satisfactory	86	PM _{2.5}	3
125	Puducherry	Satisfactory	95	PM ₁₀	1
126	Purnia	Satisfactory	66	со	1
127	Rajamahendravaram	Satisfactory	54	PM ₁₀	1
128	Rajgir	Satisfactory	64	со	1
129	Ramanagara	Good	47	PM _{2.5}	1
130	Ramanathapuram	Good	34	PM ₁₀	1
131	Ratlam	Satisfactory	63	PM ₁₀	1
132	Rohtak	Satisfactory	58	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Poor	232	PM _{2.5}	1
134	Samastipur	Good	48	СО	1
135	Sasaram	Satisfactory	73	со	1
136	Satna	Good	36	PM ₁₀	1
137	Shillong	Good	21	SO ₂	1
138	Shivamogga	Good	42	PM ₁₀	1
139	Siliguri	Good	28	PM ₁₀	1
140	Singrauli	Satisfactory	90	NO ₂	1
141	Sirsa	Satisfactory	96	PM ₁₀	1
142	Sivasagar	Good	15	PM ₁₀	1
143	Siwan	Good	50	NO ₂	1
144	Solapur	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sonipat	Moderate	110	PM ₁₀	1
146	Srinagar	Good	45	PM ₁₀	1
147	Talcher	Good	27	со	1
148	Thane	Satisfactory	85	03	1
149	Thiruvananthapuram	Good	32	PM _{2.5} , CO	2
150	Thoothukudi	Good	50	PM ₁₀	1
151	Thrissur	Good	48	PM ₁₀	1
152	Tirupati	Satisfactory	62	PM ₁₀	1
153	Tiruppur	Moderate	106	PM ₁₀	1
154	Udaipur	Satisfactory	51	PM ₁₀	1
155	Ujjain	Moderate	104	PM ₁₀	1
156	Varanasi	Satisfactory	51	PM ₁₀ , SO ₂	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vatva	Satisfactory	98	PM ₁₀	1
158	Vijayapura	Good	40	PM ₁₀	1
159	Visakhapatnam	Moderate	108	PM ₁₀	1
160	Vrindavan	Satisfactory	72	PM ₁₀	1
161	Yadgir	Satisfactory	51	PM ₁₀	1
162	Yamunanagar	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Bihar Sharif, Brajrajnagar, Dindigul, Gadag, Gangtok, Gummidipoondi, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Koppal, Manguraha, Nashik, Pune, Raichur, Sagar, Saharsa, Salem, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.