

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	311	PM _{2.5}	1
2	Ahmedabad	Moderate	148	PM _{2.5}	1
3	Aizawl	Satisfactory	56	PM _{2.5}	1
4	Ajmer	Satisfactory	90	PM ₁₀	1
5	Alwar	Satisfactory	90	PM ₁₀	1
6	Amaravati	Satisfactory	58	PM ₁₀	1
7	Ambala	Moderate	108	PM ₁₀	1
8	Amritsar	Satisfactory	58	PM ₁₀	1
9	Ankleshwar	Poor	250	PM _{2.5}	1
10	Asansol	Poor	213	PM _{2.5}	1
11	Aurangabad	Satisfactory	86	PM _{2.5}	1
12	Bagalkot	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	298	PM _{2.5}	1
14	Bahadurgarh	Moderate	188	PM _{2.5}	1
15	Ballabgarh	Moderate	143	PM _{2.5}	1
16	Bathinda	Moderate	125	PM _{2.5}	1
17	Bengaluru	Good	48	PM ₁₀ , PM _{2.5} , NO ₂	8
18	Bhiwadi	Very Poor	320	PM _{2.5}	1
19	Bhopal	Poor	212	PM _{2.5}	1
20	Bidar	Good	50	PM _{2.5}	1
21	Brajrajnagar	Moderate	182	PM _{2.5}	1
22	Bulandshahr	Very Poor	329	PM _{2.5}	1
23	Chamarajanagar	Good	47	PM ₁₀	1
24	Chandigarh	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	100	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Moderate	132	PM ₁₀	1
27	Chennai	Satisfactory	86	PM _{2.5} , PM ₁₀	8
28	Chikkaballapur	Good	34	со	1
29	Chikkamagaluru	Good	32	PM ₁₀	1
30	Damoh	Moderate	185	PM _{2.5}	1
31	Delhi	Very Poor	301	PM _{2.5}	38
32	Dewas	Satisfactory	90	PM _{2.5}	1
33	Dharuhera	Moderate	196	PM _{2.5}	1
34	Durgapur	Poor	221	PM _{2.5}	1
35	Eloor	Satisfactory	63	PM ₁₀	1
36	Ernakulam	Satisfactory	62	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Very Poor	311	PM _{2.5} , PM ₁₀	2
38	Gadag	Good	29	SO ₂	1
39	Gandhinagar	Satisfactory	89	PM ₁₀	1
40	Gaya	Moderate	150	PM _{2.5}	2
41	Ghaziabad	Very Poor	348	PM _{2.5}	4
42	Greater Noida	Very Poor	360	PM _{2.5}	2
43	Gummidipoondi	Satisfactory	79	PM ₁₀	1
44	Gurugram	Poor	230	PM _{2.5}	4
45	Guwahati	Very Poor	308	PM _{2.5}	2
46	Gwalior	Poor	299	PM _{2.5}	1
47	Hajipur	Moderate	161	PM ₁₀	1
48	Haldia	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	112	PM ₁₀	1
50	Hisar	Poor	213	PM _{2.5}	1
51	Howrah	Moderate	184	PM _{2.5} , PM ₁₀	3
52	Hubballi	Good	38	со	1
53	Hyderabad	Satisfactory	68	PM ₁₀ , PM _{2.5}	4
54	Indore	Satisfactory	99	PM _{2.5}	1
55	Jabalpur	Poor	236	PM _{2.5}	1
56	Jaipur	Moderate	141	PM _{2.5}	3
57	Jalandhar	Satisfactory	76	PM ₁₀	1
58	Jind	Poor	216	PM _{2.5}	1
59	Jodhpur	Moderate	163	PM _{2.5}	1
60	Kaithal	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	51	PM ₁₀	1
62	Kalyan	Poor	206	PM _{2.5}	1
63	Kannur	Good	31	PM ₁₀	1
64	Kanpur	Very Poor	311	PM _{2.5}	1
65	Karnal	Moderate	148	PM _{2.5}	1
66	Katni	Moderate	133	PM _{2.5}	1
67	Khanna	Moderate	105	PM ₁₀	1
68	Kochi	Good	47	со	1
69	Kohima	Satisfactory	100	PM _{2.5}	1
70	Kolkata	Moderate	173	PM _{2.5}	7
71	Kollam	Good	42	PM _{2.5}	1
72	Koppal	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Poor	226	PM _{2.5}	1
74	Kozhikode	Satisfactory	73	со	1
75	Kurukshetra	Moderate	179	PM _{2.5}	1
76	Lucknow	Poor	264	PM _{2.5}	4
77	Ludhiana	Satisfactory	59	PM ₁₀	1
78	Mandi Gobindgarh	Moderate	174	PM _{2.5}	1
79	Mandideep	Moderate	151	PM _{2.5}	1
80	Mandikhera	Satisfactory	80	NO ₂	1
81	Manesar	Moderate	118	PM ₁₀	1
82	Manglore	Good	31	PM ₁₀	1
83	Medikeri	Good	49	03	1
84	Meerut	Poor	250	PM _{2.5}	3

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	258	PM _{2.5}	1
86	Mumbai	Poor	234	PM _{2.5}	17
87	Muzaffarnagar	Poor	237	PM _{2.5}	1
88	Muzaffarpur	Poor	250	PM _{2.5} , PM ₁₀	2
89	Mysuru	Good	39	PM ₁₀	1
90	Nandesari	Satisfactory	78	PM _{2.5}	1
91	Nashik	Satisfactory	52	PM _{2.5}	1
92	Navi Mumbai	Moderate	194	PM _{2.5}	3
93	Noida	Very Poor	346	PM _{2.5}	4
94	Pali	Moderate	129	PM _{2.5}	1
95	Palwal	Moderate	119	со	1
96	Panchkula	Moderate	131	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	110	PM ₁₀	1
98	Patna	Poor	207	PM _{2.5} , PM ₁₀	5
99	Pithampur	Moderate	101	PM _{2.5}	1
100	Pune	Satisfactory	77	CO, PM ₁₀	3
101	Raichur	Satisfactory	81	PM ₁₀	1
102	Rajamahendravaram	Satisfactory	84	PM ₁₀	1
103	Ramanagara	Good	29	PM ₁₀	1
104	Ratlam	Moderate	181	PM _{2.5}	1
105	Rohtak	Moderate	182	PM _{2.5}	1
106	Rupnagar	Moderate	108	PM _{2.5}	1
107	Sagar	Good	39	PM _{2.5}	1
108	Satna	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Good	35	PM ₁₀	1
110	Siliguri	Poor	290	PM _{2.5}	1
111	Singrauli	Very Poor	311	PM _{2.5}	1
112	Sirsa	Satisfactory	83	PM _{2.5}	1
113	Sonipat	Moderate	145	PM _{2.5}	1
114	Talcher	Moderate	122	PM ₁₀	1
115	Thane	Moderate	138	PM ₁₀	1
116	Thiruvananthapuram	Good	41	CO, PM ₁₀	2
117	Thoothukudi	Good	30	03	1
118	Thrissur	Good	40	03	1
119	Tirupati	Good	39	со	1
120	Udaipur	Poor	207	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	121	PM _{2.5}	1
122	Vapi	Very Poor	308	PM _{2.5}	1
123	Varanasi	Moderate	199	PM _{2.5}	1
124	Vatva	Poor	214	PM _{2.5}	1
125	Vijayapura	Good	44	СО	1
126	Visakhapatnam	Satisfactory	79	PM ₁₀	1
127	Yadgir	Good	42	PM ₁₀	1
128	Yamunanagar	Poor	268	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bhiwani, Coimbatore, Fatehabad, Jorapokhar, Maihar, Nagpur, Narnaul, Panipat, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.