

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	198	PM _{2.5}	1
2	Ahmedabad	Poor	222	PM _{2.5}	1
3	Ajmer	Moderate	116	PM ₁₀	1
4	Alwar	Moderate	107	PM ₁₀	1
5	Amaravati	Good	42	PM ₁₀	1
6	Ambala	Moderate	169	OZONE	1
7	Amritsar	Moderate	125	PM ₁₀	1
8	Ankleshwar	Moderate	118	PM ₁₀	1
9	Asanol	Moderate	168	OZONE	1
10	Baghpat	Very Poor	308	PM ₁₀	1
11	Bahadurgarh	Moderate	169	PM ₁₀	1
12	Ballabgarh	Poor	282	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune, Talcher, Vijayawada, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	118	PM ₁₀	1
14	Bengaluru	Moderate	132	PM _{2.5} , OZONE, PM ₁₀	10
15	Bhiwadi	Poor	236	PM _{2.5}	1
16	Bhiwani	Poor	287	PM _{2.5}	1
17	Brajrajnagar	Poor	250	PM _{2.5}	1
18	Chandrapur	Moderate	167	OZONE	1
19	Chennai	Satisfactory	63	PM _{2.5} , CO	3
20	Chikkaballapur	Satisfactory	98	PM ₁₀	1
21	Damoh	Satisfactory	75	PM _{2.5}	1
22	Delhi	Poor	248	PM ₁₀ , PM _{2.5}	29
23	Dewas	Moderate	111	PM ₁₀	1
24	Dharuhera	Poor	236	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune, Talcher, Vijayawada, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Fatehabad	Very Poor	315	PM ₁₀	1
26	GandhiNagar	Moderate	123	PM ₁₀	1
27	Gaya	Moderate	141	PM _{2.5}	1
28	Ghaziabad	Poor	297	PM ₁₀	3
29	Greater_Noida	Poor	226	PM ₁₀	1
30	Gurugram	Poor	260	PM _{2.5}	2
31	Guwahati	Good	49	OZONE	1
32	Hapur	Poor	293	PM ₁₀	1
33	Hisar	Very Poor	339	PM _{2.5}	1
34	Howrah	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
35	Hyderabad	Satisfactory	98	PM ₁₀ , PM _{2.5}	5
36	Jaipur	Moderate	145	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune, Talcher, Vijayawada, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jalandhar	Moderate	158	PM ₁₀	1
38	Jind	Poor	219	PM ₁₀	1
39	Jodhpur	Poor	264	PM _{2.5}	1
40	Jorapokhar	Moderate	188	PM ₁₀	1
41	Kaithal	Moderate	155	PM ₁₀	1
42	Kalaburagi	Moderate	114	PM ₁₀	1
43	Kanpur	Moderate	108	OZONE	1
44	Karnal	Very Poor	303	PM _{2.5}	1
45	Khanna	Moderate	114	PM ₁₀	1
46	Kolkata	Satisfactory	74	PM ₁₀	2
47	Kota	Poor	244	PM _{2.5}	1
48	Kurukshetra	Moderate	194	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad,
 Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune,
 Talcher, Vijayawada, Visakhapatnam as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Very Poor	330	PM ₁₀	1
50	Lucknow	Poor	268	PM _{2.5}	4
51	Ludhiana	Satisfactory	92	PM ₁₀	1
52	Maihar	Moderate	162	PM ₁₀	1
53	Mandideep	Poor	234	PM ₁₀	1
54	Mandikhera	Moderate	161	PM ₁₀	1
55	Manesar	Poor	290	PM _{2.5}	1
56	Mumbai	Satisfactory	93	со	1
57	Muzaffarnagar	Moderate	188	PM ₁₀	1
58	Muzaffarpur	Satisfactory	89	PM _{2.5}	1
59	Nagpur	Moderate	165	OZONE	1
60	Narnaul	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad,
 Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune,
 Talcher, Vijayawada, Visakhapatnam as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Satisfactory	99	PM ₁₀	1
62	Navi Mumbai	Moderate	130	PM ₁₀	1
63	Noida	Poor	232	PM ₁₀	2
64	Pali	Moderate	169	PM _{2.5}	1
65	Palwal	Very Poor	353	PM _{2.5}	1
66	Panchkula	Satisfactory	62	PM _{2.5}	1
67	Panipat	Poor	213	PM ₁₀	1
68	Patiala	Moderate	165	PM ₁₀	1
69	Patna	Poor	208	OZONE	1
70	Pithampur	Moderate	132	PM ₁₀	1
71	Rajamahendravaram	Good	49	OZONE	1
72	Ratlam	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad,
 Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune,
 Talcher, Vijayawada, Visakhapatnam as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rohtak	Poor	238	PM _{2.5}	1
74	Rupnagar	Poor	215	PM _{2.5}	1
75	Satna	Moderate	115	PM ₁₀	1
76	Siliguri	Satisfactory	64	PM _{2.5}	1
77	Singrauli	Poor	268	PM ₁₀	1
78	Sirsa	Moderate	161	PM _{2.5}	1
79	Solapur	Moderate	136	PM _{2.5}	1
80	Sonipat	Poor	215	PM ₁₀	1
81	Thane	Satisfactory	75	PM ₁₀	1
82	Thiruvananthapuram	Satisfactory	57	PM ₁₀	1
83	Tirupati	Good	44	PM ₁₀	1
84	Udaipur	Satisfactory	83	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune, Talcher, Vijayawada, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ujjain	Moderate	117	PM ₁₀	1
86	Vapi	Moderate	184	PM _{2.5}	1
87	Varanasi	Poor	257	PM ₁₀	1
88	Vatva	Moderate	144	PM ₁₀	1
89	Yamunanagar	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Durgapur, Faridabad, Mandi Gobindgarh, Moradabad, Pune, Talcher, Vijayawada, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.