

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	co	1
2	Agra	Good	38	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	5
3	Ahmedabad	Satisfactory	59	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
4	Ajmer	Satisfactory	54	со	1
5	Alwar	Satisfactory	57	PM <sub>10</sub>	1
6	Amaravati	Good	32	03	1
7	Ambala	Satisfactory	88	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	66	NO <sub>2</sub>	1
9	Ankleshwar	Satisfactory	61	PM <sub>2.5</sub>	1
10	Araria	Satisfactory	77	PM <sub>2.5</sub>	1
11	Asansol	Satisfactory	69	NO <sub>2</sub>	1
12	Aurangabad (Maharashtra)	Satisfactory	83	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

# Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Cadag, Cangke Gummidipoondi, Hajipur, Hapur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Motihari, Muzaffarpur, Nagpur, Naharlagun, Nandesari, Prayagraj, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Talcher, Udupi, Ujjain, Vapi, Yadgir, Yamunanagar as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	97	PM <sub>10</sub>	1
14	Bagalkot	Satisfactory	58	PM <sub>10</sub>	1
15	Baghpat	Satisfactory	73	03	1
16	Bahadurgarh	Moderate	114	PM <sub>10</sub>	1
17	Ballabgarh	Satisfactory	60	PM <sub>2.5</sub>	1
18	Bareilly	Moderate	149	PM <sub>2.5</sub>	1
19	Bathinda	Satisfactory	67	PM <sub>10</sub>	1
20	Bengaluru	Good	45	PM <sub>2.5</sub> , PM <sub>10</sub>	7
21	Bhiwadi	Satisfactory	77	PM <sub>10</sub>	1
22	Bhiwani	Satisfactory	93	03	1
23	Bhopal	Satisfactory	61	со	1
24	Bihar Sharif	Moderate	108	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

# Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Cadag, Cangke Gummidipoondi, Hajipur, Hapur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Motihari, Muzaffarpur, Nagpur, Naharlagun, Nandesari, Prayagraj, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Talcher, Udupi, Ujjain, Vapi, Yadgir, Yamunanagar as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Good	44	NO <sub>2</sub>	1
26	Bulandshahr	Satisfactory	100	PM <sub>10</sub>	1
27	Chamarajanagar	Good	39	PM <sub>10</sub>	1
28	Chandigarh	Moderate	111	O <sub>3</sub> , PM <sub>10</sub>	3
29	Chandrapur	Satisfactory	76	PM <sub>2.5</sub> , CO	2
30	Charkhi Dadri	Satisfactory	88	PM <sub>10</sub>	1
31	Chennai	Satisfactory	58	СО	7
32	Chikkamagaluru	Good	28	PM <sub>10</sub>	1
33	Coimbatore	Good	28	PM <sub>2.5</sub>	1
34	Dehradun	Good	44	PM <sub>10</sub>	1
35	Delhi	Moderate	124	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	34
36	Dewas	Good	38	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dharuhera	Moderate	136	PM <sub>2.5</sub>	1
38	Durgapur	Satisfactory	72	PM <sub>10</sub>	1
39	Eloor	Satisfactory	55	PM <sub>10</sub>	1
40	Ernakulam	Good	43	PM <sub>10</sub>	1
41	Faridabad	Satisfactory	70	PM <sub>10</sub>	2
42	Fatehabad	Moderate	103	PM <sub>10</sub>	1
43	Firozabad	Satisfactory	68	O <sub>3</sub>	1
44	Gandhinagar	Good	48	PM <sub>10</sub>	1
45	Gaya	Good	38	O <sub>3</sub>	1
46	Ghaziabad	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	4
47	Gorakhpur	Good	45	SO <sub>2</sub>	1
48	Greater Noida	Moderate	104	PM <sub>10</sub>	2

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

# Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Cadag, Cangke Gummidipoondi, Hajipur, Hapur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Motihari, Muzaffarpur, Nagpur, Naharlagun, Nandesari, Prayagraj, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Talcher, Udupi, Ujjain, Vapi, Yadgir, Yamunanagar as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	4
50	Guwahati	Good	50	PM <sub>10</sub>	1
51	Gwalior	Satisfactory	57	03	1
52	Haldia	Good	34	со	1
53	Howrah	Good	40	PM <sub>10</sub> , CO	3
54	Hyderabad	Satisfactory	79	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	11
55	Imphal	Satisfactory	66	SO <sub>2</sub>	2
56	Indore	Satisfactory	72	PM <sub>10</sub>	1
57	Jabalpur	Good	40	O <sub>3</sub>	1
58	Jaipur	Satisfactory	68	NO <sub>2</sub> , O <sub>3</sub>	2
59	Jalandhar	Satisfactory	69	PM <sub>10</sub>	1
60	Jind	Satisfactory	74	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

# Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Cadag, Cangke Gummidipoondi, Hajipur, Hapur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Motihari, Muzaffarpur, Nagpur, Naharlagun, Nandesari, Prayagraj, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Talcher, Udupi, Ujjain, Vapi, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

website(http://cpcb.nic.in) website may be referred.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	119	PM <sub>10</sub>	1
62	Kalaburgi	Good	32	03	1
63	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
64	Kanpur	Satisfactory	61	PM <sub>10</sub>	2
65	Karnal	Satisfactory	70	PM <sub>10</sub>	1
66	Katihar	Moderate	102	PM <sub>2.5</sub>	1
67	Katni	Good	34	O <sub>3</sub>	1
68	Khanna	Satisfactory	57	PM <sub>10</sub>	1
69	Khurja	Satisfactory	85	PM <sub>2.5</sub>	1
70	Kishanganj	Satisfactory	99	O <sub>3</sub>	1
71	Kohima	Satisfactory	51	PM <sub>10</sub>	1
72	Kolkata	Good	39	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	7

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	73	PM <sub>10</sub>	1
74	Kota	Satisfactory	56	PM <sub>10</sub>	1
75	Lucknow	Satisfactory	70	PM <sub>10</sub> , CO	6
76	Ludhiana	Moderate	130	PM <sub>10</sub>	1
77	Madikeri	Good	33	SO <sub>2</sub>	1
78	Mandi Gobindgarh	Moderate	110	PM <sub>2.5</sub>	1
79	Mandideep	Good	44	03	1
80	Mandikhera	Good	32	PM <sub>10</sub>	1
81	Meerut	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	3
82	Moradabad	Satisfactory	80	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	4
83	Mumbai	Good	44	CO, SO <sub>2</sub> , PM <sub>10</sub>	14
84	Munger	Moderate	122	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

## Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Cadag, Cangke Gummidipoondi, Hajipur, Hapur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Motihari, Muzaffarpur, Nagpur, Naharlagun, Nandesari, Prayagraj, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Talcher, Udupi, Ujjain, Vapi, Yadgir,

Yamunanagar as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	200	PM <sub>2.5</sub>	1
86	Mysuru	Good	45	PM <sub>10</sub>	1
87	Narnaul	Good	49	PM <sub>10</sub>	1
88	Nashik	Good	42	PM <sub>10</sub>	1
89	Navi Mumbai	Good	45	со	1
90	Noida	Moderate	119	PM <sub>10</sub>	4
91	Pali	Moderate	147	PM <sub>2.5</sub>	1
92	Palwal	Satisfactory	68	PM <sub>10</sub>	1
93	Panchkula	Satisfactory	70	PM <sub>2.5</sub>	1
94	Panipat	Satisfactory	100	PM <sub>10</sub>	1
95	Patiala	Satisfactory	70	PM <sub>10</sub>	1
96	Patna	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	6

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	99	PM <sub>10</sub>	1
98	Puducherry	Good	50	СО	1
99	Pune	Satisfactory	81	SO <sub>2</sub> , PM <sub>2.5</sub> , CO	4
100	Rajamahendravaram	Good	35	PM <sub>10</sub>	1
101	Rajgir	Satisfactory	54	03	1
102	Ramanagara	Good	36	PM <sub>10</sub>	1
103	Ratlam	Good	40	PM <sub>10</sub>	1
104	Rohtak	Satisfactory	80	PM <sub>2.5</sub>	1
105	Rupnagar	Satisfactory	63	PM <sub>10</sub>	1
106	Sagar	Good	43	со	1
107	Satna	Good	42	PM <sub>10</sub>	1
108	Shillong	Good	20	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
110	Siliguri	Good	32	PM <sub>10</sub>	1
111	Singrauli	Satisfactory	98	NO <sub>2</sub>	1
112	Sirsa	Satisfactory	92	03	1
113	Siwan	Satisfactory	65	03	1
114	Srinagar	Satisfactory	57	SO <sub>2</sub>	1
115	Thane	Good	44	PM <sub>10</sub>	1
116	Thiruvananthapuram	Satisfactory	59	PM <sub>2.5</sub> , CO	2
117	Thoothukudi	Good	29	PM <sub>10</sub>	1
118	Thrissur	Good	42	PM <sub>2.5</sub>	1
119	Tirupati	Good	44	со	1
120	Udaipur	Satisfactory	86	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Satisfactory	60	O <sub>3</sub> , NO <sub>2</sub>	3
122	Vatva	Good	50	NO <sub>2</sub>	1
123	Vijayapura	Good	44	PM <sub>10</sub>	1
124	Visakhapatnam	Satisfactory	70	PM <sub>10</sub>	1
125	Vrindavan	Good	40	SO <sub>2</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Cadag, Cangte Gummidipoondi, Hajipur, Hapur, Hassan, Haveri, Hisar, Hubballi, Jhansi,

Jorapokhar, Kaithal, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Motihari, Muzaffarpur, Nagpur, Naharlagun, Nandesari, Prayagraj, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Talcher, Udupi, Ujjain, Vapi, Yadgir, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Buxar,