

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM ₁₀	2
2	Agra	Satisfactory	80	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	73	O ₃ , PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	66	PM ₁₀	1
7	Amaravati	Good	50	O ₃	1
8	Ambala	Moderate	121	PM _{2.5}	1
9	Amritsar	Moderate	103	PM _{2.5}	1
10	Ankleshwar	Satisfactory	79	PM _{2.5}	1
11	Araria	Satisfactory	71	PM _{2.5}	1
12	Arrah	Moderate	146	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Aurangabad (Bihar)	Satisfactory	78	PM ₁₀	1
15	Baddi	Moderate	114	PM ₁₀	1
16	Bagalkot	Satisfactory	53	PM ₁₀	1
17	Bahadurgarh	Moderate	141	PM ₁₀	1
18	Ballabgarh	Moderate	131	PM ₁₀	1
19	Bathinda	Poor	202	PM ₁₀	1
20	Bengaluru	Satisfactory	57	PM ₁₀ , PM _{2.5}	7
21	Bettiah	Moderate	152	PM ₁₀	1
22	Bhagalpur	Satisfactory	82	PM ₁₀	2
23	Bhiwadi	Moderate	135	PM ₁₀	1
24	Bhiwani	Moderate	167	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Good	49	03	1
26	Bihar Sharif	Moderate	110	PM _{2.5}	1
27	Bilaspur	Satisfactory	62	PM ₁₀	1
28	Bulandshahr	Moderate	117	PM ₁₀	1
29	Buxar	Moderate	134	PM ₁₀	1
30	Chamarajanagar	Good	38	PM ₁₀	1
31	Chandigarh	Moderate	144	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	86	PM _{2.5} , PM ₁₀	2
33	Charkhi Dadri	Moderate	133	PM ₁₀	1
34	Chennai	Satisfactory	56	CO, O ₃ , PM ₁₀	7
35	Chhapra	Moderate	132	PM ₁₀	1
36	Chikkaballapur	Good	35	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	29	O ₃	1
38	Coimbatore	Good	31	PM ₁₀	1
39	Damoh	Good	20	со	1
40	Darbhanga	Moderate	106	PM ₁₀	1
41	Dehradun	Satisfactory	78	PM ₁₀	1
42	Delhi	Moderate	132	PM _{2.5} , PM ₁₀ , O ₃	21
43	Dewas	Good	47	PM ₁₀	1
44	Dharuhera	Moderate	151	PM ₁₀	1
45	Durgapur	Satisfactory	86	PM ₁₀	1
46	Eloor	Satisfactory	56	PM ₁₀	1
47	Ernakulam	Good	45	PM ₁₀	1
48	Faridabad	Moderate	157	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	145	PM _{2.5}	1
50	Firozabad	Satisfactory	85	O ₃ , PM _{2.5}	2
51	Gandhinagar	Satisfactory	70	NO ₂ , PM ₁₀	3
52	Gaya	Satisfactory	70	O ₃ , PM _{2.5}	3
53	Ghaziabad	Moderate	136	O ₃ , PM ₁₀	4
54	Gorakhpur	Good	46	SO ₂	1
55	Greater Noida	Moderate	161	PM ₁₀	2
56	Gummidipoondi	Good	35	PM _{2.5}	1
57	Gurugram	Moderate	162	PM _{2.5} , PM ₁₀	4
58	Guwahati	Good	35	O ₃ , CO	2
59	Gwalior	Good	50	O ₃	1
60	Hajipur	Moderate	134	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Satisfactory	53	PM ₁₀	1
62	Hisar	Satisfactory	77	PM _{2.5}	1
63	Howrah	Satisfactory	73	PM ₁₀	3
64	Hyderabad	Satisfactory	74	O ₃ , PM _{2.5} , PM ₁₀	10
65	Imphal	Good	44	PM ₁₀	1
66	Indore	Satisfactory	98	PM ₁₀	1
67	Jabalpur	Satisfactory	57	PM ₁₀	1
68	Jaipur	Satisfactory	81	PM ₁₀	3
69	Jalandhar	Satisfactory	69	PM ₁₀	1
70	Jhansi	Satisfactory	62	PM ₁₀	1
71	Jind	Moderate	149	PM ₁₀	1
72	Jodhpur	Satisfactory	90	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	160	PM ₁₀	1
74	Kalyan	Satisfactory	57	PM ₁₀	1
75	Kannur	Satisfactory	54	PM _{2.5}	1
76	Kanpur	Satisfactory	72	PM ₁₀	3
77	Karnal	Moderate	142	PM ₁₀	1
78	Katihar	Moderate	132	PM ₁₀	1
79	Katni	Good	48	PM ₁₀	1
80	Khanna	Satisfactory	90	PM ₁₀	1
81	Khurja	Satisfactory	91	PM ₁₀	1
82	Kishanganj	Satisfactory	75	O ₃	1
83	Kochi	Good	43	PM ₁₀	1
84	Kolkata	Satisfactory	62	PM ₁₀ , O ₃	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	55	PM ₁₀	1
86	Koppal	Satisfactory	73	O ₃	1
87	Kota	Satisfactory	65	PM ₁₀	1
88	Kozhikode	Satisfactory	76	PM ₁₀	1
89	Kurukshetra	Moderate	101	PM ₁₀	1
90	Lucknow	Moderate	115	PM ₁₀	6
91	Ludhiana	Moderate	108	PM ₁₀	1
92	Madikeri	Good	43	SO ₂	1
93	Maihar	Satisfactory	67	СО	1
94	Mandideep	Good	49	PM ₁₀	1
95	Mandikhera	Satisfactory	83	PM ₁₀	1
96	Manesar	Moderate	105	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	130	PM ₁₀	3
98	Moradabad	Satisfactory	93	PM ₁₀	4
99	Motihari	Moderate	125	03	1
100	Mumbai	Satisfactory	51	CO, PM ₁₀ , SO ₂	17
101	Muzaffarnagar	Moderate	131	PM ₁₀	1
102	Muzaffarpur	Satisfactory	76	PM ₁₀ , PM _{2.5}	2
103	Mysuru	Good	41	PM ₁₀	1
104	Nagpur	Satisfactory	57	PM ₁₀	1
105	Narnaul	Satisfactory	77	PM ₁₀	1
106	Nashik	Good	50	PM ₁₀	1
107	Navi Mumbai	Satisfactory	71	CO, PM ₁₀	2
108	Noida	Moderate	136	PM ₁₀	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	97	PM _{2.5}	1
110	Panchkula	Moderate	103	со	1
111	Panipat	Moderate	161	PM ₁₀	1
112	Patiala	Moderate	107	PM ₁₀	1
113	Patna	Moderate	171	PM ₁₀ , NO ₂	6
114	Pithampur	Satisfactory	71	PM ₁₀	1
115	Prayagraj	Satisfactory	70	PM ₁₀	3
116	Puducherry	Good	42	O ₃	1
117	Pune	Satisfactory	75	SO ₂ , CO	4
118	Purnia	Poor	226	PM _{2.5}	1
119	Rajamahendravaram	Good	34	PM ₁₀	1
120	Rajgir	Satisfactory	83	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Good	33	PM ₁₀	1
122	Ratlam	Good	47	PM ₁₀	1
123	Rohtak	Moderate	136	PM _{2.5}	1
124	Sagar	Moderate	120	NO ₂	1
125	Sasaram	Satisfactory	78	03	1
126	Satna	Good	46	PM ₁₀	1
127	Shillong	Good	49	NO ₂	1
128	Shivamogga	Satisfactory	53	PM ₁₀	1
129	Siliguri	Good	34	PM ₁₀	1
130	Singrauli	Satisfactory	93	NO ₂	1
131	Sirsa	Moderate	128	PM ₁₀	1
132	Sonipat	Good	49	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Satisfactory	83	PM ₁₀	1
134	Thane	Satisfactory	87	NO ₂	1
135	Thiruvananthapuram	Good	20	СО	1
136	Thoothukudi	Good	32	PM ₁₀	1
137	Thrissur	Good	37	NO ₂	1
138	Udaipur	Satisfactory	76	PM ₁₀	1
139	Ujjain	Satisfactory	70	PM ₁₀	1
140	Varanasi	Satisfactory	57	O ₃ , PM ₁₀ , NO ₂	4
141	Vatva	Satisfactory	68	PM ₁₀	1
142	Vijayapura	Good	44	PM ₁₀	1
143	Visakhapatnam	Satisfactory	59	PM ₁₀	1
144	Vrindavan	Satisfactory	95	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Good	42	PM ₁₀	1
146	Yamunanagar	Satisfactory	98	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Begusarai, Bhilai, Bidar, Brajrajnagar, Davanagere, Gadag, Gangtok, Hapur, Hassan, Haveri, Hubballi, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandi Gobindgarh, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Raichur, Rupnagar, Saharsa, Samastipur, Siwan, Solapur, Talcher, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.