

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Moderate	120	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	78	PM ₁₀ , PM _{2.5}	5
4	Aizawl	Good	18	SO ₂	1
5	Ajmer	Moderate	145	PM ₁₀	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Good	23	O ₃	1
8	Ambala	Moderate	133	PM _{2.5}	1
9	Amritsar	Moderate	105	PM ₁₀	1
10	Asansol	Good	33	O ₃	1
11	Aurangabad	Satisfactory	63	со	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	151	PM ₁₀	1
14	Bahadurgarh	Moderate	189	PM _{2.5}	1
15	Ballabgarh	Moderate	126	PM ₁₀	1
16	Bathinda	Good	46	PM ₁₀	1
17	Bengaluru	Satisfactory	51	CO, PM _{2.5} , PM ₁₀	10
18	Bhiwadi	Poor	237	PM _{2.5}	1
19	Bhopal	Good	46	PM ₁₀	1
20	Brajrajnagar	Good	44	со	1
21	Bulandshahr	Moderate	111	PM ₁₀	1
22	Chamarajanagar	Good	40	PM ₁₀	1
23	Chandigarh	Moderate	110	PM ₁₀	2
24	Chandrapur	Good	28	PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	56	CO, PM ₁₀	6
26	Chikkaballapur	Good	33	PM ₁₀	1
27	Chikkamagaluru	Good	29	PM ₁₀	1
28	Damoh	Good	29	PM _{2.5}	1
29	Delhi	Moderate	167	PM _{2.5} , PM ₁₀	37
30	Dewas	Good	31	PM ₁₀	1
31	Eloor	Satisfactory	70	со	1
32	Ernakulam	Good	38	со	1
33	Faridabad	Poor	222	PM _{2.5} , O ₃ , PM ₁₀	4
34	Fatehabad	Moderate	125	PM ₁₀	1
35	Firozabad	Satisfactory	80	PM ₁₀	1
36	Gandhinagar	Satisfactory	68	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	70	CO, O ₃	2
38	Ghaziabad	Moderate	174	PM _{2.5} , PM ₁₀	4
39	Gorakhpur	Good	17	PM ₁₀	1
40	Greater Noida	Moderate	190	PM ₁₀ , O ₃	2
41	Gurugram	Moderate	188	PM _{2.5}	3
42	Guwahati	Satisfactory	54	SO ₂	2
43	Gwalior	Moderate	103	PM ₁₀	1
44	Hajipur	Satisfactory	78	со	1
45	Haldia	Good	28	PM ₁₀	1
46	Hapur	Moderate	119	PM ₁₀	1
47	Hassan	Satisfactory	69	PM ₁₀	1
48	Howrah	Good	42	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	40	PM ₁₀	1
50	Hyderabad	Good	44	CO, NO ₂ , SO ₂	6
51	Indore	Good	46	NO ₂	1
52	Jabalpur	Good	40	PM ₁₀	1
53	Jaipur	Moderate	109	PM ₁₀	3
54	Jalandhar	Moderate	111	PM ₁₀	1
55	Jind	Moderate	131	PM ₁₀	1
56	Jodhpur	Moderate	125	PM _{2.5}	1
57	Kaithal	Moderate	148	PM ₁₀	1
58	Kalaburgi	Good	28	PM ₁₀	1
59	Kalyan	Good	47	со	1
60	Kannur	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar,
 Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	84	PM ₁₀ , PM _{2.5}	2
62	Karnal	Moderate	105	PM _{2.5}	1
63	Katni	Satisfactory	61	PM ₁₀	1
64	Khanna	Satisfactory	77	PM ₁₀	1
65	Kochi	Good	46	PM ₁₀	1
66	Kohima	Good	38	PM ₁₀	1
67	Kolar	Good	47	SO ₂	1
68	Kolkata	Good	39	O ₃ , PM ₁₀ , CO	7
69	Kollam	Satisfactory	99	со	1
70	Koppal	Good	40	со	1
71	Kota	Satisfactory	73	PM _{2.5}	1
72	Kozhikode	Satisfactory	74	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar,
 Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	129	PM ₁₀	1
74	Lucknow	Satisfactory	77	PM ₁₀ , PM _{2.5}	6
75	Ludhiana	Satisfactory	77	PM ₁₀	1
76	Maihar	Good	30	PM _{2.5}	1
77	Mandi Gobindgarh	Moderate	141	PM _{2.5}	1
78	Mandideep	Good	40	PM ₁₀	1
79	Mandikhera	Satisfactory	98	PM ₁₀	1
80	Manesar	Moderate	160	PM _{2.5}	1
81	Medikeri	Good	29	03	1
82	Meerut	Moderate	115	PM ₁₀	2
83	Moradabad	Moderate	120	PM ₁₀	1
84	Mumbai	Good	49	PM ₁₀ , CO	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	144	PM _{2.5}	1
86	Muzaffarpur	Good	42	PM _{2.5}	2
87	Mysuru	Good	30	PM ₁₀	1
88	Naharlagun	Good	37	SO ₂	1
89	Nandesari	Moderate	102	PM _{2.5}	1
90	Narnaul	Satisfactory	98	PM _{2.5}	1
91	Nashik	Good	28	PM _{2.5}	1
92	Navi Mumbai	Satisfactory	59	со	3
93	Noida	Moderate	178	PM ₁₀	4
94	Pali	Satisfactory	78	PM ₁₀	1
95	Palwal	Moderate	148	PM ₁₀	1
96	Panchkula	Satisfactory	94	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	154	PM _{2.5}	1
98	Patiala	Satisfactory	99	PM ₁₀	1
99	Patna	Satisfactory	61	PM ₁₀ , CO, O ₃	5
100	Pithampur	Satisfactory	69	PM ₁₀	1
101	Prayagraj	Good	45	PM _{2.5} , O ₃	2
102	Puducherry	Good	48	03	1
103	Pune	Satisfactory	64	СО	7
104	Raichur	Good	43	PM ₁₀	1
105	Rajamahendravaram	Good	27	PM ₁₀	1
106	Ramanagara	Good	31	03	1
107	Rohtak	Moderate	154	PM _{2.5}	1
108	Rupnagar	Satisfactory	92	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	30	NO ₂	1
110	Satna	Good	44	PM ₁₀	1
111	Shivamogga	Good	41	PM ₁₀	1
112	Siliguri	Good	34	со	1
113	Singrauli	Satisfactory	62	SO ₂	1
114	Sirsa	Moderate	117	PM ₁₀	1
115	Solapur	Good	48	PM ₁₀	1
116	Sonipat	Moderate	197	PM ₁₀	1
117	Srinagar	Satisfactory	96	PM ₁₀	1
118	Talcher	Satisfactory	81	со	1
119	Thane	Satisfactory	51	O ₃	1
120	Thiruvananthapuram	Good	36	PM ₁₀ , CO	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	32	PM ₁₀	1
122	Tirupati	Good	34	со	1
123	Udaipur	Satisfactory	69	PM ₁₀	1
124	Ujjain	Satisfactory	59	03	1
125	Vapi	Good	32	PM ₁₀	1
126	Varanasi	Good	39	PM ₁₀ , NO ₂	3
127	Vatva	Moderate	101	PM ₁₀	1
128	Vijayapura	Satisfactory	54	со	1
129	Visakhapatnam	Satisfactory	79	PM ₁₀	1
130	Vrindavan	Moderate	129	PM ₁₀	1
131	Yadgir	Good	29	PM ₁₀	1
132	Yamunanagar	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Nagpur, Ratlam, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.