

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	189	PM _{2.5}	1
2	Agra	Very Poor	319	PM _{2.5}	1
3	Ahmedabad	Moderate	141	PM ₁₀	1
4	Aizawl	Good	46	PM ₁₀	1
5	Ajmer	Moderate	109	PM ₁₀	1
6	Alwar	Satisfactory	92	PM ₁₀	1
7	Amaravati	Satisfactory	77	PM _{2.5}	1
8	Ambala	Moderate	139	PM _{2.5}	1
9	Amritsar	Moderate	110	PM ₁₀	1
10	Asansol	Moderate	200	PM _{2.5}	1
11	Aurangabad	Satisfactory	85	PM ₁₀	1
12	Bagalkot	Good	30	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	280	PM _{2.5}	1
14	Bahadurgarh	Poor	276	PM _{2.5}	1
15	Ballabgarh	Poor	273	PM _{2.5}	1
16	Bathinda	Moderate	127	PM _{2.5}	1
17	Bengaluru	Satisfactory	80	PM _{2.5} , PM ₁₀ , O ₃	9
18	Bhiwadi	Poor	279	PM _{2.5}	1
19	Bhiwani	Moderate	157	PM ₁₀	1
20	Bhopal	Moderate	197	PM _{2.5}	1
21	Bidar	Moderate	101	PM ₁₀	1
22	Brajrajnagar	Moderate	146	PM _{2.5}	1
23	Bulandshahr	Very Poor	342	PM _{2.5}	1
24	Chandigarh	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	150	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Poor	211	PM ₁₀	1
27	Chennai	Satisfactory	91	PM _{2.5} , PM ₁₀	8
28	Chikkaballapur	Satisfactory	78	PM ₁₀	1
29	Chikkamagaluru	Moderate	189	03	1
30	Damoh	Moderate	173	PM _{2.5}	1
31	Delhi	Very Poor	318	PM ₁₀ , PM _{2.5}	25
32	Dewas	Moderate	135	PM _{2.5}	1
33	Dharuhera	Poor	255	PM ₁₀	1
34	Eloor	Good	47	со	1
35	Ernakulam	Satisfactory	97	PM _{2.5}	1
36	Faridabad	Poor	300	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	282	PM _{2.5}	1
38	Gadag	Good	47	O ₃	1
39	Gandhinagar	Satisfactory	85	PM ₁₀	1
40	Gaya	Moderate	126	PM _{2.5} , CO	2
41	Ghaziabad	Very Poor	357	PM _{2.5}	3
42	Greater Noida	Poor	300	PM _{2.5} , PM ₁₀	2
43	Gummidipoondi	Poor	208	PM _{2.5}	1
44	Gurugram	Very Poor	317	PM _{2.5}	4
45	Guwahati	Poor	272	PM _{2.5}	2
46	Hajipur	Moderate	120	PM ₁₀	1
47	Haldia	Moderate	166	PM _{2.5}	1
48	Hisar	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	289	PM _{2.5}	3
50	Hubballi	Moderate	121	PM _{2.5}	1
51	Hyderabad	Moderate	103	PM _{2.5} , PM ₁₀	5
52	Indore	Moderate	142	PM _{2.5}	1
53	Jaipur	Moderate	183	PM _{2.5}	3
54	Jalandhar	Satisfactory	91	PM ₁₀	1
55	Jind	Poor	289	PM _{2.5}	1
56	Jodhpur	Moderate	152	PM _{2.5}	1
57	Jorapokhar	Moderate	120	PM ₁₀	1
58	Kaithal	Moderate	183	PM _{2.5}	1
59	Kalaburgi	Satisfactory	85	PM ₁₀	1
60	Kalyan	Moderate	179	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	107	PM _{2.5}	1
62	Kanpur	Poor	290	PM _{2.5}	2
63	Karnal	Moderate	197	PM _{2.5}	1
64	Katni	Poor	262	PM _{2.5}	1
65	Khanna	Moderate	112	PM ₁₀	1
66	Kolar	Satisfactory	58	O ₃	1
67	Kolkata	Poor	284	PM _{2.5}	7
68	Kollam	Satisfactory	100	PM _{2.5}	1
69	Koppal	Satisfactory	73	PM ₁₀	1
70	Kota	Poor	218	PM _{2.5}	1
71	Kozhikode	Satisfactory	67	PM ₁₀	1
72	Kurukshetra	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	297	PM _{2.5} , PM ₁₀	4
74	Ludhiana	Moderate	127	PM ₁₀	1
75	Maihar	Moderate	121	PM _{2.5}	1
76	Mandi Gobindgarh	Poor	212	PM _{2.5}	1
77	Mandideep	Moderate	138	PM _{2.5}	1
78	Mandikhera	Moderate	161	PM _{2.5}	1
79	Manesar	Poor	262	PM _{2.5}	1
80	Manglore	Satisfactory	90	PM _{2.5}	1
81	Medikeri	Satisfactory	84	03	1
82	Meerut	Very Poor	350	PM _{2.5}	2
83	Moradabad	Very Poor	362	PM _{2.5}	1
84	Mumbai	Poor	231	PM _{2.5}	19

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	196	PM ₁₀	1
86	Nagpur	Satisfactory	90	PM _{2.5}	1
87	Nandesari	Satisfactory	91	со	1
88	Narnaul	Very Poor	302	PM ₁₀	1
89	Nashik	Moderate	109	PM _{2.5}	1
90	Navi Mumbai	Poor	201	PM _{2.5} , CO	3
91	Noida	Very Poor	342	PM _{2.5}	3
92	Pali	Moderate	110	PM ₁₀	1
93	Palwal	Moderate	117	PM ₁₀	1
94	Panchkula	Moderate	140	PM _{2.5}	1
95	Patiala	Moderate	145	PM _{2.5}	1
96	Patna	Poor	227	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	155	PM _{2.5}	1
98	Puducherry	Satisfactory	69	PM ₁₀	1
99	Pune	Moderate	134	PM _{2.5} , NO ₂ , PM ₁₀	5
100	Raichur	Moderate	131	PM ₁₀	1
101	Rajamahendravaram	Satisfactory	100	PM _{2.5}	1
102	Ratlam	Moderate	122	PM ₁₀	1
103	Rohtak	Very Poor	308	PM _{2.5}	1
104	Sagar	Satisfactory	66	PM _{2.5}	1
105	Satna	Satisfactory	92	PM ₁₀	1
106	Shivamogga	Satisfactory	78	PM _{2.5}	1
107	Siliguri	Poor	252	PM _{2.5}	1
108	Sirsa	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	173	PM ₁₀	1
110	Sonipat	Moderate	187	PM ₁₀	1
111	Talcher	Satisfactory	83	PM _{2.5}	1
112	Thane	Poor	206	PM ₁₀	1
113	Thiruvananthapuram	Satisfactory	70	PM ₁₀ , O ₃	2
114	Thrissur	Moderate	111	PM _{2.5}	1
115	Tirupati	Satisfactory	95	PM _{2.5}	1
116	Udaipur	Moderate	132	PM ₁₀	1
117	Ujjain	Moderate	169	O ₃	1
118	Vapi	Moderate	183	PM ₁₀	1
119	Varanasi	Poor	278	PM _{2.5}	1
120	Vatva	Moderate	186	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	60	СО	1
122	Visakhapatnam	Moderate	137	PM _{2.5}	1
123	Yadgir	Satisfactory	86	PM ₁₀	1
124	Yamunanagar	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gwalior, Hapur, Jabalpur, Kochi, Kohima, Muzaffarnagar, Mysuru, Panipat, Ramanagara, Rupnagar, Shillong, Singrauli, Thoothukudi as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.