

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	152	03	1
2	Agra	Moderate	134	03	1
3	Ahmedabad	Moderate	191	03	1
4	Aizawl	Good	47	PM ₁₀	1
5	Ajmer	Moderate	108	PM ₁₀	1
6	Amaravati	Satisfactory	55	PM ₁₀	1
7	Ambala	Satisfactory	58	PM ₁₀	1
8	Amritsar	Satisfactory	59	03	1
9	Ankleshwar	Satisfactory	95	PM ₁₀	1
10	Asansol	Moderate	117	PM ₁₀	1
11	Aurangabad	Satisfactory	88	PM ₁₀	1
12	Bagalkot	Good	47	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	133	PM ₁₀	1
14	Bahadurgarh	Moderate	104	PM _{2.5}	1
15	Ballabgarh	Satisfactory	75	со	1
16	Bathinda	Good	50	PM ₁₀	1
17	Bengaluru	Satisfactory	62	O ₃ , CO, PM _{2.5}	8
18	Bhiwadi	Poor	255	PM _{2.5}	1
19	Bhiwani	Moderate	104	PM ₁₀	1
20	Bhopal	Moderate	108	PM ₁₀	1
21	Brajrajnagar	Satisfactory	86	PM ₁₀	1
22	Bulandshahr	Moderate	188	03	1
23	Chamarajanagar	Satisfactory	65	PM ₁₀	1
24	Chandigarh	Good	48	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	96	PM ₁₀ , PM _{2.5}	2
26	Charkhi Dadri	Moderate	106	PM ₁₀	1
27	Chennai	Good	42	PM ₁₀ , SO ₂ , CO	6
28	Chikkaballapur	Satisfactory	54	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	57	03	1
30	Damoh	Good	45	PM ₁₀	1
31	Davanagere	Satisfactory	51	PM ₁₀	1
32	Delhi	Moderate	125	O ₃ , PM ₁₀	31
33	Dewas	Moderate	114	PM ₁₀	1
34	Dharuhera	Moderate	173	PM ₁₀	1
35	Durgapur	Moderate	174	PM ₁₀	1
36	Eloor	Good	48	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	60	PM ₁₀	1
38	Faridabad	Moderate	162	O ₃ , PM _{2.5} , PM ₁₀	4
39	Fatehabad	Moderate	114	PM ₁₀	1
40	Gadag	Satisfactory	87	SO ₂	1
41	Gandhinagar	Satisfactory	68	PM ₁₀	1
42	Gaya	Moderate	160	03	1
43	Ghaziabad	Moderate	142	PM _{2.5} , PM ₁₀ , O ₃	4
44	Greater Noida	Moderate	112	PM ₁₀	2
45	Gummidipoondi	Satisfactory	78	PM _{2.5}	1
46	Gurugram	Moderate	112	PM _{2.5} , PM ₁₀	3
47	Guwahati	Moderate	111	PM ₁₀	2
48	Gwalior	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Moderate	198	PM ₁₀	1
50	Haldia	Moderate	104	PM ₁₀	1
51	Hapur	Satisfactory	92	O ₃	1
52	Hassan	Satisfactory	75	со	1
53	Hisar	Moderate	113	PM ₁₀	1
54	Howrah	Moderate	143	PM ₁₀ , PM _{2.5}	3
55	Hubballi	Satisfactory	75	PM ₁₀	1
56	Hyderabad	Satisfactory	72	PM ₁₀ , PM _{2.5}	6
57	Indore	Moderate	109	PM ₁₀	1
58	Jabalpur	Moderate	121	PM ₁₀	1
59	Jaipur	Moderate	118	PM _{2.5} , PM ₁₀	3
60	Jalandhar	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Moderate	104	PM _{2.5}	1
62	Jodhpur	Poor	208	PM ₁₀	1
63	Kaithal	Satisfactory	90	PM ₁₀	1
64	Kalyan	Moderate	109	PM ₁₀	1
65	Kannur	Satisfactory	96	PM ₁₀	1
66	Kanpur	Satisfactory	78	PM _{2.5}	2
67	Karnal	Good	42	PM _{2.5}	1
68	Katni	Moderate	150	PM ₁₀	1
69	Khanna	Good	47	NO ₂	1
70	Kochi	Moderate	111	PM _{2.5}	1
71	Kohima	Moderate	113	PM ₁₀	1
72	Kolkata	Moderate	150	O ₃ , PM _{2.5} , PM ₁₀	7

Possible Health Impacts

Michaellance

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	89	PM ₁₀	1
74	Koppal	Satisfactory	53	СО	1
75	Kota	Moderate	107	PM ₁₀	1
76	Kozhikode	Satisfactory	53	PM ₁₀	1
77	Kurukshetra	Satisfactory	68	PM ₁₀	1
78	Lucknow	Moderate	112	PM _{2.5} , PM ₁₀ , O ₃	4
79	Ludhiana	Good	47	NO ₂	1
80	Mandideep	Satisfactory	51	PM ₁₀	1
81	Mandikhera	Satisfactory	65	PM ₁₀	1
82	Manesar	Moderate	114	PM _{2.5}	1
83	Manglore	Satisfactory	67	PM ₁₀	1
84	Medikeri	Good	39	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	97	PM ₁₀	2
86	Mumbai	Satisfactory	75	PM ₁₀	20
87	Muzaffarnagar	Moderate	101	PM ₁₀	1
88	Muzaffarpur	Moderate	164	PM _{2.5} , PM ₁₀	2
89	Mysuru	Satisfactory	87	03	1
90	Nagpur	Satisfactory	83	PM _{2.5}	1
91	Naharlagun	Satisfactory	82	PM ₁₀	1
92	Narnaul	Moderate	171	PM ₁₀	1
93	Nashik	Satisfactory	55	PM _{2.5}	1
94	Navi Mumbai	Satisfactory	94	PM ₁₀	2
95	Noida	Satisfactory	97	PM ₁₀	3
96	Pali	Poor	210	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	37	NO ₂	1
98	Panipat	Moderate	116	PM ₁₀	1
99	Patiala	Satisfactory	60	PM ₁₀	1
100	Patna	Moderate	191	PM _{2.5} , PM ₁₀ , O ₃	3
101	Pithampur	Satisfactory	85	PM ₁₀	1
102	Puducherry	Satisfactory	53	03	1
103	Pune	Satisfactory	74	CO, PM _{2.5} , PM ₁₀	6
104	Rajamahendravaram	Satisfactory	54	PM ₁₀	1
105	Ratlam	Moderate	105	PM ₁₀	1
106	Rohtak	Satisfactory	86	NO ₂	1
107	Sagar	Satisfactory	82	PM _{2.5}	1
108	Satna	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	69	03	1
110	Siliguri	Moderate	102	03	1
111	Singrauli	Poor	265	PM _{2.5}	1
112	Sirsa	Satisfactory	70	PM ₁₀	1
113	Solapur	Moderate	165	PM _{2.5}	1
114	Sonipat	Moderate	133	PM ₁₀	1
115	Srinagar	Satisfactory	55	PM ₁₀	1
116	Talcher	Moderate	140	PM ₁₀	1
117	Thane	Moderate	149	PM ₁₀	1
118	Thiruvananthapuram	Good	39	03	2
119	Thrissur	Satisfactory	58	PM ₁₀	1
120	Udaipur	Moderate	113	PM ₁₀	1

Possible Health Impacts

Moderate

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	120	PM ₁₀	1
122	Vapi	Satisfactory	56	PM ₁₀	1
123	Varanasi	Poor	215	PM _{2.5}	1
124	Vatva	Moderate	161	PM _{2.5}	1
125	Visakhapatnam	Moderate	124	PM ₁₀	1
126	Yadgir	Satisfactory	86	O ₃	1
127	Yamunanagar	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandi Gobindgarh, Moradabad, Nandesari, Palwal, Raichur, Ramanagara, Rupnagar, Shillong, Thoothukudi, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.