

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	69	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	78	CO, NO ₂ , PM ₁₀	6
4	Aizawl	Satisfactory	60	O ₃	1
5	Ajmer	Moderate	110	PM ₁₀	1
6	Alwar	Satisfactory	59	PM ₁₀	1
7	Amaravati	Good	27	O ₃	1
8	Ambala	Satisfactory	68	PM _{2.5}	1
9	Amritsar	Moderate	117	PM _{2.5}	1
10	Ankleshwar	Good	50	со	1
11	Araria	Good	48	O ₃	1
12	Arrah	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	76	PM ₁₀	1
14	Baddi	Satisfactory	69	PM ₁₀	1
15	Bagalkot	Good	46	PM ₁₀	1
16	Baghpat	Satisfactory	55	03	1
17	Bahadurgarh	Satisfactory	93	PM ₁₀	1
18	Ballabgarh	Satisfactory	78	PM ₁₀	1
19	Bathinda	Satisfactory	67	PM ₁₀	1
20	Bengaluru	Satisfactory	53	CO, PM ₁₀	7
21	Bhagalpur	Moderate	102	O ₃ , PM ₁₀	2
22	Bhiwadi	Moderate	123	PM ₁₀	1
23	Bhiwani	Satisfactory	100	PM _{2.5}	1
24	Bhopal	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	127	PM ₁₀	1
26	Bilaspur	Satisfactory	67	PM ₁₀	1
27	Brajrajnagar	Good	48	со	1
28	Bulandshahr	Satisfactory	99	PM ₁₀	1
29	Buxar	Satisfactory	92	со	1
30	Chamarajanagar	Good	34	PM ₁₀	1
31	Chandigarh	Satisfactory	66	03	2
32	Chandrapur	Satisfactory	80	PM _{2.5} , CO	2
33	Charkhi Dadri	Moderate	150	PM ₁₀	1
34	Chennai	Satisfactory	62	CO, PM _{2.5} , PM ₁₀	6
35	Chhapra	Satisfactory	74	PM ₁₀	1
36	Chikkaballapur	Good	29	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	44	PM ₁₀	1
38	Coimbatore	Good	48	со	1
39	Damoh	Good	32	PM _{2.5}	1
40	Darbhanga	Moderate	107	PM ₁₀	1
41	Davanagere	Good	17	со	1
42	Delhi	Satisfactory	100	CO, PM ₁₀	11
43	Dewas	Good	37	PM ₁₀	1
44	Ernakulam	Good	31	со	1
45	Faridabad	Moderate	134	PM ₁₀ , PM _{2.5}	2
46	Fatehabad	Satisfactory	82	PM ₁₀	1
47	Firozabad	Good	50	PM ₁₀ , O ₃	2
48	Gadag	Good	24	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Good	36	PM ₁₀	2
50	Gaya	Satisfactory	68	PM ₁₀ , CO	3
51	Ghaziabad	Satisfactory	90	PM ₁₀	4
52	Gorakhpur	Good	47	SO ₂	1
53	Greater Noida	Satisfactory	90	PM ₁₀	2
54	Gummidipoondi	Good	11	PM ₁₀	1
55	Gurugram	Moderate	140	PM _{2.5}	1
56	Guwahati	Good	28	PM ₁₀	2
57	Gwalior	Satisfactory	57	PM ₁₀ , O ₃	2
58	Hajipur	Satisfactory	72	PM ₁₀	1
59	Haldia	Good	43	со	1
60	Hapur	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring local
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	42	со	1
62	Haveri	Satisfactory	59	со	1
63	Hisar	Moderate	104	PM ₁₀	1
64	Howrah	Good	38	PM ₁₀ , CO	3
65	Hubballi	Satisfactory	52	со	1
66	Hyderabad	Good	49	CO, PM ₁₀ , NO ₂	13
67	Imphal	Good	50	O ₃ , SO ₂	2
68	Indore	Good	46	PM ₁₀	1
69	Jabalpur	Satisfactory	58	PM ₁₀	1
70	Jaipur	Satisfactory	60	PM ₁₀ , O ₃	2
71	Jalandhar	Satisfactory	79	PM ₁₀	1
72	Jind	Satisfactory	82	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Satisfactory	91	PM ₁₀	1
74	Kaithal	Satisfactory	68	O ₃	1
75	Kalaburgi	Good	33	PM ₁₀	1
76	Kannur	Satisfactory	54	PM _{2.5}	1
77	Kanpur	Good	49	PM ₁₀ , PM _{2.5}	4
78	Karnal	Satisfactory	56	PM ₁₀	1
79	Katihar	Satisfactory	91	PM ₁₀	1
80	Katni	Good	47	PM ₁₀	1
81	Khanna	Satisfactory	52	со	1
82	Khurja	Satisfactory	62	PM ₁₀	1
83	Kishanganj	Satisfactory	55	O ₃	1
84	Kochi	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	60	PM ₁₀	1
86	Kolkata	Good	36	PM ₁₀ , NO ₂	7
87	Kollam	Satisfactory	60	PM ₁₀	1
88	Koppal	Good	25	NO ₂	1
89	Kota	Satisfactory	58	PM ₁₀	1
90	Kozhikode	Satisfactory	69	PM ₁₀	1
91	Kurukshetra	Satisfactory	74	PM _{2.5}	1
92	Lucknow	Satisfactory	68	PM ₁₀	6
93	Ludhiana	Satisfactory	79	PM ₁₀	1
94	Madikeri	Good	26	SO ₂	1
95	Mandi Gobindgarh	Good	42	PM _{2.5}	1
96	Mandideep	Satisfactory	55	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	69	со	1
98	Manesar	Moderate	126	PM _{2.5}	1
99	Manglore	Satisfactory	57	со	1
100	Meerut	Satisfactory	77	CO, PM ₁₀	3
101	Moradabad	Satisfactory	73	PM ₁₀ , PM _{2.5} , O ₃	5
102	Motihari	Satisfactory	72	03	1
103	Mumbai	Satisfactory	56	PM _{2.5} , O ₃ , SO ₂	15
104	Munger	Moderate	102	PM ₁₀	1
105	Muzaffarnagar	Satisfactory	85	PM ₁₀	1
106	Muzaffarpur	Satisfactory	61	PM ₁₀ , CO, PM _{2.5}	3
107	Mysuru	Good	42	PM ₁₀	1
108	Nagpur	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Good	24	SO ₂	1
110	Nashik	Good	30	со	1
111	Navi Mumbai	Satisfactory	95	со	1
112	Noida	Satisfactory	94	PM ₁₀	3
113	Pali	Satisfactory	55	PM ₁₀	1
114	Palwal	Satisfactory	81	PM ₁₀	1
115	Panchkula	Good	36	SO ₂	1
116	Panipat	Satisfactory	76	PM ₁₀	1
117	Patiala	Satisfactory	60	PM ₁₀	1
118	Patna	Satisfactory	95	PM ₁₀ , NO ₂	5
119	Pithampur	Satisfactory	65	PM ₁₀	1
120	Prayagraj	Satisfactory	84	PM ₁₀ , SO ₂	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring local
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	58	PM ₁₀	1
122	Pune	Satisfactory	97	NO ₂ , CO	4
123	Purnia	Satisfactory	73	PM ₁₀	1
124	Raichur	Satisfactory	57	со	1
125	Rajamahendravaram	Good	30	PM ₁₀	1
126	Rajgir	Good	42	03	1
127	Ramanagara	Good	35	PM ₁₀	1
128	Ratlam	Good	25	PM ₁₀	1
129	Rohtak	Satisfactory	83	PM _{2.5}	1
130	Rupnagar	Moderate	150	PM ₁₀	1
131	Sagar	Satisfactory	53	со	1
132	Saharsa	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	25	O ₃	1
134	Shillong	Good	29	PM ₁₀ , O ₃	2
135	Shivamogga	Satisfactory	54	PM ₁₀	1
136	Siliguri	Good	48	PM ₁₀	1
137	Singrauli	Satisfactory	91	NO ₂	1
138	Sirsa	Moderate	111	03	1
139	Siwan	Satisfactory	88	PM ₁₀	1
140	Solapur	Satisfactory	63	PM ₁₀	1
141	Srinagar	Satisfactory	55	PM ₁₀	1
142	Thiruvananthapuram	Good	37	со	1
143	Thoothukudi	Good	42	PM ₁₀	1
144	Thrissur	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Good	39	со	1
146	Udaipur	Satisfactory	92	PM ₁₀	1
147	Varanasi	Good	50	PM ₁₀ , O ₃ , NO ₂	4
148	Vatva	Satisfactory	65	PM ₁₀	1
149	Vijayapura	Good	49	PM ₁₀	1
150	Visakhapatnam	Satisfactory	76	PM ₁₀	1
151	Vrindavan	Good	44	SO ₂	1
152	Yadgir	Good	28	со	1
153	Yamunanagar	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Bareilly, Begusarai, Bettiah, Bhilai, Bidar, Dehradun, Dharuhera, Durgapur, Eloor, Gangtok, Jhansi, Jorapokhar, Kalyan, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Samastipur, Sasaram, Sonipat, Talcher, Thane, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.